

DISCLAIMER

All information contained is believed to be accurate and from accurate resources. However, buyers are encouraged to do their own due diligence. Schrader Auction Company assumes no liability for the information provided.



SCHRADER REAL ESTATE & AUCTION CO., INC.

950 N. Liberty Dr., Columbia City, IN 46725

260-244-7606 or 800-451-2709

SchraderAuction.com

Tracts

1 - 14

Soils Map

















State: **Illinois**
 County: **Boone**
 Location: **020-043N-004E**
 Township: **Spring**
 Acres: **1027.2**
 Date: **6/24/2011**



Fsa borders provided by the Farm Service Agency as of May 23, 2008.
 Soils data provided by USDA and NRCS.
 PLSS provided by Illinois State Geological Survey.





Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Corn	Grass legume hay	Grass legume pasture	Oats	Soybeans	Winter wheat
152A	Drummer silty clay loam, 0 to 2 percent slopes	157.6	15.3%		Ilw	173	5	7.4	89	56	65
125A	Selma loam, 0 to 2 percent slopes	139.7	13.6%		Ilw	157	4.8	7	80	51	62
102A	La Hogue loam, 0 to 2 percent slopes	89.3	8.7%		I	146	4.8	7	72	47	64
440B	Jasper silt loam, 2 to 5 percent slopes	85.3	8.3%		Ile	156	5.2	7.6	84	50	63
221B	Parr silt loam, 2 to 5 percent slopes	83.4	8.1%		Ile	143	4.9	7.1	60	47	57
527B	Kidami silt loam, 2 to 4 percent slopes	81.3	7.9%		Ile	141	4.1	5.9	68	45	52
490A	Odell silt loam, 0 to 2 percent slopes	54.1	5.3%		I	158	4.6	6.8	81	51	61
242A	Kendall silt loam, 0 to 2 percent slopes	52.7	5.1%		Ilw	155	4.8	7	80	48	60
62A	Herbert silt loam, 0 to 2 percent slopes	50.4	4.9%		Ilw	161	4.8	7	82	51	61
146A	Elliott silt loam, 0 to 2 percent slopes	39.2	3.8%		Ilw	151	4.5	6.7	78	50	61
440C2	Jasper silt loam, 5 to 10 percent slopes, eroded	30.7	3.0%		IIle	147	4.8	7.1	79	47	60
59A	Lisbon silt loam, 0 to 2 percent slopes	23.7	2.3%		I	173	5.1	7.5	90	55	68
198A	Elburn silt loam, 0 to 2 percent slopes	19.8	1.9%		I	178	5.2	7.7	85	55	67
188A	Beardstown loam, 0 to 2 percent slopes	16.6	1.6%		Ilw	137	4.4	6.5	70	45	57
440A	Jasper silt loam, 0 to 2 percent slopes	15.8	1.5%		I	158	5.2	7.7	85	51	64

221C2	Parr silt loam, 5 to 10 percent slopes, eroded	14.5	1.4%		IIle	134	4.6	6.6	57	44	54
243B	St. Charles silt loam, 2 to 5 percent slopes	14.4	1.4%		Ile	149	4.6	6.8	77	47	58
570B	Martinsville silt loam, 2 to 4 percent slopes	10	1.0%		Ile	139	4.1	5.9	67	44	56
104A	Virgil silt loam, 0 to 2 percent slopes	9.9	1.0%		IIlw	164	5	7.3	87	50	63
969E2	Casco-Rodman complex, 12 to 20 percent slopes, eroded	9.4	0.9%		VIIs		2.4	3.5			
777A	Adrian muck, 0 to 2 percent slopes	7	0.7%		IIIlw	132		5.8		44	
527C2	Kidami loam, 4 to 6 percent slopes, eroded	6.1	0.6%		Ile	133	3.9	5.6	65	42	50
939C2	Rodman-Warsaw complex, 4 to 6 percent slopes, eroded	6.1	0.6%		IIle	104	3.5	5.1	50	37	41
570D2	Martinsville silt loam, 6 to 12 percent slopes, eroded	2.3	0.2%		IVe	129	3.8	5.4	63	40	52
570C2	Martinsville silt loam, 4 to 6 percent slopes, eroded	2	0.2%		Ile	132	3.9	5.6	64	41	54
197A	Troxel silt loam, 0 to 2 percent slopes	2	0.2%		I	172	6.2	9.2	90	54	66
527D2	Kidami loam, 6 to 12 percent slopes, eroded	1.8	0.2%		IIIle	131	3.8	5.4	63	41	49
939D2	Rodman-Warsaw complex, 6 to 12 percent slopes, eroded	1.4	0.1%		IVe	99	3.4	5	48	35	40
103A	Houghton muck, 0 to 2 percent slopes	0.7	0.1%		IIIlw	158		7		52	
Weighted Average						153.2	4.7	7	76.5	49.3	59.8

Tracts

15 - 25

Soils Map










State: **Illinois**
 County: **Boone**
 Location: **008-044N-004E**
 Township: **Bonus**
 Acres: **859.8**
 Date: **9/22/2011**



Fsa borders provided by the Farm Service Agency as of May 23, 2008
 Soils data provided by USDA and NRCS.
 PLSS provided by Illinois State Geological Survey.




Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	*Corn	*Grass legume hay	*Grass legume pasture	*Oats	*Soybeans	*Winter wheat
369A	Waupecan silt loam, 0 to 2 percent slopes	397.5	46.2%	[Dark Blue]	I	170	6.2	9.2	92	53	67
199A	Plano silt loam, 0 to 2 percent slopes	64.1	7.5%	[Dark Blue]	I	175	6.3	9.3	93	54	67
197A	Troxel silt loam, 0 to 2 percent slopes	50	5.8%	[Dark Blue]	I	172	6.2	9.2	90	54	66
3776A	Comfrey loam, 0 to 2 percent slopes, frequently flooded	41.8	4.9%	[Light Blue]	IIlw	149	4.5	6.6	72	50	56
440B	Jasper silt loam, 2 to 5 percent slopes	40.4	4.7%	[Dark Brown]	Ile	156	5.2	7.6	84	50	63
625B	Geryune silt loam, 2 to 5 percent slopes	37.8	4.4%	[Dark Brown]	Ile	165	5.7	8.4	88	52	63
198A	Elburn silt loam, 0 to 2 percent slopes	34.9	4.1%	[Dark Blue]	I	178	5.2	7.7	85	55	67
199B	Plano silt loam, 2 to 5 percent slopes	24.9	2.9%	[Dark Brown]	Ile	173	6.3	9.2	92	53	66
939C2	Rodman-Warsaw complex, 4 to 6 percent slopes, eroded	23.1	2.7%	[Light Blue]	IIIle	104	3.5	5.1	50	37	41
529A	Selma loam, 0 to 2 percent slopes	18.7	2.2%	[Dark Brown]	IIlw	147	4.6	6.8	76	48	58
387A	Ockley silt loam, 0 to 2 percent slopes	18.5	2.2%	[Dark Blue]	I	140	4.9	7.2	71	45	55
102A	La Hogue loam, 0 to 2 percent slopes	16.4	1.9%	[Dark Blue]	I	146	4.8	7	72	47	64
440A	Jasper silt loam, 0 to 2 percent slopes	13.9	1.6%	[Dark Blue]	I	158	5.2	7.7	85	51	64
636C2	Parmod silt loam, 5 to 10 percent slopes, eroded	12.9	1.5%	[Light Blue]	IIIle	141	4.7	6.9	73	45	55
152A	Drummer silty clay loam, 0 to 2 percent slopes	11.2	1.3%	[Dark Brown]	IIlw	173	5	7.4	89	56	65
636B	Parmod silt loam, 2 to 5 percent slopes	11.1	1.3%	[Dark Brown]	Ile	150	5	7.4	77	48	58
329A	Will loam, 0 to 2 percent slopes	10.8	1.3%	[Dark Brown]	IIlw	157	4.4	6.5	79	52	61
8776A	Comfrey loam, 0 to 2 percent slopes, occasionally flooded	8.8	1.0%	[Dark Brown]	IIlw	166	5	7.3	80	55	62

440C2	Jasper silt loam, 5 to 10 percent slopes, eroded	7.2	0.8%		lle	147	4.8	7.1	79	47	60
1777A	Adrian muck, undrained, 0 to 2 percent slopes, frequently flooded	5.7	0.7%		Vw						
1103A	Houghton muck, undrained, 0 to 2 percent slopes, frequently flooded	4	0.5%		Vw						
W	Water	2.3	0.3%								
3800A	Psammets, 0 to 2 percent slopes, frequently flooded	1.8	0.2%		IVs						
297B	Ringwood silt loam, 2 to 4 percent slopes	1	0.1%		lle	156	5	7.4	81	50	61
188A	Beardstown loam, 0 to 2 percent slopes	0.7	0.1%		llw	137	4.4	6.5	70	45	57
223B	Varna silt loam, 2 to 4 percent slopes	0.3	0.0%		lle	141	4.4	6.4	70	45	57
Weighted Average						161.8	5.6	8.3	85.4	51	63.2



* Crop yields from NRCS

Tracts

26 - 28



Soils Map



State: **Illinois**
 County: **Boone**
 Location: **006-044N-004E**
 Township: **Bonus**
 Acres: **153.3**
 Date: **9/22/2011**




Fsa borders provided by the Farm Service Agency as of May 23, 2008
 Soils data provided by USDA and NRCS.
 PLSS provided by Illinois State Geological Survey.





Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	*Corn	*Grass legume hay	*Grass legume pasture	*Oats	*Soybeans	*Winter wheat
125A	Selma loam, 0 to 2 percent slopes	30.3	19.8%		llw	157	4.8	7	80	51	62
310B	McHenry silt loam, 2 to 4 percent slopes	19.2	12.5%		lle	140	3.8	5.6	69	45	54
21B	Pecalonica silt loam, 2 to 5 percent slopes	18.1	11.8%		lle	138	4	5.9	68	44	53
310C2	McHenry silt loam, 4 to 6 percent slopes, eroded	13.7	8.9%		lle	133	3.6	5.3	66	42	52
104A	Virgil silt loam, 0 to 2 percent slopes	12	7.8%		llw	164	5	7.3	87	50	63
3776A	Comfrey loam, 0 to 2 percent slopes, frequently flooded	10.8	7.0%		lllw	149	4.5	6.6	72	50	56
310D2	McHenry silt loam, 6 to 12 percent slopes, eroded	10.7	7.0%		llle	130	3.5	5.1	64	41	51
242A	Kendall silt loam, 0 to 2 percent slopes	9.4	6.2%		llw	155	4.8	7	80	48	60
199B	Plano silt loam, 2 to 5 percent slopes	8.8	5.7%		lle	173	6.3	9.2	92	53	66
361D2	Kidder loam, 6 to 12 percent slopes, eroded	8	5.2%		llle	114	2.9	4.2	53	38	47
361C2	Kidder loam, 4 to 6 percent slopes, eroded	3.4	2.2%		lle	117	3	4.4	55	39	48
1103A	Houghton muck, undrained, 0 to 2 percent slopes, frequently flooded	2.7	1.7%		Vw						
802B	Orthents, loamy, undulating	2.2	1.5%		lle	93	3.7	4.7	55	32	35
3082A	Millington silt loam, 0 to 2 percent slopes, frequently flooded	2.1	1.4%		lllw	139	4.1	6.2	64	44	53
361B	Kidder loam, 2 to 4 percent slopes	1	0.6%		lle	123	3.2	4.6	57	41	50
243B	St. Charles silt loam, 2 to 5 percent slopes	0.7	0.4%		lle	149	4.6	6.8	77	47	58
361E2	Kidder loam, 12 to 20 percent slopes, eroded	0.2	0.1%		IVe	104	2.7	3.8	49	34	43
Weighted Average						141.8	4.2	6.1	71.3	45.3	55.1

* Crop yields from NRCS.

Tract 29



Soils Map



State: **Illinois**
 County: **Boone**
 Location: **032-045N-004E**
 Township: **Poplar Grove**
 Acres: **107**
 Date: **9/22/2011**



Fsa borders provided by the Farm Service Agency as of May 23, 2008.
 Soils data provided by USDA and NRCS.
 PLSS provided by Illinois State Geological Survey.




Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	*Corn	*Grass legume hay	*Grass legume pasture	*Oats	*Soybeans	*Winter wheat
791A	Rush silt loam, 0 to 2 percent slopes	43.8	40.8%		I	159	5.5	8.2	82	49	61
3082A	Millington silt loam, 0 to 2 percent slopes, frequently flooded	15.6	14.6%		Illw	139	4.1	6.2	64	44	53
387A	Ockley silt loam, 0 to 2 percent slopes	15.4	14.4%		I	140	4.9	7.2	71	45	55
1100A	Palms muck, undrained, 0 to 2 percent slopes, frequently flooded	8.4	7.9%		Vw						
3776A	Comfrey loam, 0 to 2 percent slopes, frequently flooded	7.4	6.9%		Illw	149	4.5	6.6	72	50	56
188A	Beardstown loam, 0 to 2 percent slopes	6.9	6.5%		Ilw	137	4.4	6.5	70	45	57
W	Water	4.2	3.9%								
329A	Will loam, 0 to 2 percent slopes	3.3	3.1%		Ilw	157	4.4	6.5	79	52	61
939C2	Rodman-Warsaw complex, 4 to 6 percent slopes, eroded	1.4	1.3%		Ille	104	3.5	5.1	50	37	41
1777A	Adrian muck, undrained, 0 to 2 percent slopes, frequently flooded	0.6	0.6%		Vw						
Weighted Average						130.7	4.3	6.4	65.6	41.4	50.5



* Crop yields from NRCS.

Tracts

30 - 32



Soils Map



State: **Illinois**
 County: **Boone**
 Location: **028-045N-003E**
 Township: **Caledonia**
 Acres: **241.4**
 Date: **6/24/2011**




Fsa borders provided by the Farm Service Agency as of May 23, 2008.
 Soils data provided by USDA and NRCS.
 PLSS provided by Illinois State Geological Survey.





Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Brome-grass alfalfa	Corn	Grass legume hay	Grass legume pasture	Oats	Orchardgrass alfalfa hay	Soybeans	Winter wheat
21C2	Pecatonica silt loam, 5 to 10 percent slopes, eroded	68.6	28.4%		Ille		129	3.8	5.5	64		41	50
68A	Sable silty clay loam, 0 to 2 percent slopes	45.9	19.0%		Ilw		173	5.2	7.7	89		57	67
280B	Fayette silt loam, 2 to 5 percent slopes	42.6	17.7%		Ile		149	4.7	6.9	76		47	59
68A+	Sable silt loam, 0 to 2 percent slopes, overwash	23.2	9.6%		Ilw		173	5.2	7.7	89		57	67
278A	Stronghurst silt loam, 0 to 2 percent slopes	14.9	6.2%		Ilw		154	4.8	7	78		48	60
61A	Atterberry silt loam, 0 to 2 percent slopes	14.7	6.1%		Ilw	9.3	164	5	7.3	88	5.6	51	64
419B	Flagg silt loam, 2 to 5 percent slopes	10.3	4.3%		Ile		145	4.5	6.7	74		47	56
279A	Rozella silt loam, 0 to 2 percent slopes	8.8	3.7%		I		148	4.8	7	76		46	59
243B	St. Charles silt loam, 2 to 5 percent slopes	6.1	2.5%		Ile		149	4.6	6.8	77		47	58
21B	Pecatonica silt loam, 2 to 5 percent slopes	6	2.5%		Ile		138	4	5.9	68		44	53
125A	Selma loam, 0 to 2 percent slopes	0.3	0.1%		Ilw		157	4.8	7	80		51	62
Weighted Average						0.6	151.1	4.6	6.7	77	0.3	48.4	58.9

Tracts

33 - 35



Soils Map



State: Illinois
 County: Boone
 Location: 021-045N-004E
 Township: Boone
 Acres: 183.7
 Date: 9/22/2011



Fsa borders provided by the Farm Service Agency as of May 23, 2008.
 Soils data provided by USDA and NRCS
 PLSS provided by Illinois State Geological Survey




Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	*Bromegrass alfalfa	*Corn	*Grass legume hay	*Grass legume pasture	*Oats	*Orchardgrass alfalfa hay	*Soybeans	*Winter wheat
21B	Pecatonica silt loam, 2 to 5 percent slopes	78.1	42.6%		Ile		138	4	5.9	68		44	53
3776A	Comfrey loam, 0 to 2 percent slopes, frequently flooded	19.4	10.6%		Illw		149	4.5	6.6	72		50	56
243A	St. Charles silt loam, 0 to 2 percent slopes	17.8	9.7%		I		151	4.6	6.8	78		47	59
61A	Atterberry silt loam, 0 to 2 percent slopes	13.8	7.5%		Ilw	9.3	164	5	7.3	88	5.6	51	64
243B	St. Charles silt loam, 2 to 5 percent slopes	10.4	5.7%		Ile		149	4.6	6.8	77		47	58
242A	Kendall silt loam, 0 to 2 percent slopes	9.6	5.2%		Ilw		155	4.8	7	80		48	60
361D2	Kidder loam, 6 to 12 percent slopes, eroded	8	4.4%		Ille		114	2.9	4.2	53		38	47
310D2	McHenry silt loam, 6 to 12 percent slopes, eroded	6.4	3.5%		Ille		130	3.5	5.1	64		41	51
W	Water	5.3	2.9%										
68A	Sable silty clay loam, 0 to 2 percent slopes	3.8	2.1%		Ilw		173	5.2	7.7	89		57	67
419A	Flagg silt loam, 0 to 2 percent slopes	2.7	1.5%		I		146	4.5	6.7	75		47	57
152A	Drummer silty clay loam, 0 to 2 percent slopes	2.4	1.3%		Ilw		173	5	7.4	89		56	65
310C2	McHenry silt loam, 4 to 6 percent slopes, eroded	1.8	1.0%		Ile		133	3.6	5.3	66		42	52
419B	Flagg silt loam, 2 to 5 percent slopes	1.7	0.9%		Ile		145	4.5	6.7	74		47	56
361C2	Kidder loam, 4 to 6 percent slopes, eroded	1.5	0.8%		Ille		117	3	4.4	55		39	48
22D2	Westville silt loam, 10 to 18 percent slopes, eroded	0.9	0.5%		Ive		119	3.2	4.7	58		39	47
570A	Martinsville silt loam, 0 to 2 percent slopes	0.1	0.1%		I		140	4.1	6	68		44	57
Weighted Average						0.7	140	4.1	6.1	70.2	0.4	44.7	54.1

* Crop yields from NRCS

Tracts

36 - 39

Soils Map



State: **Illinois**
 County: **Boone**
 Location: **022-045N-004E**
 Township: **Boone**
 Acres: **241.8**
 Date: **9/22/2011**



Fsa borders provided by the Farm Service Agency as of May 23, 2008.
 Soils data provided by USDA and NRCS.
 PLSS provided by Illinois State Geological Survey.




Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	*Corn	*Grass legume hay	*Grass legume pasture	*Oats	*Soybeans	*Winter wheat
242A	Kendall silt loam, 0 to 2 percent slopes	100.7	41.7%		Ilw	155	4.8	7	80	48	60
21B	Pecatonica silt loam, 2 to 5 percent slopes	72	29.8%		Ile	138	4	5.9	68	44	53
125A	Selma loam, 0 to 2 percent slopes	23.6	9.8%		Ilw	157	4.8	7	80	51	62
152A	Drummer silty clay loam, 0 to 2 percent slopes	21.9	9.0%		Ilw	173	5	7.4	89	56	65
68A	Sable silty clay loam, 0 to 2 percent slopes	17.7	7.3%		Ilw	173	5.2	7.7	89	57	67
22B	Westville silt loam, 2 to 5 percent slopes	4.1	1.7%		Ile	136	3.7	5.4	66	45	53
419A	Flagg silt loam, 0 to 2 percent slopes	1.6	0.7%		I	146	4.5	6.7	75	47	57
21C2	Pecatonica silt loam, 5 to 10 percent slopes, eroded	0.1	0.0%		Ille	129	3.8	5.5	64	41	50
103A	Houghton muck, 0 to 2 percent slopes	0.1	0.0%		Illw	158		7		52	
Weighted Average						152.7	4.6	6.7	77.6	48.4	58.9



* Crop yields from NRCS.

Tracts

40 & 41



Soils Map



State: **Illinois**
 County: **Boone**
 Location: **001-045N-004E**
 Township: **Boone**
 Acres: **161.9**
 Date: **9/22/2011**



Fsa borders provided by the Farm Service Agency as of May 23, 2008.
 Soils data provided by USDA and NRCS
 PLSS provided by Illinois State Geological Survey.




Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	*Corn	*Grass legume hay	*Grass legume pasture	*Oats	*Soybeans	*Winter wheat
624C2	Caprell silt loam, 4 to 6 percent slopes, eroded	34.7	21.5%		Ile	132	3.5	5.5	67	42	52
103A	Houghton muck, 0 to 2 percent slopes	24.9	15.4%		Illw	158		7		52	
624B	Caprell silt loam, 2 to 4 percent slopes	21.6	13.4%		Ile	139	3.7	5.8	70	45	54
21B	Pecatonica silt loam, 2 to 5 percent slopes	18.2	11.2%		Ile	138	4	5.9	68	44	53
242A	Kendall silt loam, 0 to 2 percent slopes	11.5	7.1%		Ilw	155	4.8	7	80	48	60
1103A	Houghton muck, undrained, 0 to 2 percent slopes, frequently flooded	10.7	6.6%		Vw						
543B	Piscasaw silt loam, 2 to 4 percent slopes	8.9	5.5%		Ile	150	4.2	6.1	77	47	57
243A	St. Charles silt loam, 0 to 2 percent slopes	8.7	5.3%		I	151	4.6	6.8	78	47	59
104A	Virgil silt loam, 0 to 2 percent slopes	7.2	4.4%		Ilw	164	5	7.3	87	50	63
766A	Lamartine silt loam, 0 to 2 percent slopes	5.6	3.5%		I	158	4.7	6.8	81	50	59
100A	Palms muck, 0 to 2 percent slopes	3.3	2.0%		Illw	145		5.7		46	
152A	Drummer silty clay loam, 0 to 2 percent slopes	2.9	1.8%		Ilw	173	5	7.4	89	56	65
68A	Sable silty clay loam, 0 to 2 percent slopes	2.4	1.5%		Ilw	173	5.2	7.7	89	57	67
782A	Juneau silt loam, 0 to 2 percent slopes	0.6	0.4%		I	163	5.2	7.7	85	49	61
198A	Elburn silt loam, 0 to 2 percent slopes	0.4	0.2%		I	178	5.2	7.7	85	55	67
8776A	Comfrey loam, 0 to 2 percent slopes, occasionally flooded	0.3	0.2%		Ilw	166	5	7.3	80	55	62
Weighted Average						136.7	3.1	5.9	55.7	43.6	42.4



* Crop yields from NRCS

Tracts

42 - 45



Soils Map



State: **Illinois**
 County: **Boone**
 Location: **014-045N-004E**
 Township: **Boone**
 Acres: **296.2**
 Date: **9/22/2011**




Fsa borders provided by the Farm Service Agency as of May 23, 2008.
 Soils data provided by USDA and NRCS.
 PLSS provided by Illinois State Geological Survey.


Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	*Corn	*Grass legume hay	*Grass legume pasture	*Oats	*Soybeans	*Winter wheat
624B	Caprell silt loam, 2 to 4 percent slopes	88.1	29.8%		Ile	139	3.7	5.8	70	45	54
242A	Kendall silt loam, 0 to 2 percent slopes	66	22.3%		Ilw	155	4.8	7	80	48	60
152A	Drummer silty clay loam, 0 to 2 percent slopes	36.5	12.3%		Ilw	173	5	7.4	89	56	65
624D2	Caprell silt loam, 6 to 12 percent slopes, eroded	26	8.8%		IIIe	129	3.4	5.3	65	41	51
624C2	Caprell silt loam, 4 to 6 percent slopes, eroded	14.2	4.8%		Ile	132	3.5	5.5	67	42	52
152A+	Drummer silt loam, 0 to 2 percent slopes, overwash	13.8	4.6%		Ilw	175	5.1	7.5	90	57	66
21B	Pecatonica silt loam, 2 to 5 percent slopes	12.2	4.1%		Ile	138	4	5.9	68	44	53
419B	Flagg silt loam, 2 to 5 percent slopes	10	3.4%		Ile	145	4.5	6.7	74	47	56
21C2	Pecatonica silt loam, 5 to 10 percent slopes, eroded	9	3.1%		IIIe	129	3.8	5.5	64	41	50
419A	Flagg silt loam, 0 to 2 percent slopes	8.5	2.9%		I	146	4.5	6.7	75	47	57
243B	St. Charles silt loam, 2 to 5 percent slopes	7.1	2.4%		Ile	149	4.6	6.8	77	47	58
361D2	Kidder loam, 6 to 12 percent slopes, eroded	2.5	0.8%		IIIe	114	2.9	4.2	53	38	47
104A	Virgil silt loam, 0 to 2 percent slopes	1.2	0.4%		Ilw	164	5	7.3	87	50	63
361B	Kidder loam, 2 to 4 percent slopes	0.6	0.2%		Ile	123	3.2	4.6	57	41	50
22D2	Westville silt loam, 10 to 18 percent slopes, eroded	0.5	0.2%		IVe	119	3.2	4.7	58	39	47

Tracts

46 - 48



Soils Map







State: **Illinois**
 County: **Boone**
 Location: **012-045N-004E**
 Township: **Boone**
 Acres: **190.5**
 Date: **9/22/2011**



Fsa borders provided by the Farm Service Agency as of May 23, 2008.
 Soils data provided by USDA and NRCS.
 PLSS provided by Illinois State Geological Survey.



Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	*Corn	*Grass legume hay	*Grass legume pasture	*Oats	*Soybeans	*Winter wheat
152A	Drummer silty clay loam, 0 to 2 percent slopes	28	14.8%		Ilw	173	5	7.4	89	56	65
134A	Camden silt loam, 0 to 2 percent slopes	27.1	14.2%		I	149	4.3	6.3	78	46	58
21C2	Pecatonica silt loam, 5 to 10 percent slopes, eroded	23.1	12.1%		Ille	129	3.8	5.5	64	41	50
68A	Sable silty clay loam, 0 to 2 percent slopes	20.6	10.8%		Ilw	173	5.2	7.7	89	57	67
624B	Caprell silt loam, 2 to 4 percent slopes	20.4	10.7%		Ile	139	3.7	5.8	70	45	54
624D2	Caprell silt loam, 6 to 12 percent slopes, eroded	18.7	9.8%		Ille	129	3.4	5.3	65	41	51
242A	Kendall silt loam, 0 to 2 percent slopes	14.3	7.5%		Ilw	155	4.8	7	80	48	60
104A	Virgil silt loam, 0 to 2 percent slopes	7.4	3.9%		Ilw	164	5	7.3	87	50	63
125A	Selma loam, 0 to 2 percent slopes	6.5	3.4%		Ilw	157	4.8	7	80	51	62
68A+	Sable silt loam, 0 to 2 percent slopes, overwash	5.4	2.8%		Ilw	173	5.2	7.7	89	57	67
344B	Harvard silt loam, 2 to 5 percent slopes	5.2	2.7%		Ile	152	5	7.3	78	48	59
278A	Stronghurst silt loam, 0 to 2 percent slopes	4.8	2.5%		Ilw	154	4.8	7	78	48	60
624C2	Caprell silt loam, 4 to 6 percent slopes, eroded	3.5	1.8%		Ile	132	3.5	5.5	67	42	52
361C2	Kidder loam, 4 to 6 percent slopes, eroded	3.5	1.8%		Ile	117	3	4.4	55	39	48
22D2	Westville silt loam, 10 to 18 percent slopes, eroded	1.5	0.8%		Ive	119	3.2	4.7	58	39	47

21B	Pecatonica silt loam, 2 to 5 percent slopes	0.2	0.1%		Ile	138	4	5.9	68	44	53
570C2	Martinsville silt loam, 4 to 6 percent slopes, eroded	0.1	0.1%		Ile	132	3.9	5.6	64	41	54
100A	Palms muck, 0 to 2 percent slopes	0.1	0.1%		Illw	145		5.7		46	
243B	St. Charles silt loam, 2 to 5 percent slopes	0.1	0.0%		Ile	149	4.6	6.8	77	47	58
Weighted Average						150.6	4.4	6.5	76.9	48	58.2

* Crop yields from NRCS.

