

FINNEY COUNTY, KANSAS

LAND AUCTION

16± MILES SOUTHWEST OF GARDEN CITY

1,750± Acres

(1,713 taxable acres per Finney Co.)

Offered in 18 Land Tracts
& 2 Mineral Tracts

INFORMATION BOOKLET

- 10 Irrigated Circles
- Oil & Gas Income
- 3 Homes, Excellent Buildings & Grain Storage

 **SCHRADER**
Real Estate & Auction Co., Inc.

In Cooperation
with

LUND
COMPANY

800.451.2709 | www.schraderauction.com

EXCELLENT
OPPORTUNITY
IN SOUTHWEST
KANSAS!

TUESDAY, FEBRUARY 26 • 10AM

Auction Held at the Clarion Inn - Garden City, KS

DISCLAIMER

All information contained is believed to be accurate and from accurate resources. However, buyers are encouraged to do thier own due diligence. Schrader Auction Company and the Lund Company assume no liability for the information provided.



SCHRADER REAL ESTATE & AUCTION CO., INC.
950 N. Liberty Dr., Columbia City, IN 46725
260-244-7606 or 800-451-2709
SchraderAuction.com



THE LUND COMPANY
450 Regency Parkway, Ste. 220, Omaha, NE 68114
402.548.4006 / 402.981.8831
www.lundco.com

BOOKLET INDEX

- **BIDDER REGISTRATION FORM**
- **LOCATION MAPS**
- **AERIAL TRACT MAP**
- **SOIL MAPS AND SOIL INDEXES**
- **BUILDINGS & IMPROVEMENTS**
- **FSA INFORMATION**
- **TAX STATEMENTS**
- **PROPERTY RECORD CARDS**
- **WATER PERMIT REPORTS**
- **IRRIGATION WELL INFORMATION**
- **OIL & GAS STATEMENTS**



Bidder # _____

BIDDER PRE-REGISTRATION FORM
1750± ACRES • GARDEN CITY, KANSAS
TUESDAY, FEBRUARY 26, 2013

This form must be received at Schrader Real Estate and Auction Company, Inc.,
P.O. Box 508, Columbia City, IN, 46725,
Fax # 260-244-4431, no later than Tuesday, February 19, 2013.

BIDDER INFORMATION

Name _____

Address _____

City/State/Zip _____

Telephone: (Res) _____ (Office) _____

My Interest is in Property or Properties # _____

BANKING INFORMATION

Check to be drawn on: (Bank Name) _____

City, State, Zip: _____

Contact: _____ Phone No: _____

HOW DID YOU HEAR ABOUT THIS AUCTION?

- Brochure Newspaper Signs Internet Radio TV Friend
 Other _____

WOULD YOU LIKE TO BE NOTIFIED OF FUTURE AUCTIONS?


- Regular Mail E-Mail E-Mail address: _____
 Tillable Pasture Ranch Timber Recreational Building Sites

What states are you interested in?


Note: If you will be bidding for a partnership, corporation or other entity, you must bring documentation with you to the auction which authorizes you to bid and sign a Purchase Agreement on behalf of that entity.

I hereby agree to comply with terms of this sale including, but not limited to, paying all applicable buyer's premiums, and signing and performing in accordance with the contract if I am the successful bidder. Schrader Real Estate and Auction Company, Inc. represents the Seller in this transaction.

Signature: _____ Date: _____



GAZETEER MAP




TRACT MAP



TAXABLE ACRES		
Auction Tract	Estimated Acres	Taxable Acres
1	160	309.3 Acres Taxable per Finney Co.
2	154	
3	6	
4	160	161.2 Acres Taxable per Finney Co.
5	145	614.1 Acres Taxable per Finney Co.
6	145	
7	155	
8	130	
9	9.5	
10	26	
11	5.5	
12	14	
13	10	629.2 Acres Taxable per Finney Co.
14	5.5	
15	5.5	
16	6	
17	8	
18	615	

Tract #	FSA Tillable Ac	FSA Base Acres	Corn Base	Wheat Base	Irrigated Ac	CRP Ac					
1	122.5	122.5	76.2	46.3	122.5	0.0					
2	124.8	124.8	77.6	47.2	124.8	0.0					
4	130.5	71.9	67.4	4.5	0.0	0.0					
5	1093.4	989.3	666.8	321.3	125.0	103.1					
6					120.6						
7					126.5						
8					116.1						
12					0.0						
18					488.0						
Totals					1,471.2		1,308.5	888	445.3	1,223.5	103.1



MINERAL TRACT MAP

PLEASE NOTE: The mineral tracts are more fully described in a separate memorandum prepared by Scott Stapp and the appendixes thereto. If you have not received a copy of the Scott Stapp memorandum with this information book, please contact the Auction Company at 800-451-2709 for a copy.


The Scott Stapp memorandum may be updated as additional information becomes available. Please contact the Auction Company prior to the auction to confirm that you have received the most up-to-date version of the memorandum.

MINERAL TRACTS

TRACTS 19 & 20: These tracts consist of the mineral rights which are being sold separately from the surface rights. Bids on a mineral rights tract may be made separately or in combination with any other mineral rights and/or surface rights tract(s). The mineral rights tracts include the Seller's interest in the oil, gas and other minerals and the Seller's interest in any lease(s) pertaining thereto. For more information, contact the Auction Company at 800-451-2709. * **UPDATE:** The Seller's mineral interest in Sections 19 and 20 are being sold in two "mineral tracts" corresponding with the Township Section boundaries. Thus, Tracts 19 and 20 consist of the Seller's mineral interest in all of Township Sections 19 and 20, *respectively*. **THIS REPRESENTS AN UPDATE TO THE PREVIOUSLY-PRINTED AUCTION BROCHURE WHICH DESCRIBED FIVE SEPARATE MINERAL TRACTS.** According to a Certificate of Title prepared by First American Title Company, the Seller's ownership interest in the minerals in Sections 19 and 20 appear as follows:


Tract 19: Undivided 25% mineral rights interest with respect to the NE 1/4 & W 1/2 of Section 19-26-33
Undivided 50% mineral rights interest with respect to the SE 1/4 of Section 19-26-33

Tract 20: Undivided 50% mineral rights interest with respect to the NW 1/4 of Section 20-26-33
Undivided 100% mineral rights interest with respect to the E 1/2 & the SW 1/4 of Section 20-26-33



PRELIMINARY SURVEY MAP


ST. PAUL ADDITION
Sections 14, T 26 S, R 34 W
of the 6th P.M., Finney County, Kansas



PRELIMINARY SURVEY MAP

SOUTH STAR ADDITION NO. 1 -4



Sections 19 and 20, T 26 S., R 33 W
of the 6th P.M., Finney County, Kansas



SOIL & AERIAL MAPS


SOIL MAP - TRACT 1

Soils Map



State: **Kansas**
 County: **Finney**
 Location: **14-26S-34W**
 Township: **Ivanhoe**
 Acres: **146.2**
 Date: **1/7/2013**

LUND
 COMPANY



Maps provided by:




©AgriData, Inc 2012
 www.AgriDataInc.com

Field borders provided by Farm Service Agency as of 5/21/2008.
 Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	Irr class Legend	Non-Irr Class	Irr Class	Range Production (lbs/acre/yr)
1986	Valent-Vona loamy fine sands, 0 to 15 percent slopes	146.2	100.0%		Vle	IVe	1850
Weighted Average							1850

AERIAL MAP - TRACT 1



©AgriData, Inc. 2012

LUND
COMPANY


Maps provided by:



©AgriData, Inc. 2012
www.AgriDataInc.com

14-26S-34W
Finney County
Kansas

map center: 37° 47' 2.35, 101° 0' 12.37
scale: 4697




1/7/2013


Field borders provided by Farm Service Agency as of 5/21/2008. Aerial photography provided by Aerial Photography Field Office.

SOIL MAP - TRACT 2

Soils Map



Field borders provided by Farm Service Agency as of 5/21/2008.
Soils data provided by USDA and NRCS.



State: **Kansas**
County: **Finney**
Location: **14-26S-34W**
Township: **Ivanhoe**
Acres: **154.8**
Date: **12/17/2012**

LUND
COMPANY


Maps provided by:



©AgriData, Inc 2012
www.AgriDataInc.com

Code	Soil Description	Acres	Percent of field	Irr class Legend	Non-Irr Class	Irr Class	Range Production (lbs/acre/yr)
1982	Valent fine sand, 5 to 20 percent slopes	70.6	45.6%		VIIe	VIe	2000
1986	Valent-Vona loamy fine sands, 0 to 15 percent slopes	63.9	41.3%		VIe	IVe	1850
1985	Valent-Dune land complex, 5 to 30 percent slopes	20.2	13.0%		VIIe	VIe	2000
1981	Valent fine sand, 5 to 30 percent slopes, eroded	0.1	0.1%		VIIe	VIe	2000
Weighted Average							1938

AERIAL MAP - TRACT 2



©AgriData, Inc. 2012

LUND
COMPANY


Maps provided by:



©AgriData, Inc. 2012
www.AgriDataInc.com

14-26S-34W
Finney County
Kansas

map center: 37° 47' 2.25, 101° 0' 44.69
scale: 4721





12/17/2012

Field borders provided by Farm Service Agency as of 5/21/2008. Aerial photography provided by Aerial Photography Field Office.

SOIL MAP - TRACT 4


Soils Map



State: **Kansas**
 County: **Finney**
 Location: **11-26S-34W**
 Township: **Ivanhoe**
 Acres: **157.1**
 Date: **12/17/2012**



Maps provided by:




©AgriData, Inc 2012
www.AgriDataInc.com

Field borders provided by Farm Service Agency as of 5/21/2008.
Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	Irr class Legend	Non-Irr Class	Irr Class	Range Production (lbs/acre/yr)
1982	Valent fine sand, 5 to 20 percent slopes	157.1	100.0%		VIIe	VIe	2000
Weighted Average							2000

AERIAL MAP - TRACT 4



LUND
COMPANY


Maps provided by:



©AgriData, Inc. 2012
www.AgriDataInc.com

11-26S-34W
Finney County
Kansas



map center: 37° 47' 54.79, 101° 0' 44.07
scale: 4611




12/17/2012

SOIL MAP - TRACT 5

Soils Map



State: **Kansas**
 County: **Finney**
 Location: **19-26S-33W**
 Township: **Ivanhoe**
 Acres: **139.4**
 Date: **1/15/2013**



Maps provided by:




©AgriData, Inc 2012
 www.AgriDataInc.com

Field borders provided by Farm Service Agency as of 5/21/2008.
 Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	Irr class Legend	Non-Irr Class	Irr Class	Range Production (lbs/acre/yr)
1986	Valent-Vona loamy fine sands, 0 to 15 percent slopes	139.4	100.0%		Vle	IVe	1850
Weighted Average							1850

AERIAL MAP - TRACT 5



©AgriData, Inc. 2012

LUND
COMPANY


Maps provided by:



©AgriData, Inc. 2012
www.AgriDataInc.com

19-26S-33W
Finney County
Kansas

map center: 37° 46' 36.67, 100° 58' 32.26
scale: 4610




1/15/2013


Field borders provided by Farm Service Agency as of 5/21/2008. Aerial photography provided by Aerial Photography Field Office.

SOIL MAP - TRACT 6

Soils Map



Field borders provided by Farm Service Agency as of 5/21/2008.
Soils data provided by USDA and NRCS.



State: **Kansas**
County: **Finney**
Location: **19-26S-33W**
Township: **Ivanhoe**
Acres: **137.1**
Date: **1/15/2013**

LUND
COMPANY




Maps provided by:



©AgriData, Inc 2012
www.AgriDataInc.com

Code	Soil Description	Acres	Percent of field	Irr class Legend	Non-Irr Class	Irr Class	Range Production (lbs/acre/yr)
1986	Valent-Vona loamy fine sands, 0 to 15 percent slopes	110.9	80.8%			IVe	1850
1713	Otero-Ulysses complex, 0 to 5 percent slopes	16	11.7%			IVe	1620
1987	Vona loamy fine sand, 0 to 5 percent slopes	10.2	7.5%			IVe	1700
Weighted Average							1811.8

AERIAL MAP - TRACT 6



©AgriData, Inc. 2012

LUND
COMPANY

Maps provided by:




©AgriData, Inc. 2012
www.AgriDataInc.com

19-26S-33W
Finney County
Kansas

map center: 37° 46' 36.42, 100° 58' 0.78

scale: 4675





1/15/2013

Field borders provided by Farm Service Agency as of 5/21/2008. Aerial photography provided by Aerial Photography Field Office.

SOIL MAP - TRACT 7


Soils Map



State: **Kansas**
 County: **Finney**
 Location: **19-26S-33W**
 Township: **Ivanhoe**
 Acres: **146.8**
 Date: **1/15/2013**



Maps provided by:




©AgriData, Inc 2012
 www.AgriDataInc.com

Field borders provided by Farm Service Agency as of 5/21/2008.
 Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	Irr class Legend	Non-Irr Class	Irr Class	Range Production (lbs/acre/yr)
1986	Valent-Vona loamy fine sands, 0 to 15 percent slopes	146.8	100.0%			IVe	1850
Weighted Average							1850

AERIAL MAP - TRACT 7



©AgriData, Inc. 2012

LUND
COMPANY

Maps provided by:




©AgriData, Inc. 2012
www.AgriDataInc.com

19-26S-33W
Finney County
Kansas

map center: 37° 46' 10.3, 100° 58' 32.53

scale: 4610




1/15/2013


Field borders provided by Farm Service Agency as of 5/21/2008. Aerial photography provided by Aerial Photography Field Office.

SOIL MAP - TRACT 8

Soils Map



Field borders provided by Farm Service Agency as of 5/21/2008.
Soils data provided by USDA and NRCS.



State: **Kansas**
County: **Finney**
Location: **19-26S-33W**
Township: **Ivanhoe**
Acres: **127.9**
Date: **1/15/2013**

LUND
COMPANY




Maps provided by:



©AgriData, Inc 2012
www.AgriDataInc.com

Code	Soil Description	Acres	Percent of field	Irr class Legend	Non-Irr Class	Irr Class	Range Production (lbs/acre/yr)
1987	Vona loamy fine sand, 0 to 5 percent slopes	82.1	64.2%		IVe	IVe	1700
1986	Valent-Vona loamy fine sands, 0 to 15 percent slopes	45.8	35.8%		VIe	IVe	1850
Weighted Average							1753.7

AERIAL MAP - TRACT 8



©AgriData, Inc. 2012



Maps provided by:




©AgriData, Inc. 2012
www.AgriDataInc.com

19-26S-33W
Finney County
Kansas

map center: 37° 46' 9.62, 100° 58' 0.27



scale: 4610



1/15/2013

SOIL MAP - TRACT 12

Soils Map



State: **Kansas**
 County: **Finney**
 Location: **19-26S-33W**
 Township: **Ivanhoe**
 Acres: **11.8**
 Date: **1/14/2013**



Maps provided by:




©AgriData, Inc 2012
 www.AgriDataInc.com

Field borders provided by Farm Service Agency as of 5/21/2008.
 Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	Irr class Legend	Non-Irr Class	Irr Class	Range Production (lbs/acre/yr)
1987	Vona loamy fine sand, 0 to 5 percent slopes	11.6	98.6%		IVe	IVe	1700
1986	Valent-Vona loamy fine sands, 0 to 15 percent slopes	0.2	1.4%		Vle	IVe	1850
Weighted Average							1702.1

AERIAL MAP - TRACT 12



©AgriData, Inc. 2012

LUND
COMPANY

Maps provided by:




©AgriData, Inc. 2012
www.AgriDataInc.com

19-26S-33W
Finney County
Kansas

map center: 37° 46' 24.37, 100° 57' 47.5

scale: 2618





1/14/2013

Field borders provided by Farm Service Agency as of 5/21/2008. Aerial photography provided by Aerial Photography Field Office.

SOIL MAP - TRACT 18


Soils Map



State: **Kansas**
 County: **Finney**
 Location: **20-26S-33W**
 Township: **Ivanhoe**
 Acres: **606.9**
 Date: **12/11/2012**



Maps provided by:




©AgriData, Inc 2012
 www.AgriDataInc.com

Field borders provided by Farm Service Agency as of 5/21/2008.
 Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	Irr class Legend	Non-Irr Class	Irr Class	Range Production (lbs/acre/yr)
1713	Otero-Ulysses complex, 0 to 5 percent slopes	329.1	54.2%		IVe	IIIe	1620
1987	Vona loamy fine sand, 0 to 5 percent slopes	180.9	29.8%		IVe	IVe	1700
1856	Ulysses silt loam, 0 to 1 percent slopes	48.7	8.0%		IIc	I	1800
1668	Manter fine sandy loam, 1 to 3 percent slopes	48.2	7.9%		IIIe	IIIe	1600
Weighted Average							1655

AERIAL MAP - TRACT 18



©AgriData, Inc. 2012

LUND
COMPANY


Maps provided by:



©AgriData, Inc. 2012
www.AgriDataInc.com

20-26S-33W
Finney County
Kansas

map center: 37° 46' 24.34, 100° 57' 10.91
scale: 9079



12/11/2012

Field borders provided by Farm Service Agency as of 5/21/2008. Aerial photography provided by Aerial Photography Field Office.

IMPROVEMENTS - TRACTS 3, 9 & 10

TRACT 3: 6+/- Acres with 60 X 96 Open Face Morton Hay Barn.



TRACT 9: 9.5+/- Acre building site with 48 X 90 X 12 and 24 X 25 Morton Buildings, serviced with its own domestic well and septic system.



TRACT 10: 26+/- Acres with 900 head dry lot including 500' of fence line bunks.



IMPROVEMENTS - TRACTS 11 & 12

TRACT 11: 5.5+/- Acres with a 3,452 Sq Ft split level house built in 1965. This house has central air and natural gas heat with 4 bedrooms and 3 baths. Included is a 48 X 45 Morton Building that is insulated with concrete floor, 24 X 38 Co-op Building that is heated, insulated with concrete floor, 14 X 60 Chicken House and 16 X 70 Carport.



TRACT 12: 14+/- Acres with 72 X 144 X 14 Morton Building that has 30 X 14 sliding doors.



IMPROVEMENTS - TRACTS 13 & 14

TRACT 13: 10+/- Acres with a 1,548 Sq Ft bungalow house built in 1920. This house has central air and natural gas heat with 3 bedrooms and 2 baths. Included is a 40 X 120 Behlen Building that has a concrete floor, 24 X 38 Co-op Building that is heated, insulated with concrete floor, 30 X 60 wooden machine shed, 35 X 50 barn, 2 22 X 30 2-car garages 18,000 Bu Behlen grain bin and 35 X 120 concrete silage bunker.



TRACT 14: 5.5+/- Acres with a 2,288 Sq Ft ranch style house built in 1965. This house has central air and natural gas heat with 4 bedrooms and 2 baths. Included is a 50 X 100 Behlen Building, 24 X 38 Co-op Building that is heated, insulated with concrete floor and a 24 X 36 4 car garage with concrete floor.



IMPROVEMENTS - TRACTS 15-17

TRACT 15: 5.5+/- Acres with 24 X 48 Morton Office/Scale House that has 3 offices, 1 bathroom and a kitchenette. Also included is a 60 X 144 Morton open face Hay Barn, 95,000 Bu Behlen grain bin with natural air and tube, 4 32,000 Bu Behlen grain bins with natural air and tube, 140' Schagel grain leg, 2 2,500 Bu Behlen overhead Load outs and a J-Star axel Scale.



TRACT 16: 6+/- Acres with 52 X 100 X 14 heated Morton shop that is insulated and has a concrete floor with a 14 X 32 sliding door and a 14 X 42 bi-fold door. Also included is a 66 X 144 X 14 Morton Building with 14 X 32 sliding door, 30 X 35 heated Morton shop that is insulated and has a concrete floor with a 12 X 15 sliding door, 11,500 gal Hoidale Diesel Storage Tank with pump and a 7,500 gal Hoidale Diesel Storage Tank with pump.




TRACT 17: 8 +/- Acres with an 800 Sq Ft cabin. This cabin has natural gas stove with a kitchen, 2 bedrooms and 1 bath.



IMPROVEMENTS - SUMMARY

TRACT 3						
Hay Barn		Morton	Open Face	60 X 96		
TRACT 9						
Machine Shed		Morton	Concrete Floor	48 X 90 X 12	13 X 18	
2 Car Garage		Morton	Concrete Floor	24 X 25 X 9		
Domestic Well			Submersible and Pressure Tank			
Septic System			Lateral			
TRACT 10						
Dry Lot		990 Head	500' Fence Line Feed Bunk			
TRACT 11						
House		1965	4 Bed, 3 Bath Split Level	3,452 Sq Ft	Cen Air/NG	
4 Car Garage		Morton	Concrete Floor & Insulated	48 X 45		
Car Port				16 X 70		
Heated Shop		Co-op	Concrete Floor & Insulated	24 X 38		
Chicken House				14 X 60		
TRACT 12						
Machine Shed		Morton	Gravel Floor	72 X 144 X 14	30 X 14	
TRACT 13						
House		1920	3 Bed, 2 Bath Bungalow	1,548 Sq Ft	Cen Air/NG	
Round Top			Wood Frame	40 X 70		
Curvett		Behlen	Concrete Floor	40 X 120		
Machine Shed			Wooden with Concrete Floor	30 X 60		
Heated Shop		Co-op	Concrete Floor & Insulated	30 X 35		
Silage Bunker			Concrete	35 X 120		
Storage Building			Wood Frame With Tin Skin	24 X 60		
Barn			1/2 Concrete Floor	35 X 50		
Grain Bin		Behlen	Natural Air with Tube	18,000 Bu		
2 Car Garage			Concrete Floor	22 X 30		
2 Car Garage			Concrete Floor	22 X 30		
Domestic Well			Submersible and Pressure Tank			
TRACT 14						
House		1965	4 Bed, 2 Bath Ranch	2,288 Sq Ft	Cen Air/NG	
4 Car Garage			Concrete Floor	24 X 36		
Curvett		Behlen	Gravel Floor	50 X 100		
Heated Shop		Co-op	Concrete Floor & Insulated	24 X 38		
Domestic Well			Submersible and Pressure Tank			
TRACT 15						
Office/Scale House		Morton	3 Offices, 1 Bath, 1 Kitchenet	24 X 48		
Hay Barn		Morton	Open Face	60 X 120		
Grain Bin		Behlen	Natural Air with Tube	95,000 Bu		
Grain Bin		Behlen	Natural Air with Tube	32,000 Bu		
Grain Bin		Behlen	Natural Air with Tube	32,000 Bu		
Grain Bin		Behlen	Natural Air with Tube	32,000 Bu		
Grain Bin		Behlen	Natural Air with Tube	32,000 Bu		
Grain Leg		Schagel	140 Ft	6,000 Bu-Per-Hr		
Load Outs		Behlen	Over Head	2,500 Bu		
Load Outs		Behlen	Over Head	2,500 Bu		
Scale		J-Star	Axle			
TRACT 16						
Machine Storage		Morton	Gravel Floor	66 X 144 X 14	14 X 32	
Heated Shop		Morton	Concrete Floor & Insulated	52 X 100 X 14	15 X 12	14 X 42 Bi-fold
Heated Shop		Morton	Concrete Floor & Insulated	35 X 30		
Fuel Storage		Hoidale	Gasoline With Pump	7,500 Gal		
Fuel Storage		Hoidale	Diesel With Pump	11,500 Gal		
TRACT 17						
Cabin			2 Bed, 1 Bath	800 Sq Ft	NG Stove	

GAS METER & DOMESTIC WELL LOCATIONS





FSA INFORMATION

Tract #	FSA Tillable Ac	FSA Base Acres	Corn Base	Wheat Base	Irrigated Ac	CRP Ac
1	122.5	122.5	76.2	46.3	122.5	0.0
2	124.8	124.8	77.6	47.2	124.8	0.0
4	130.5	71.9	67.4	4.5	0.0	0.0
5	1093.4	989.3	666.8	321.3	125.0	103.1
6					120.6	
7					126.5	
8					116.1	
12					0.0	
18					488.0	
Totals	1,471.2	1,308.5	888	445.3	1,223.5	103.1

FSA 156 EZ - TRACT 1

Kansas
 Finney
 Report ID: FSA-156EZ

U.S. Department of Agriculture
 Farm Service Agency
 Abbreviated 156 Farm Record

FARM: 4791
 Prepared: 12/14/12 11:19 AM
 Crop Year: 2013
 Page: 5 of 6

Tract Number: 8238 Description: SE 14 26 34

FAV/WR
 History

BIA Range Unit Number:

Y

HEL Status: HEL: conservation system is being actively applied

Wetland Status: Tract does not contain a wetland

WL Violations: None


Farmland	Cropland	DCP Cropland	WBP	WRP/EWP	CRP Cropland	GRP
156.1	122.5	122.5	0.0	0.0	0.0	0.0
State Conservation	Other Conservation	Effective DCP Cropland	Double Cropped	MPL/FWP		
0.0	0.0	122.5	0.0	0.0		

Crop	Base Acreage	Direct Yield	CC Yield	CCC-505 CRP Reduction
WHEAT	46.3	49	49	0.0
CORN	76.2	141	141	0.0
Total Base Acres:	122.5			

Owners: ELNORA STONE

Other Producers: BILLY STONE

FSA MAP - TRACT 1



United States Department of Agriculture
Farm Service Agency

September 07, 2012

Farm: 4791
Tract: 8238

Finney County, KS

1:4,253

For acreage reporting only - 2013

Disclaimer: Wetland identifiers do not represent the size, shape or specific determination of the area. Refer to your original determination (CPA-026 and attached maps) for exact wetland boundaries and determinations, or contact NRCS.



FSA 156 EZ - TRACT 2

Kansas
 Finney
 Report ID: FSA-156EZ

U.S. Department of Agriculture
 Farm Service Agency
 Abbreviated 156 Farm Record

FARM: 4791
 Prepared: 12/14/12 11:19 AM
 Crop Year: 2013
 Page: 5 of 6

Tract Number: 8237 Description: SW 14 26 34
 BIA Range Unit Number:
 HEL Status: HEL: conservation system is being actively applied
 Wetland Status: Tract does not contain a wetland
 WL Violations: None


FAV/WR
 History
 Y

Farmland	Cropland	DCP Cropland	WBP	WRP/EWP	CRP Cropland	GRP
153.3	124.8	124.8	0.0	0.0	0.0	0.0
State Conservation	Other Conservation	Effective DCP Cropland	Double Cropped	MPL/FWP		
0.0	0.0	124.8	0.0	0.0		

Crop	Base Acreage	Direct Yield	CC Yield	CCC-505 CRP Reduction
WHEAT	47.2	49	49	0.0
CORN	77.6	141	141	0.0
Total Base Acres:	124.8			

Owners: ELNORA STONE
 Other Producers: BILLY STONE

FSA MAP - TRACT 2



United States Department of Agriculture
Farm Service Agency

September 07, 2012

Farm: 4791
Tract: 8237

Finney County, KS

1:4,265

For acreage reporting only - 2013

Disclaimer: Wetland identifiers do not represent the size, shape or specific determination of the area. Refer to your original determination (CPA-026 and attached maps) for exact wetland boundaries and determinations, or contact NRCS.



FSA 156 EZ - TRACT 4

Kansas
 Finney
 Report ID: FSA-156EZ

U.S. Department of Agriculture
 Farm Service Agency
 Abbreviated 156 Farm Record

FARM: 4764
 Prepared: 12/14/12 11:23 AM
 Crop Year: 2013
 Page: 1 of 2


Tract Number: 2183 Description: SW1/4 11-26-34
 BIA Range Unit Number:
 HEL Status: HEL: conservation system is being actively applied
 Wetland Status: Tract does not contain a wetland
 WL Violations: None

**FAV/WR
 History**
 N

Farmland	Cropland	DCP Cropland	WBP	WRP/EWP	CRP Cropland	GRP
158.9	130.5	130.5	0.0	0.0	0.0	0.0
State Conservation	Other Conservation	Effective DCP Cropland	Double Cropped	MPL/FWP		
0.0	0.0	130.5	0.0	0.0		
Crop	Base Acreage	Direct Yield	CC Yield	CCC-505 CRP Reduction		
WHEAT	4.5	47	44	0.0		
CORN	67.4	140	187	0.0		
Total Base Acres:	71.9					

Owners: GREG STONE
 Other Producers: None

FSA MAP - TRACT 4



United States Department of Agriculture
Farm Service Agency

September 07, 2012

Farm: 4764
Tract: 2183

Finney County, KS

1:4,473

For acreage reporting only - 2013

Disclaimer: Wetland identifiers do not represent the size, shape or specific determination of the area. Refer to your original determination (CPA-026 and attached maps) for exact wetland boundaries and determinations, or contact NRCS.



FSA 156 EZ - TRACTS 5 - 8, 12 & 18

Kansas
 Finney
 Report ID: FSA-156EZ

U.S. Department of Agriculture
 Farm Service Agency
Abbreviated 156 Farm Record

FARM: 4791
 Prepared: 12/14/12 11:19 AM
 Crop Year: 2013
 Page: 3 of 6

Tract Number: 8190 Description: Sec 19, SENW,S1/2NE,S1/2SE,N1/2SW20-26-33

FAV/WR
History

BIA Range Unit Number:

Y

HEL Status: HEL: conservation system is being actively applied

Wetland Status: Tract does not contain a wetland

WL Violations: None

Farmland	Cropland	DCP Cropland	WBP	WRP/EWP	CRP Cropland	GRP
889.4	755.1	755.1	0.0	0.0	43.1	0.0
State Conservation	Other Conservation	Effective DCP Cropland	Double Cropped	MPL/FWP		
0.0	0.0	712.0	0.0	0.0		

Crop	Base Acreage	Direct Yield	CC Yield	CCC-505 CRP Reduction
WHEAT	245.5	49	49	0.0
CORN	465.5	141	141	0.0
Total Base Acres:	711.0			

Owners: BILLY STONE

ELNORA STONE

Other Producers: None

Tract Number: 8194 Description: NEofNW,N1/2NE,S1/2SW,N1/2SE20 26 33

FAV/WR
History

BIA Range Unit Number:

Y

HEL Status: HEL: conservation system is being actively applied

Wetland Status: Tract does not contain a wetland

WL Violations: None

Farmland	Cropland	DCP Cropland	WBP	WRP/EWP	CRP Cropland	GRP
278.0	277.2	277.2	0.0	0.0	60.0	0.0
State Conservation	Other Conservation	Effective DCP Cropland	Double Cropped	MPL/FWP		
0.0	0.0	217.2	0.0	0.0		

Crop	Base Acreage	Direct Yield	CC Yield	CCC-505 CRP Reduction
WHEAT	52.8	48	48	0.0
CORN	164.4	141	141	0.0
Total Base Acres:	217.2			

Owners: STONE ACRES INC
 ELNORA STONE

BILLY STONE

Other Producers: None

FSA 156 EZ - TRACTS 5 - 8, 12 & 18

Kansas
 Finney
 Report ID: FSA-156EZ

U.S. Department of Agriculture
 Farm Service Agency
 Abbreviated 156 Farm Record

FARM: 4791
 Prepared: 12/14/12 11:19 AM
 Crop Year: 2013
 Page: 2 of 6

Tract Number: 6841 Description: W1/2NW 20-26-33
 BIA Range Unit Number: 6
 HEL Status: HEL: conservation system is being actively applied
 Wetland Status: Tract does not contain a wetland
 WL Violations: None


FAV/WR
 History
 Y

Farmland	Cropland	DCP Cropland	WBP	WRP/EWP	CRP Cropland	GRP
78.4	61.1	61.1	0.0	0.0	0.0	0.0
State Conservation	Other Conservation	Effective DCP Cropland	Double Cropped	MPL/FWP		
0.0	0.0	61.1	0.0	0.0		

Crop	Base Acreage	Direct Yield	CC Yield	CCC-505 CRP Reduction
WHEAT	23.0	49	49	0.0
CORN	36.9	141	141	0.0
GRAIN SORGHUM	1.2	84	84	0.0
Total Base Acres:	61.1			

Owners: BILLY STONE
 Other Producers: None

FSA MAP - TRACTS 5 - 8, 12 & 18



United States Department of Agriculture
Farm Service Agency

September 07, 2012

Farm: 4791
Tract: 6841

Finney County, KS


1:4,011

For acreage reporting only - 2013

Disclaimer: Wetland identifiers do not represent the size, shape or specific determination of the area. Refer to your original determination (CPA-026 and attached maps) for exact wetland boundaries and determinations, or contact NRCS.



FSA MAP - TRACTS 5 - 8, 12 & 18



United States Department of Agriculture
Farm Service Agency

September 07, 2012

Farm: 4791
Tract: 8190

Finney County, KS


1:16,961

For acreage reporting only - 2013

Disclaimer: Wetland identifiers do not represent the size, shape or specific determination of the area. Refer to your original determination (CPA-026 and attached maps) for exact wetland boundaries and determinations, or contact NRCS.



FSA MAP - TRACTS 5 - 8, 12 & 18



United States Department of Agriculture
Farm Service Agency

September 07, 2012

Farm: 4791
Tract: 8194

Finney County, KS

1:8,683

For acreage reporting only - 2013

Disclaimer: Wetland identifiers do not represent the size, shape or specific determination of the area. Refer to your original determination (CPA-026 and attached maps) for exact wetland boundaries and determinations, or contact NRCS.



TAX STATEMENTS

TAX STATEMENT - TRACT 4

FINNEY COUNTY KS

Finney County
Raylene Dick
P O Box M
Garden City, KS 67846
620-272-3527
www.finneycounty.org

2012
TAX STATEMENT
Real Estate

Statement: 024151
Pin: X021X739

STONE GREGORY D

District Breakdown	Gen Tax
IVANHOE TOWNSHIP	.24
USD 457	19.20
USD 457 BOND & INTEREST	4.91
GARDEN CITY CC	10.24
STATE	.72
FINNEY COUNTY	17.93
TOTAL	53.24

Parcel ID		
331 11 2 00 00 002 00 0		
Tax Unit		
125 I 457		
City/Twp		
03 IVANHOE		
Sub Division		
Land Use	USD	Levy
9010	457	110.233

TOTAL TAX \$64.00

Class	Land	Improve	Gen Tax
AGRICULTURAL	483		53.24
Sub Total	483		53.24
-- Specials --			
Rural Misc			2.70
Ground Wtr Mgmt			8.06
TOTAL	483		64.00

TAX DUE \$64.00

1st half due on or before
December 20, 2012.
2nd half due on or before
May 10, 2013.
7% interest on delinquent taxes.

CountyWorks by Manatron

Legal Description
SW 1/4, S11, T26, R34W, ACRES 161.2
Prop Addr: 00000 SEC 11 26-34
Sec: 11 Twp: 26 Rng: 34W
3 03778 000000 ACREAGE:161.2
GWM Acres: 161 MIN Acres:

IF YOU NO LONGER OWN LISTED PROPERTY,
CALL OUR OFFICE.

To pay taxes online, go to...
www.accesskansas.org/kspropertytax/index.do

----- On Personal Property and Oil/Gas Taxes -----
- Half payments are not accepted after December 20th -
- All prior year delinquent taxes must be paid in full -
- before we can accept current tax. -

Please advise our office of any address changes.

*** 2nd Half Notices Will Not Be Sent ***

PLEASE RETURN APPROPRIATE COUPON BELOW WITH YOUR REMITTANCE.

Pay: Full Payment
Due Dec 20, 2012

\$64.00



201202415109

Statement # 024151

Please Send Receipt? YES

2012 Real Estate

STONE GREGORY D
3510 W PLYMELL RD

GARDEN CITY KS 67846

Or: 2nd Half Payment
Due May 10, 2013

\$32.00



201202415102

STONE GREGORY D
Statement # 024151
Please Send Receipt? YES

Real Estate

And: 1st Half Payment
Due Dec 20, 2012

\$32.00



201202415101

STONE GREGORY D
Statement # 024151
Please Send Receipt? YES

Real Estate

TAX STATEMENT - TRACTS 5 - 13

FINNEY
COUNTY *KS*

Finney County
Raylene Dick
P O Box M
Garden City, KS 67846
620-272-3527
www.finneycounty.org

2012
TAX STATEMENT
Real Estate

Statement: 024045
Pin: 6ES0H918

STONE BILLY D

District Breakdown	Gen Tax	Parcel ID
IVANHOE TOWNSHIP	8.43	344 19 0 00 00 001 00 0
USD 457	655.91	Tax Unit
USD 457 BOND & INTEREST	171.88	125 I 457
GARDEN CITY CC	358.15	City/Twp
STATE	25.35	03 IVANHOE
FINNEY COUNTY	627.20	Sub Division
TOTAL	1846.92	

Land Use	USD	Levy
9050	457	110.233
TOTAL TAX		\$1,960.06

Class	Land	Improve	Gen Tax
AGRICULTURAL	16113		1776.18
FARMSTEAD	784		86.42
School Exempt			15.68
Sub Total	16897		1846.92
-- Specials --			
Rural Misc			79.00
Ground Wtr Mgnt			34.14
TOTAL	16897		1960.06

TAX DUE \$1,960.06

1st half due on or before
December 20, 2012.
2nd half due on or before
May 10, 2013.
7% interest on delinquent taxes.

Legal Description
N 1/2, S19, T26, R33W, ACRES 456.9, & SW 4 LESS RD R/W
Prop Addr: 12485 S STONE Sec: 19 Twp: 26 Rng: 33W
3 03678 000000 ACREAGE:452.0
GWM Acres: 682 MIN Acres:

IF YOU NO LONGER OWN LISTED PROPERTY,
CALL OUR OFFICE.

To pay taxes online, go to...
www.accesskansas.org/kspropertytax/index.do

----- On Personal Property and Oil/Gas Taxes -----
- Half payments are not accepted after December 20th -
- All prior year delinquent taxes must be paid in full -
- before we can accept current tax. -

Please advise our office of any address changes.

*** 2nd Half Notices Will Not Be Sent ***

PLEASE RETURN APPROPRIATE COUPON BELOW WITH YOUR REMITTANCE.

Pay: Full Payment
Due Dec 20, 2012

\$1,960.06



201202404509

Statement # 024045

Please Send Receipt? YES

2012 Real Estate

STONE BILLY D
P O BOX 1158

GARDEN CITY KS 67846-1158

Or: 2nd Half Payment
Due May 10, 2013

\$980.03



201202404502

STONE BILLY D
Statement # 024045
Please Send Receipt? YES

Real Estate

And: 1st Half Payment
Due Dec 20, 2012

\$980.03



201202404501

STONE BILLY D
Statement # 024045
Please Send Receipt? YES

Real Estate

CountyWorks by Manatron

TAX STATEMENT - TRACTS 5 - 13



Finney County
 Raylene Dick
 P O Box M
 Garden City, KS 67846
 620-272-3527
 www.finneycounty.org

2012
TAX STATEMENT
 Real Estate

Statement: 024006
 Pin: 4012M7U8

STONE ACRES

District Breakdown	Gen Tax
IVANHOE TOWNSHIP	5.58
USD 457	444.56
USD 457 BOND & INTEREST	113.77
GARDEN CITY CC	237.08
STATE	16.78
FINNEY COUNTY	415.19
TOTAL	1232.96

Parcel ID		
344 19 0 00 00 004 01 1		
Tax Unit		
125 I 457		
City/Twp		
03 IVANHOE		
Sub Division		
Land Use	USD	Levy
9020	457	110.233

TOTAL TAX \$1,232.96

Class	Land	Improve	Gen Tax
AGRICULTURAL		11185	1232.96
TOTAL	11185		1232.96

TAX DUE \$1,232.96

1st half due on or before
 December 20, 2012.
 2nd half due on or before
 May 10, 2013.
 7% interest on delinquent taxes.

CountyWorks by Manatron

Legal Description
S19, T26, R33W, POLE SHED LEASEHOLD IMPROVEMENT
Prop Addr: 00000 S STONE Sec: 19 Twp: 26 Rng: 33W 3 03682 000001

IF YOU NO LONGER OWN LISTED PROPERTY,
 CALL OUR OFFICE.

To pay taxes online, go to...
www.accesskansas.org/kspropertytax/index.do

----- On Personal Property and Oil/Gas Taxes -----
 - Half payments are not accepted after December 20th -
 - All prior year delinquent taxes must be paid in full -
 - before we can accept current tax.

Please advise our office of any address changes.

*** 2nd Half Notices Will Not Be Sent ***

PLEASE RETURN APPROPRIATE COUPON BELOW WITH YOUR REMITTANCE.

Pay: Full Payment
 Due Dec 20, 2012

\$1,232.96



201202400609

Statement # 024006

Please Send Receipt? YES

2012 Real Estate

STONE ACRES
 12500 S STONE RD

GARDEN CITY KS 67846-8984

Or: 2nd Half Payment
 Due May 10, 2013

\$616.48



201202400602

STONE ACRES
 Statement # 024006
 Please Send Receipt? YES

Real Estate

And: 1st Half Payment
 Due Dec 20, 2012

\$616.48



201202400601

STONE ACRES
 Statement # 024006
 Please Send Receipt? YES

Real Estate

TAX STATEMENT - TRACTS 5 - 13



Finney County
 Raylene Dick
 P O Box M
 Garden City, KS 67846
 620-272-3527
 www.finneycounty.org

2012
TAX STATEMENT
 Real Estate

Statement: 024097
 Pin: 7GM08144

STONE ELNORA A

District Breakdown	Gen Tax
IVANHOE TOWNSHIP	10.55
USD 457	794.15
USD 457 BOND & INTEREST	215.02
GARDEN CITY CC	448.04
STATE	31.71
FINNEY COUNTY	784.64
TOTAL	2284.11

Parcel ID	344 19 0 00 00 004 00 0	
Tax Unit	125 I 457	
City/Twp	03 IVANHOE	
Sub Division		
Land Use	USD	Levy
9050	457	110.233

TOTAL TAX \$2,317.97

Class	Land	Improve	Gen Tax
AGRICULTURAL	6153	6280	1370.53
FARMSTEAD	423	8282	959.58
School Exempt			46.00
Sub Total	6576	14562	2284.11
-- Specials --			
Rural Misc			26.00
Ground Wtr Mgmt			7.86
TOTAL	21138		2317.97

TAX DUE \$2,317.97

1st half due on or before
 December 20, 2012.
 2nd half due on or before
 May 10, 2013.
 7% interest on delinquent taxes.

CountyWorks by Manatron

Legal Description
SE 1/4, S19, T26, R33W, ACRES 157.2, LES S RD R/W
Prop Addr: 12575 S STONE Sec: 19 Twp: 26 Rng: 33W
3 03682 000000 ACREAGE:155.4
GWM Acres: 157 MIN Acres:

IF YOU NO LONGER OWN LISTED PROPERTY,
 CALL OUR OFFICE.

To pay taxes online, go to...
www.accesskansas.org/kspropertytax/index.do

----- On Personal Property and Oil/Gas Taxes -----
 - Half payments are not accepted after December 20th -
 - All prior year delinquent taxes must be paid in full -
 - before we can accept current tax.

Please advise our office of any address changes.

*** 2nd Half Notices Will Not Be Sent ***

PLEASE RETURN APPROPRIATE COUPON BELOW WITH YOUR REMITTANCE.

Pay: Full Payment
 Due Dec 20, 2012

\$2,317.97



201202409709

Statement # 024097

Please Send Receipt? YES

2012 Real Estate

STONE ELNORA A
 P O BOX 1158

GARDEN CITY KS 67846-1158

Or: 2nd Half Payment
 Due May 10, 2013

\$1,158.98



201202409702

STONE ELNORA A
 Statement # 024097
 Please Send Receipt? YES

Real Estate

And: 1st Half Payment
 Due Dec 20, 2012

\$1,158.99



201202409701

STONE ELNORA A
 Statement # 024097
 Please Send Receipt? YES

Real Estate

TAX STATEMENT - TRACTS 5 - 13

FINNEY
COUNTY *KS*

Finney County
Raylene Dick
P O Box M
Garden City, KS 67846
620-272-3527
www.finneycounty.org

2012
TAX STATEMENT
Real Estate

Statement: 024012
Pin: 37PS01A9

STONE ACRES INC

District Breakdown	Gen Tax
IVANHOE TOWNSHIP	11.84
USD 457	896.82
USD 457 BOND & INTEREST	241.29
GARDEN CITY CC	502.79
STATE	35.58
FINNEY COUNTY	880.52
TOTAL	2568.84

Parcel ID		
344 19 0 00 00 001 03 1		
Tax Unit		
125 I 457		
City/Twp		
03 IVANHOE		
Sub Division		
Land Use	USD	Levy
9050	457	110.233

TOTAL TAX \$2,568.84

Class	Land	Improve	Gen Tax
AGRICULTURAL		1935	213.30
FARMSTEAD		21786	2401.54
School Exempt			46.00-
TOTAL	23721		2568.84

TAX DUE \$2,568.84

1st half due on or before
December 20, 2012.

2nd half due on or before
May 10, 2013.

7% interest on delinquent taxes.

CountyWorks by Manatron

Legal Description
S19, T26, R33W, DWELLING & GARAGE LEASEH OLD IMPROVEMENT
Prop Addr: 8 COUNTY ROAD D Sec: 19 Twp: 26 Rng: 33W 3 03678 000002

IF YOU NO LONGER OWN LISTED PROPERTY,
CALL OUR OFFICE.

To pay taxes online, go to...
www.accesskansas.org/kspropertytax/index.do

----- On Personal Property and Oil/Gas Taxes -----
- Half payments are not accepted after December 20th -
- All prior year delinquent taxes must be paid in full -
- before we can accept current tax. -----

Please advise our office of any address changes.

*** 2nd Half Notices Will Not Be Sent ***

PLEASE RETURN APPROPRIATE COUPON BELOW WITH YOUR REMITTANCE.

Pay: Full Payment
Due Dec 20, 2012

\$2,568.84



201202401209

Statement # 024012

Please Send Receipt? YES

2012 Real Estate

STONE ACRES INC
12500 S STONE RD

GARDEN CITY KS 67846-8984

Or: 2nd Half Payment
Due May 10, 2013

\$1,284.42



201202401202

STONE ACRES INC
Statement # 024012
Please Send Receipt? YES

Real Estate

And: 1st Half Payment
Due Dec 20, 2012

\$1,284.42



201202401201

STONE ACRES INC
Statement # 024012
Please Send Receipt? YES

Real Estate

TAX STATEMENT - TRACTS 5 - 13

FINNEY
COUNTY *KS*

Finney County
Raylene Dick
P O Box M
Garden City, KS 67846
620-272-3527
www.finneycounty.org

2012
TAX STATEMENT
Real Estate

Statement: 024011
Pin: 94JK787B

STONE ACRES INC

District Breakdown	Gen Tax
IVANHOE TOWNSHIP	2.80
USD 457	223.10
USD 457 BOND & INTEREST	57.10
GARDEN CITY CC	118.97
STATE	8.42
FINNEY COUNTY	208.35
TOTAL	618.74

Parcel ID		
344 19 0 00 00 001 02 1		
Tax Unit		
125 I 457		
City/Twp		
03 IVANHOE		
Sub Division		
Land Use	USD	Levy
9050	457	110.233
TOTAL TAX		\$618.74

Class	Land	Improve	Gen Tax
AGRICULTURAL		5613	618.74
TOTAL	5613		618.74

TAX DUE \$618.74

1st half due on or before
December 20, 2012.
2nd half due on or before
May 10, 2013.
7% interest on delinquent taxes.

CountyWorks by Manatron

Legal Description
S19, T26, R33W, MOBILE HOME & GARAGE LEA SEHOLD IMPROVEMENT
Prop Addr: 00000 S STONE Sec: 19 Twp: 26 Rng: 33W 3 03678 000001

IF YOU NO LONGER OWN LISTED PROPERTY,
CALL OUR OFFICE.

To pay taxes online, go to...
www.accesskansas.org/kspropertytax/index.do

----- On Personal Property and Oil/Gas Taxes -----
- Half payments are not accepted after December 20th -
- All prior year delinquent taxes must be paid in full -
- before we can accept current tax. -

Please advise our office of any address changes.

*** 2nd Half Notices Will Not Be Sent ***

PLEASE RETURN APPROPRIATE COUPON BELOW WITH YOUR REMITTANCE.

Pay: Full Payment
Due Dec 20, 2012

\$618.74



201202401109

Statement # 024011

Please Send Receipt? YES

2012 Real Estate

STONE ACRES INC
12500 S STONE RD

GARDEN CITY KS 67846-8984

Or: 2nd Half Payment
Due May 10, 2013

\$309.37



201202401102

STONE ACRES INC
Statement # 024011
Please Send Receipt? YES

Real Estate

And: 1st Half Payment
Due Dec 20, 2012

\$309.37



201202401101

STONE ACRES INC
Statement # 024011
Please Send Receipt? YES

Real Estate

TAX STATEMENT - TRACTS 14 - 18

FINNEY COUNTY *KS*

Finney County
Raylene Dick
P O Box M
Garden City, KS 67846
620-272-3527
www.finneycounty.org

2012
TAX STATEMENT
Real Estate

Statement: 024014
Pin: 15UWR709

STONE ACRES INC

District Breakdown	Gen Tax
IVANHOE TOWNSHIP	4.93
USD 457	346.45
USD 457 BOND & INTEREST	100.44
GARDEN CITY CC	209.29
STATE	14.81
FINNEY COUNTY	366.52
TOTAL	1042.44

Parcel ID		
344 20 0 00 00 001 02 0		
Tax Unit		
125 I 457		
City/Twp		
03 IVANHOE		
Sub Division		
Land Use	USD	Levy
1101	457	110.233

TOTAL TAX \$1,042.44

Class	Land	Improve	Gen Tax
RESIDENTIAL	871	9003	1088.44
School Exempt			46.00-
TOTAL	9874		1042.44

TAX DUE \$1,042.44

1st half due on or before
December 20, 2012.
2nd half due on or before
May 10, 2013.
7% interest on delinquent taxes.

CountyWorks by Manatron

Legal Description
S20, T26, R33W, ACRES 5.6, A TR DESC AS BEG 30 S & 30 E OF NW COR NW4 TH E 820 (S) TH SWLY 1177.72 TH N 770 (S) TO POB L ESS RD R/W Prop Addr: 00000 SEC 20 26-33 Sec: 20 Twp: 26 Rng: 33W 3 03685 020000

IF YOU NO LONGER OWN LISTED PROPERTY,
CALL OUR OFFICE.

To pay taxes online, go to...
www.accesskansas.org/kspropertytax/index.do

----- On Personal Property and Oil/Gas Taxes -----
- Half payments are not accepted after December 20th -
- All prior year delinquent taxes must be paid in full -
- before we can accept current tax. -----

Please advise our office of any address changes.

*** 2nd Half Notices Will Not Be Sent ***

PLEASE RETURN APPROPRIATE COUPON BELOW WITH YOUR REMITTANCE.

Pay: Full Payment
Due Dec 20, 2012

\$1,042.44



201202401409

Statement # 024014

Please Send Receipt? YES

2012 Real Estate

STONE ACRES INC
12500 S STONE RD

GARDEN CITY KS 67846-8984

Or: 2nd Half Payment
Due May 10, 2013

\$521.22



201202401402

STONE ACRES INC
Statement # 024014
Please Send Receipt? YES

Real Estate

And: 1st Half Payment
Due Dec 20, 2012

\$521.22



201202401401

STONE ACRES INC
Statement # 024014
Please Send Receipt? YES

Real Estate

TAX STATEMENT - TRACTS 14 - 18

FINNEY COUNTY *KS*

Finney County
Raylene Dick
P O Box M
Garden City, KS 67846
620-272-3527
www.finneycounty.org

2012
TAX STATEMENT
Real Estate

Statement: 024047
Pin: A66Z9V44

STONE BILLY D

District Breakdown	Gen Tax
IVANHOE TOWNSHIP	2.60
USD 457	207.23
USD 457 BOND & INTEREST	53.04
GARDEN CITY CC	110.52
STATE	7.82
FINNEY COUNTY	193.54
TOTAL	574.75

Parcel ID		
344 20 0 00 00 004 00 0		
Tax Unit		
125 I 457		
City/Twp		
03 IVANHOE		
Sub Division		
Land Use	USD	Levy
9010	457	110.233
TOTAL TAX		\$578.63

Class	Land	Improve	Gen Tax
AGRICULTURAL	5214		574.75
Sub Total	5214		574.75
-- Specials --			
Ground Wtr Mgnt			3.88
TOTAL	5214		578.63

TOTAL TAX \$578.63

TAX DUE \$578.63

1st half due on or before
December 20, 2012.
2nd half due on or before
May 10, 2013.
7% interest on delinquent taxes.

CountyWorks by Manatron

Legal Description
S20, T26, R33W, ACRES 77.6, S2 SE4 LESS RD R/W
Prop Addr: 00000 SEC 20 26-33
Sec: 20 Twp: 26 Rng: 33W
3 03687 000000 ACREAGE: 77.6
GWM Acres: 77 MIN Acres:

IF YOU NO LONGER OWN LISTED PROPERTY,
CALL OUR OFFICE.

To pay taxes online, go to...
www.accesskansas.org/kspropertytax/index.do

----- On Personal Property and Oil/Gas Taxes -----
- Half payments are not accepted after December 20th -
- All prior year delinquent taxes must be paid in full -
- before we can accept current tax. -

Please advise our office of any address changes.

*** 2nd Half Notices Will Not Be Sent ***

PLEASE RETURN APPROPRIATE COUPON BELOW WITH YOUR REMITTANCE.

Pay: Full Payment
Due Dec 20, 2012

\$578.63



201202404709

Statement # 024047

Please Send Receipt? YES

2012 Real Estate

STONE BILLY D
P O BOX 1158

GARDEN CITY KS 67846-1158

Or: 2nd Half Payment
Due May 10, 2013

\$289.31



201202404702

STONE BILLY D
Statement # 024047
Please Send Receipt? YES

Real Estate

And: 1st Half Payment
Due Dec 20, 2012

\$289.32



201202404701

STONE BILLY D
Statement # 024047
Please Send Receipt? YES

Real Estate

TAX STATEMENT - TRACTS 14 - 18

FINNEY COUNTY *KS*

Finney County
Raylene Dick
P O Box M
Garden City, KS 67846
620-272-3527
www.finneycounty.org

2012
TAX STATEMENT
Real Estate

Statement: 024007
Pin: 653U1R43

STONE ACRES

District Breakdown	Gen Tax
IVANHOE TOWNSHIP	31.80
USD 457	2487.29
USD 457 BOND & INTEREST	648.33
GARDEN CITY CC	1350.97
STATE	95.61
FINNEY COUNTY	2365.92
TOTAL	6979.92

Parcel ID		
344 20 0 00 00 001 03 1		
Tax Unit		
125 I 457		
City/Twp		
03 IVANHOE		
Sub Division		
Land Use	USD	Levy
9050	457	110.233

TOTAL TAX \$6,979.92

Class	Land	Improve	Gen Tax
AGRICULTURAL		45565	5022.77
FARMSTEAD		18172	2003.15
School Exempt			46.00-
TOTAL	63737		6979.92

TAX DUE \$6,979.92

1st half due on or before
December 20, 2012.
2nd half due on or before
May 10, 2013.
7% interest on delinquent taxes.

CountyWorks by Manatron

Legal Description
S20, T26, R33W, DWELLING & FARM BUILDING S LEASEHOLD IMPROVEMENT
Prop Addr: 12500 S STONE Sec: 20 Twp: 26 Rng: 33W
3 03685 010001

IF YOU NO LONGER OWN LISTED PROPERTY,
CALL OUR OFFICE.

To pay taxes online, go to...
www.accesskansas.org/Kspropertytax/index.do

----- On Personal Property and Oil/Gas Taxes -----
- Half payments are not accepted after December 20th -
- All prior year delinquent taxes must be paid in full -
- before we can accept current tax. -----

Please advise our office of any address changes.

*** 2nd Half Notices Will Not Be Sent ***

PLEASE RETURN APPROPRIATE COUPON BELOW WITH YOUR REMITTANCE.

Pay: Full Payment
Due Dec 20, 2012

\$6,979.92



201202400709

Statement # 024007

Please Send Receipt? YES

2012 Real Estate

STONE ACRES
12500 S STONE RD

GARDEN CITY KS 67846-8984

Or: 2nd Half Payment
Due May 10, 2013

\$3,489.96



201202400702

STONE ACRES

Statement # 024007

Please Send Receipt? YES

Real Estate

And: 1st Half Payment
Due Dec 20, 2012

\$3,489.96



201202400701

STONE ACRES

Statement # 024007

Please Send Receipt? YES

Real Estate

TAX STATEMENT - TRACTS 14 - 18

FINNEY COUNTY *ks*

Finney County
Raylene Dick
P O Box M
Garden City, KS 67846
620-272-3527
www.finneycounty.org

2012 TAX STATEMENT
Real Estate

Statement: 024046
Pin: D590X233

STONE BILLY D

District Breakdown	Gen Tax
IVANHOE TOWNSHIP	3.57
USD 457	277.30
USD 457 BOND & INTEREST	72.75
GARDEN CITY CC	151.59
STATE	10.73
FINNEY COUNTY	265.49
TOTAL	781.43

Parcel ID 344 20 0 00 00 001 01 0		
Tax Unit 125 I 457		
City/Twp 03 IVANHOE		
Sub Division		
Land Use 9050	USD 457	Levy 110.233
TOTAL TAX		\$888.06

Class	Land	Improve	Gen Tax
AGRICULTURAL	6804		750.03
FARMSTEAD	348		38.36
School Exempt			6.96-
Sub Total	7152		781.43
-- Specials --			
Rural Misc			99.00
Ground Wtr Mgnt			7.63
TOTAL	7152		888.06

TAX DUE \$888.06

1st half due on or before
December 20, 2012.
2nd half due on or before
May 10, 2013.
7% interest on delinquent taxes.

Legal Description
S20, T26, R33W, ACRES 112.2, SE4 NW4, W2
NW4 EX A TR BEG NW COR NW4 TH E 874.5'
TH SWLY 1177.72' TH N 841.5' TO POB & AL
SO RD R/W
Prop Addr: 12640 S STONE
Sec: 20 Twp: 26 Rng: 33W
3 03685 010000 ACREAGE:111.1
GWM Acres: 152 MIN Acres:

IF YOU NO LONGER OWN LISTED PROPERTY,
CALL OUR OFFICE.

To pay taxes online, go to...
www.accesskansas.org/kspropertytax/index.do

----- On Personal Property and Oil/Gas Taxes -----
- Half payments are not accepted after December 20th -
- All prior year delinquent taxes must be paid in full -
- before we can accept current tax. -

Please advise our office of any address changes.

*** 2nd Half Notices Will Not Be Sent ***

PLEASE RETURN APPROPRIATE COUPON BELOW WITH YOUR REMITTANCE.

Pay: Full Payment
Due Dec 20, 2012

\$888.06



201202404609

Statement # 024046

Please Send Receipt? YES

2012 Real Estate

STONE BILLY D
P O BOX 1158

GARDEN CITY KS 67846-1158

Or: 2nd Half Payment
Due May 10, 2013

\$444.03



201202404602

STONE BILLY D
Statement # 024046
Please Send Receipt? YES

Real Estate

And: 1st Half Payment
Due Dec 20, 2012

\$444.03



201202404601

STONE BILLY D
Statement # 024046
Please Send Receipt? YES

Real Estate

CountyWorks by Manatron

TAX STATEMENT - TRACTS 14 - 18

FINNEY COUNTY *KS*

Finney County
Raylene Dick
P O Box M
Garden City, KS 67846
620-272-3527
www.finneycounty.org

2012
TAX STATEMENT
Real Estate

Statement: 024013
Pin: K78833V3

STONE ACRES INC

District Breakdown	Gen Tax
IVANHOE TOWNSHIP	13.51
USD 457	1076.48
USD 457 BOND & INTEREST	275.50
GARDEN CITY CC	574.07
STATE	40.63
FINNEY COUNTY	1005.36
TOTAL	2985.55

Parcel ID		
344 20 0 00 00 001 00 0		
Tax Unit		
125 I 457		
City/Twp		
03 IVANHOE		
Sub Division		
Land Use	USD	Levy
9010	457	110.233
TOTAL TAX		\$3,007.24

Class	Land	Improve	Gen Tax
AGRICULTURAL	27084		2985.55
Sub Total	27084		2985.55
-- Specials --			
Ground Wtr Mgmt			21.69
TOTAL	27084		3007.24

TAX DUE \$3,007.24

1st half due on or before
December 20, 2012.
2nd half due on or before
May 10, 2013.
7% interest on delinquent taxes.

IF YOU NO LONGER OWN LISTED PROPERTY,
CALL OUR OFFICE.

To pay taxes online, go to...
www.accesskansas.org/kspropertytax/index.do

----- On Personal Property and Oil/Gas Taxes -----
- Half payments are not accepted after December 20th -
- All prior year delinquent taxes must be paid in full -
- before we can accept current tax. -

Please advise our office of any address changes.

*** 2nd Half Notices Will Not Be Sent ***

Legal Description
S20, T26, R33W, ACRES 433.8, NE4, N2 SE4 , SW4 & NE4 NW4 LESS RD R/W
Prop Addr: 00000 SEC 20 26-33 Sec: 20 Twp: 26 Rng: 33W
3 03683 000000 ACREAGE:433.7
GWM Acres: 433 MIN Acres:

PLEASE RETURN APPROPRIATE COUPON BELOW WITH YOUR REMITTANCE.

Pay: Full Payment
Due Dec 20, 2012

\$3,007.24



201202401309

Statement # 024013

Please Send Receipt? YES

2012 Real Estate

STONE ACRES INC
12500 S STONE RD

GARDEN CITY KS 67846-8984

Or: 2nd Half Payment
Due May 10, 2013

\$1,503.62



201202401302

STONE ACRES INC
Statement # 024013
Please Send Receipt? YES

Real Estate

And: 1st Half Payment
Due Dec 20, 2012

\$1,503.62



201202401301

STONE ACRES INC
Statement # 024013
Please Send Receipt? YES

Real Estate

PROPERTY RECORD CARDS

PROPERTY RECORD CARD - TRACT 11

FICAMA Property Record Card

Parcel ID: 028-344-19-0-00-00-001.03-1

Quick Ref: R14752

Tax Year: 2013

Run Date: 12/14/2012 12:07:45 PM

OWNER NAME AND MAILING ADDRESS

STONE ACRES INC

12500 S STONE RD
GARDEN CITY, KS 67846-8984

PROPERTY SITUS ADDRESS

8 COUNTY ROAD D
Garden City, KS 67846

LAND-BASED CLASSIFICATION SYSTEM

Function: 9050 Farming / ranch Sfx:
Activity: 8100 Farming, plowing, tillage, harrow
Ownership: 1100 Private-fee simple
Site: 3200 Dev Site - crobs, arazina etc



Image Date: 08/05/2011

GENERAL PROPERTY INFORMATION

Prop Class: F Farm Homestead - F
Living Units: 1
Zoning:
Neighborhood: 124 124
Economic Adj. Factor:
Map / Routine: 344
Tax Unit Group: 125

PROPERTY FACTORS

Topography: Above Street - 2, Rolling - 4
Utilities: Well - 5, Septic - 6, Gas - 7
Access: Semi Improved Road - 2
Frontage: Secondary Street - 3
Location: Neighborhood or Soot - 6
Parking Type: Off Street - 1
Parking Quantity: Adequate - 2
Parking Proximity: On Site - 3
Parkina Covered:
Parkina Uncovered:

TRACT DESCRIPTION

S19, T26, R33W, DWELLING & GARAGE
LEASEHOLD IMPROVEMENT

Prop-NC: AN, LI; Prop-Com: AN-02 SPLIT FROM 001; LI-HOUSE AND APT1

INSPECTION HISTORY

Date	Time	Code	Reason	Appraiser	Contact	Code
07/22/2009	2:52 PM	5		049		
11/29/2006	3:13 PM	9		049		

SALES INFORMATION

Date	Type	Sale Amount	Src	Validity	Inst Type	COV

BUILDING PERMITS

Number	Amount	Type	Issue Date	Status	% Comp

RECENT APPEAL HISTORY

Tax Year	Hearing Date	Appeal Level	Case Number	Status	Final Action	Results Code	Hearing Value

2013 APPRAISED VALUE

Cls	Land	Building	Total
A	0	7,740	7,740
F	0	189,440	189,440
Total	0	197,180	197,180

2012 APPRAISED VALUE

Cls	Land	Building	Total
A	0	7,740	7,740
F	0	189,440	189,440
Total	0	197,180	197,180

PARCEL COMMENTS

MARKET LAND INFORMATION

Method	Type	AC/SF	Eff	FF	Depth	D-Fact	Inf1	Fact1	Inf2	Fact2	OVRD	Rsn	Cls	Model	Base Size	Base Val	Inc Val	Dec Val	Value Est	
Total Market Land Value																			0	

PROPERTY RECORD CARD - TRACT 11

Parcel ID: 028-344-19-0-00-001.03-1 FICAMA Property Record Card Quick Ref: R14752 Tax Year: 2013 Run Date: 12/14/2012 12:07:46 PM

COMMENTS

IMPROVEMENT COST SUMMARY

Other Improvement RCN: 54,467
 Eco Adj:
 Other Improvement Value: 25,600

AG LAND SUMMARY

Dry Land Acres: 0.00
 Irrigated Acres: 0.00
 Native Grass Acres: 0.00
 Tame Grass Acres: 0.00
 Total Ag Acres: 0.00
 Total Ag Use Value: 0
 Total Ag Mkt Value: 0

OTHER BUILDING IMPROVEMENTS


No.	Occupancy	MSCIs	Rank	Qty	Yr Blt	Eff Yr	LBCS	Area	Perim	Hgt	Dimensions	Stories	Phys	Func	Econ	OVR%	Rsn	Cls	RCN	%Gd	Value
1	152-Residential Garage - Detac	D	3.00	1	1983			1,152	144	14	48 X	24	1	3	3				37,912	47.0	17,820
2	163-Site Improvements	D	1.00	1	2008			1,540		10	70 X	22	1	3					16,555	47.0	7,780

OTHER BUILDING IMPROVEMENT COMPONENTS

No.	Code	Units	Pct	Size	Other	Rank	Year
2	8090-Carport, Flat or Shed Roof						
		1,540					

PROPERTY RECORD CARD - TRACT 11

499	DELETES 500-660	DWELLING 0 OTHER 3.0	
500	VACANT LOT	1.5	STORY HEIGHT 2.5
501	WD FRAME	4	ALUM/VINYL/ST 7
502	BLOCK	5	COMPOSITION 8
503	STUCCO	6	ABESTOS 9
504	BI-LEVEL	06	EARTH CONTACT 11
505	BRANCH	07	EARTH SHELTER 12
506	SPLIT LEVEL	08	BUNGALOW 13
507	CONVENT'L	09	OLD STYLE 14
508	MODERN	10	VICTORIAN
509	ROOF MATERIAL	05	CLAY TILE
510	ASPHALT SH	06	CONC. TILE
511	W/ SHINGLE	07	SLATE
512	WOOD SHAKE	08	SHT. METAL
513	YEAR BUILT	1965	REMODELED 1983
514	BASEMENT FOUNDATION WALL	3	4
515	NONE CONC	1	BLOCK STONE BRICK OTHER
516	NONE	2	BASEMENT
517	NONE	3	CRAWL PART FULL
518	HEATING & COOLING	2	HEATING FUEL TYPE
519	NONE	1	CENTRAL CENTRAL/AC
520	NONE	2	HEATING FUEL TYPE
521	ELEC	3	OIL SOLAR NONE
522	HEATING SYSTEM TYPE	2	3
523	WARM AIR	1	ELEC HOT WATER HEAT PUMP SOLAR NONE
524	LIVING ACCOMMODATIONS	06	BED ROOMS 03
525	TOTAL ROOMS	06	BATHS 03
526	PLUMBING	1	ADD'L 3
527	ATTIC	2	3
528	FLOOR COVERING	2	3
529	CARPET	1	2
530	DRYWALL	1	2
531	PLASTER	1	2
532	PHYSICAL CONDITION	1	2
533	EX	1	2
534	GROUND FLOOR AREA	1	2
535	GRADE FACTOR	X A B C D E	
536	DESIGN FACTOR	DESC. --- [] --- %	



STAIRS DOWN TO RS1

411

24 RG1

411

411

411

411

411

SKETCH VECTORS		DELETES 651-660		DELETES 601-608		ADDITIONS		DWELLING COMPUTATIONS	
651	A 1.0 C	652	D 1.3	653	A 1.1	654	A 2.1	655	X 1.5
651	A 1.0 C	652	D 1.3	653	A 1.1	654	A 2.1	655	X 1.5
656	A 1.3	657	X 1.5	658		659		660	

ADDITIONS CODES		DELETES 601-608		ADDITIONS		DWELLING COMPUTATIONS				
10	1SF	20	1SM	ATT.	CO.	LWR	1ST	2ND	3RD	AREA
10	1SF	20	1SM	ATT.	CO.	LWR	1ST	2ND	3RD	AREA
11	OPF	21	OMP	601	A1					
12	SFP	22	SMP	602	A2					
13	EPF	23	EMP	603	A3					
14	UTF	24	UTM	604	A4					
15	BAYF	25	BAYM	605	A5					
16	OVHF	26	OVHM	606	A6					
17	HSF	27	HSM	607	A7					
18	AF	28	GRM	608	A8					
19	GRF	29	GRM							
30	CP	40	CPS							

CONDOMINIUMS		UNIT TYPE		OTHER BUILDING & YARD IMPROVEMENTS	
581	LEVEL	582	1 INTERIOR	3	UPPER LEVEL
581	LEVEL	582	1 INTERIOR	3	UPPER LEVEL
583	1 WATERFRONT	2	CORNER	4	PENTHOUSE
584	2 WATERFRONT	3	GOLF COURSE VIEW		
585	DELETES 701-711				

OTHER FEATURES		UNFINISHED AREA		CHIMNEYS	
551	BUILT-IN GARAGE	552	NO. OF CARS	553	UNITS
551	BUILT-IN GARAGE	552	NO. OF CARS	553	UNITS
554	MASONRY FIREPLACE	555	PREFABRICATED FIREPLACE	556	BASEMENT GARAGE
557	MISCELLANEOUS	558	MISCELLANEOUS		

MISCELLANEOUS IMPROVEMENTS		GROSS BUILDING SUMMARY	
701	TYPE CODE	QUAN	YEAR
701	TYPE CODE	QUAN	YEAR
702	TYPE CODE	QUAN	YEAR
703	TYPE CODE	QUAN	YEAR
704	TYPE CODE	QUAN	YEAR
705	TYPE CODE	QUAN	YEAR
706	TYPE CODE	QUAN	YEAR
707	TYPE CODE	QUAN	YEAR
708	TYPE CODE	QUAN	YEAR
709	TYPE CODE	QUAN	YEAR
710	TYPE CODE	QUAN	YEAR
711	MISCELLANEOUS IMPROVEMENTS		

GROSS BUILDING SUMMARY		TOTAL RCMLD	
800	DESCRIPTION	TOTAL	GROSS VALUE
800	DESCRIPTION	TOTAL	GROSS VALUE

GROSS BUILDING SUMMARY		TOTAL RCMLD	
800	DESCRIPTION	TOTAL	GROSS VALUE
800	DESCRIPTION	TOTAL	GROSS VALUE

GROSS BUILDING SUMMARY		TOTAL RCMLD	
800	DESCRIPTION	TOTAL	GROSS VALUE
800	DESCRIPTION	TOTAL	GROSS VALUE

PROPERTY RECORD CARD - TRACT 13

Parcel ID: 028-344-19-00-00-004.02-0 Quick Ref: R305962 Tax Year: 2013 Run Date: 12/14/2012 12:14:55 PM

OWNER NAME AND MAILING ADDRESS

STONE, ELNORA A
 PO BOX 1158
 GARDEN CITY, KS 67846-1158
PROPERTY SITUS ADDRESS
 12575 S STONE RD
 Garden City, KS 67846

LAND BASED CLASSIFICATION SYSTEM

Function: 9050 Farming / ranch Sfx:
 Activity: 8100 Farming, plowing, tillage, harv
 Ownership: 1100 Private-fee simple
 Site: 3200 Dev Site - croos, arazina etc.

GENERAL PROPERTY INFORMATION

Prop Class: F Farm Homesite - F
 Living Units: 1
 Zoning: Neighborhood:124 124
 Economic Adj. Factor:
 Man / Routine: 344
 Tax Unit Group: 125

PROPERTY FACTORS

Image Date:
 Topo: Above Street - 2, Rolling - 4
 Utilities: Well - 5, Septic - 6, Gas - 7
 Access: Semi Improved Road - 2
 Frontage: Secondary Street - 3
 Location: Neighborhood or Soot - 6
 Parking Type: Off Street - 1
 Parking Quantitv: Abundant - 3
 Parking Proximity: On Site - 3
 Parking Covered:
 Parking Uncovered:

RECENT APPEAL HISTORY

Tax Year	Hearing Date	Appeal Level	Case Number	Final Action	Results Code	Hearing Value
2013						

INSPECTION HISTORY

Date	Time	Code	Reason	Appraiser	Contact	Code
09/26/2012	10:52 AM	9	Split/Cmbtn	049		
07/22/2009	2:56 PM	0	Maint	049	ELNORA STONE	1
07/22/2009	2:56 PM	5	Maint	049	ELNORA STONE	1

SALES INFORMATION

Date	Type	Sale Amount	Src	Validity	Inst Type	COV

BUILDING PERMITS

Number	Amount	Type	Issue Date	Status	% Comp

RECENT APPEAL HISTORY

Tax Year	Hearing Date	Appeal Level	Case Number	Final Action	Results Code	Hearing Value
2013						

2013 APPRAISED VALUE

Cls	Land	Building	Total

2012 APPRAISED VALUE

Cls	Land	Building	Total

PARCEL COMMENTS

GenLink: 028-344-19-00-00-004.00-0; Prop-NC: AN; Prop-Com: 2013 split from 004.00; AN-SM DWL USE FOR STORAGE SHED; AN-AGH HAS 6" WHL & 178LF DOWN; AN-LI FROM 004.01-1

MARKET LAND INFORMATION

Method	Type	AC/SF	Eff	FF	Depth	D-Fact	Inf1	Fact1	Inf2	Fact2	OVRD	Rsn	Cls	Model	Base Size	Base Val	Inc Val	Dec Val	Value Est
Acres	1-Primary Site - 1													9	1.00	3,000.00	1,000.00	1,000.00	3,700

TRACT DESCRIPTION

STONE HOME ADDITION--838, S19, T26, R33W, BLOCK 01, Lot 01, ACRES 17.36363

MARKET LAND INFORMATION

Total Market Land Value 3,700


MARKET LAND INFORMATION

Total Market Land Value 3,700

PROPERTY RECORD CARD - TRACT 13

Parcel ID: 028-344-19-0-00-00-004.02-0 Quick Ref: R305962 FICAMA Property Record Card Tax Year: 2013 Run Date: 12/14/2012 12:14:56 PM

DWELLING INFORMATION		COMP SALES INFORMATION		IMPROVEMENT COST SUMMARY	
Res Type:	1-Single-family Residence	Arch Style:	09-Old Style	Dwelling RCN:	135,211
Quality:	2-33-FR+	Bsmt Type:	2-Crawl - 2	Percent Good:	48
Year Bilt:	1920	Total Rooms:	5	Mkt Adj:	100
Est:	Yes	Bedrooms:	3	Eco Adj:	100
Eff Year:		Family Rooms:		Building Value:	64,900
MS Style:	1-One Story	Full Baths:	1	Other Improvement RCN:	31,120
LBCS Struct:	1110-Detached SFR unit	Garage Cap:		Other Improvement Value:	10,270
Foundation:	Concrete - 2				
No. of Units:				CALCULATED VALUES	
Total Living Area:	1,548	Cost Land:	3,700	Cost Land:	3,700
Calculated Area:	1,548	Cost Building:	75,170	Cost Building:	75,170
Main Floor Living Area:	1,548	Cost Total:	78,870	Cost Total:	78,870
Upper Floor Living Area Pct:		Income Value:	0	Income Value:	0
CDU:	FR	Market Value:		Market Value:	
Phys/Func/Econ:	AV / /	MIRA Value:		MIRA Value:	
Ovr Pct Gd/Rsn:		FINAL VALUES		Value Method:	COST
Remodel:	1953	Land Value:	4,080	Land Value:	4,080
Percent Complete:		Building Value:	100,930	Building Value:	100,930
Assessment Class:		Final Value:	105,010	Final Value:	105,010
MU Cis/Pct:		Prior Value:		Prior Value:	



BUILDING COMMENTS

RemDesc: 1953; DwellCom: A1-11 0048sf, A2-11 0025sf, A3-11 0012sf; DwellComp: OBY cond = A, OBY cond = A, OBY cond = A, Per card bsmt is 14x16

SKETCH VECTORS

A0CU13L18U17R12U28R12U5R10D13R8D12L8D38L16A1U13L18U17C4X12A2U13L18U17R12U28R12CL5A3R16U38R8U12L8U2CU4X3H

OTHER BUILDING IMPROVEMENTS																					
No.	Occupancy	MSCIs	Rank	Qty	Yr Bilt	Eff Yr	LBCS	Area	Perim	Hgt	Dimensions	Stories	Phys	Func	Econ	OVR%	Rsn	Cis	RCN	%Gd	Value
1	152-Residential Garage - Detac	D	1.00	1	1949			616	100	8	028 X 22	1	3	3					11,316	33.0	3,730
2	152-Residential Garage - Detac	D	2.00	1	1949			660	104	8	22 X 30	1	3	3					19,806	33.0	6,540
DWELLING COMPONENTS																					
DWELLING COMPONENTS																					
Code	Units	Pct	Quality	Year																	
905-Raised Slab Porch (SF) with Roof	48																				
905-Raised Slab Porch (SF) with Roof	25																				
905-Raised Slab Porch (SF) with Roof	12																				
109-Frame, Stucco	100																				
208-Composition Shingle	1,548																				
622-Raised Subfloor (% or SF)	224																				
802-Minimal Finish Area (SF)	100																				
351-Warmed & Cooled Air	5																				
601-Plumbing Fixtures (#)	1																				
602-Plumbing Rough-ins (#)																					

OTHER BUILDING IMPROVEMENT COMPONENTS					
No.	Code	Units	Pct	Size	Other Rank Year
2	8083-Garage, Finish Detached	660			

PROPERTY RECORD CARD - TRACT 13

Parcel ID: 028-344-19-0-00-00-004.02-0 FICAMA Property Record Card Quick Ref: R305962 Tax Year: 2013 Run Date: 12/14/2012 12:14:57 PM

AGRICULTURAL LAND		COMMENTS		IMPROVEMENT COST SUMMARY	
Ag Acres	14.79	1987		Other Improvement RCN:	233,327
Soil Unit	0.87	1986		Eco Adj:	25,760
Irr Type				Other Improvement Value:	
Well Depth					
Acres	0.00				
Feet	0.00				
Adj Rate	10	10	10		
Base Rate	25	25	370		
Govt Prog					
Adj Code					

AGILAND SUMMARY	
Dry Land Acres:	15.66
Irrigated Acres:	0.00
Native Grass Acres:	0.00
Tame Grass Acres:	0.00
Total Ag Acres:	15.66
Total Ag Use Value:	380
Total Ag Mkt Value:	18,710

OTHER BUILDING IMPROVEMENTS																					
No.	Occupancy	MSCIs	Rank	Qty	Yr Bilt	Eff Yr	LBCS	Area	Perim	Hgt	Dimensions	Stories	Phys	Func	Econ	OVR%	Rsn	Cls	RCN	%Gd	Value
1	477-Farm Utility Building	P	1.00	1	1948			1,800	180	14	060 X	30	1	2	3			A	10,638	16.0	1,700
2	163-Site Improvements	D	2.00	1	1965			10	68	8	016 X	18	1	1	1			A	17,177	2.0	340
3	163-Site Improvements	D	2.00	1	1972			10	92	8	015 X	31	1	1	1			A	17,522	2.0	350
4	557-Farm Utility Arch-rib, Quon.	S	2.67	1	1962			4,800	320	16	120 X	40	1	3	3			A	90,192	13.0	11,720
5	557-Farm Utility Arch-rib, Quon.	S	1.00	1	1941			2,880	224	16	072 X	40	1	2	3			A	22,118	10.0	2,210
6	102-Barn, General Purpose	D	1.00	1	1941			1,800	172	16	050 X	36	1	2	3			A	26,586	10.0	2,660
7	456-Tool Shed	D	3.00	1	1942			432		8	X		1	1	2			A	9,927	5.0	500
8	477-Farm Utility Building	P	1.00	1	1946			1,440	168	14	060 X	24	1	2	3			A	8,899	16.0	1,420
9	477-Farm Utility Building	S	2.00	1	1965			960	128	14	040 X	24	1	3	3			A	12,873	35.0	4,510
10	163-Site Improvements	A	2.00	1	1970			10	256	8	120 X	08	1	1	1			A	17,395	2.0	350

OTHER BUILDING IMPROVEMENT COMPONENTS									
No.	Code	Units	Pct	Size	Other	Rank	Year		
1	918-Single -Metal on Wood Frame		100						
1	649-No HVAC								
2	1700-Steel Bin, without Drying, 15' - 2	2			18				
2	1710-Steel Bin, Concrete Slab Floor	2			18				
3	1701-Steel Bin, without Drying, 30' - 5	1			31				
3	1710-Steel Bin, Concrete Slab Floor	1			31				
6	910-Single -Wall-Boards on Wood		100						
7	910-Single -Wall-Boards on Wood		100						
8	918-Single -Metal on Wood Frame		100						
8	649-No HVAC								
9	916-Single -Metal on Steel Frame		100						
9	649-No HVAC								
10	1692-Bunker Silo, Wood, Cantilevered	120			30				

PROPERTY RECORD CARD - TRACT 13

498 <input type="checkbox"/> DELETES 500-560	500 V VACANT LOT	501 DWELLING	502 OTHER				
505	1.5	2.5	3.0	SKETCH VECTORS 			
506	1 W/D FRAME 2 BLOCK 3 STUCCO 4 ALUM/VINYL/ST 5 COMPOSITION 6 ABESTOS 7 BRICK 8 STONE 9 MASONRY/FRAME						
507	STYLE 01 8I-LEVEL 02 RANCH 03 SPLIT LEVEL 04 CONVENT/OLD STYLE 05 MODERN 06 EARTH CONTACT 07 EARTH SHELTER 08 BUNGALOW 09 BULD STYLE 10 VICTORIAN 11 COLONIAL 12 TRADITIONAL 13 CONDO 14 OTHER						
508	ROOT MATERIAL 01 ASPHALT SH. 02 ASBESTOS SH. 03 WD. SHINGLE 04 WOOD SHAKE 05 CLAY TILE 06 CONC. TILE 07 SLATE 08 SHT. METAL 09 ROLL COMP. 10 B/W TAR & GRAVEL 11 OTHER						
510	YEAR BUILT 1920 REMODELED 1953 BASEMENT FOUNDATION WALL 1 NONE 2 CONC 3 BLOCK 4 STONE 5 BRICK 6 OTHER						
520	BASEMENT 1 NONE 2 CRAWL 3 PART 4 FULL						
525	HEATING & COOLING 1 NONE 2 NON CENTRAL 3 CENTRAL 4 CENTRAL/AC						
526	HEATING FUEL TYPE 1 GAS 2 ELEC 3 OIL 4 COAL 5 SOLAR 6 NONE						
527	HEATING SYSTEM TYPE 1 WARM AIR 2 ELEC HOT WATER 3 HEAT PUMP 4 SOLAR 5 NONE						
530	LIVING ACCOMMODATIONS 01 TOTAL ROOMS 02 BED ROOMS 03 BATHS 04 HALF BATHS 05 ADD'N FIKT. 06 PLUMBING 07 ATTIC 08 PT FIN 09 FULL FIN 10 FULL FIN/WH						
535	TOTAL ROOMS 05 BED ROOMS 03 BATHS 02 HALF BATHS 01 ADD'N FIKT. 2 PLUMBING 03 ATTIC 01 PT FIN 01 FULL FIN 01 FULL FIN/WH 05						
540	FLOOR COVERING 1 CARPET 2 HARD WD 3 SOFT WD 4 RESIL TL 5 OTHER						
541	INTERIOR WALLS 1 DRYWALL 2 PLASTER 3 WALL BD 4 PLY PANEL 5 OTHER						
542	PHYSICAL CONDITION 1 EX 2 GO 3 AV 4 FR 5 PR 6 UN						
545	GRADE FACTOR X A B C D E F () () () () () ()						
550	GROUND FLOOR AREA 13 X 16						
555	OTHER FEATURES 551 BUILT-IN GARAGE 552 REC ROOM AREA 553 FINISHED BSMT LIVING AREA 554 MASONRY FIREPLACE 555 PREFABRICATED FIREPLACE 556 BASEMENT GARAGE 557 MISCELLANEOUS 558 MISCELLANEOUS						
560	UNFINISHED AREA 224						
565	CHIMNEYS 13 X 16						
570	NO. OF CARS 13 X 16						
575	UNITS 13 X 16						
580	NO. OF CARS 13 X 16						
585	DESC. QUAN. 13 X 16						
590	DESC. QUAN. 13 X 16						
595	DESC. QUAN. 13 X 16						
600	DESC. QUAN. 13 X 16						
605	DESC. QUAN. 13 X 16						
610	DESC. QUAN. 13 X 16						
615	DESC. QUAN. 13 X 16						
620	DESC. QUAN. 13 X 16						
625	DESC. QUAN. 13 X 16						
630	DESC. QUAN. 13 X 16						
635	DESC. QUAN. 13 X 16						
640	DESC. QUAN. 13 X 16						
645	DESC. QUAN. 13 X 16						
650	DESC. QUAN. 13 X 16						
655	DESC. QUAN. 13 X 16						
660	DESC. QUAN. 13 X 16						
665	DESC. QUAN. 13 X 16						
670	DESC. QUAN. 13 X 16						
675	DESC. QUAN. 13 X 16						
680	DESC. QUAN. 13 X 16						
685	DESC. QUAN. 13 X 16						
690	DESC. QUAN. 13 X 16						
695	DESC. QUAN. 13 X 16						
700	DESC. QUAN. 13 X 16						
705	DESC. QUAN. 13 X 16						
710	DESC. QUAN. 13 X 16						
715	DESC. QUAN. 13 X 16						
720	DESC. QUAN. 13 X 16						
725	DESC. QUAN. 13 X 16						
730	DESC. QUAN. 13 X 16						
735	DESC. QUAN. 13 X 16						
740	DESC. QUAN. 13 X 16						
745	DESC. QUAN. 13 X 16						
750	DESC. QUAN. 13 X 16						
755	DESC. QUAN. 13 X 16						
760	DESC. QUAN. 13 X 16						
765	DESC. QUAN. 13 X 16						
770	DESC. QUAN. 13 X 16						
775	DESC. QUAN. 13 X 16						
780	DESC. QUAN. 13 X 16						
785	DESC. QUAN. 13 X 16						
790	DESC. QUAN. 13 X 16						
795	DESC. QUAN. 13 X 16						
800	DESC. QUAN. 13 X 16						

PROPERTY RECORD CARD - TRACT 14

Parcel ID: 028-344-20-0-00-001.03-1 FICAMA Property Record Card Tax Year: 2013 Run Date: 12/14/2012 12:12:42 PM

Quick Ref: R14758

OWNER NAME AND MAILING ADDRESS

STONE ACRES INC

12500 S STONE RD
GARDEN CITY, KS 67846-8984

PROPERTY SITUS ADDRESS

12500 S STONE RD
Garden City, KS 67846

LAND-BASED CLASSIFICATION SYSTEM

Function: 9050 Farming / ranch, Sfx:
Activity: 8100 Farming, blowing, tilling, harv
Ownership: 1100 Private-fee simple
Site: 3200 Dev Site - crops, grazing etc.

GENERAL PROPERTY INFORMATION

Prop Class: F Farm Homestead - F
Living Units: 1
Zoning:
Neighborhood: 124 124
Economic Adj. Factor:
Map / Routing: 344
Tax Unit Group: 125

PROPERTY FACTORS

Topograhv: Above Street - 2, Rolling - 4
Utilities: Well - 5, Septic - 6
Access: Semi Improved Road - 2
Frontina: Secondary Street - 3
Location: Neighborhood or Soot - 6
Parkina Type: Off Street - 1
Parkina Quantity: Adequate - 2
Parkina Proximity: On Site - 3
Parkina Covered:
Parkina Uncovered:

TRACT DESCRIPTION

S20, T26, R33W, DWELLING & FARM
BUILDINGS LEASEHOLD IMPROVEMENT

INSPECTION HISTORY

Date	Time	Code	Reason	Appraiser	Contact	Code
08/03/2011	3:24 PM	9	FR	049		
07/22/2009	2:28 PM	0		049		
07/22/2009	2:28 PM	5		049		

SALES INFORMATION

Date	Type	Sale Amount	Src	Validity	Inst Type	COV

BUILDING PERMITS

Number	Amount	Type	Issue Date	Status	% Comp

RECENT APPEAL HISTORY

Tax Year	Hearing Date	Appeal Level	Case Number	Status	Action	Final Results Code	Hearing Value

2013 APPRAISED VALUE

Cls	Land	Building	Total
A	0	182,260	182,260
F	0	158,020	158,020
Total	0	340,280	340,280

2012 APPRAISED VALUE

Cls	Land	Building	Total
A	0	182,260	182,260
F	0	158,020	158,020
Total	0	340,280	340,280

PARCEL COMMENTS

Prop-NC; AN, MP; Prop-Com: AN-SPLIT FROM 001.01; MP-14 X 52 SKYLINE; AN-02 SPLIT FROM 001.01; AN-AP3 ROOF BLOWN OFF; AN-07 ROOF REPAIRED

MARKET LAND INFORMATION

Method	Type	AC/ISF	Eff	FF	Depth	D-Fact	Inf1	Fact1	Inf2	Fact2	OVRD	Rsn	Cls	Model	Base Size	Base Val	Inc Val	Dec Val	Value Est	
Total Market Land Value																			0	

PROPERTY RECORD CARD - TRACT 14

Parcel ID: 028-344-20-0-00-001-03-1 FICAMA Property Record Card Quick Ref: R14758 Tax Year: 2013 Run Date: 12/14/2012 12:12:43 PM

DWELLING INFORMATION **COMP. SALES INFORMATION** **IMPROVEMENT COST SUMMARY**

Res Type: 1-Single-family Residence Arch Style: 02-Ranch Dwelling RCN: 188,143
 Quality: 3.00-AV Bsmt Type: 3-Partial - 3 Percent Good: 73
 Year Bt: 1965 Est: Total Rooms: 10 Bedrooms: 02 Mkt Adj: 100 Eco Adj: 100
 Eff Year: Full Baths: 1 Half Baths: 1 Building Value: 137,340
 MS Style: 1-One Story Garage Cap: Other Improvement RCN: 18,520
 LBCSStruct: 1110-Detached SFR unit Foundation: Concrete - 2 Other Improvement Value: 12,780

CALCULATED VALUES

No. of Units: Cost Land: 0
 Total Living Area: 2,288 Cost Building: 150,120
 Calculated Area: 2,288 Cost Total: 150,120
 Main Floor Living Area:
 Upper Floor Living Area Pct:
 CDU: AV / / Income Value: 0
 Phys/Func/Econ: AV / / Market Value: 88,400
 Ovr Pct Gd/Rsn: MRA Value: 94,250

FINAL VALUES

Value Method: COST
 Land Value: 0
 Building Value: 344,530
 Final Value: 344,530
 Prior Value: 340,280

BUILDING COMMENTS **SKETCH VECTORS**

RemDesc: 1968; DwellCom: A1-82 0136sf, A2-10 0440sf, DwellComp: OBY cond = F A0CCU28X66A1U28R54CU8X17A2R20CR20X22H

OTHER BUILDING IMPROVEMENTS

No.	Occupancy	MSCls	Rank	Qty	Yr Bt	Eff Yr	LBCS	Area	Perim	Hgt	Dimensions	Stories	Phys	Func	Econ	OVR%	Rsn	Cls	RCN	%Gd	Value
1	152-Residential Garage - Detach	D	2.00	1	1998			600	100	8	30 X 20	1	4	4					18,522	69.0	12,780

DWELLING COMPONENTS

Code	Units	Pct	Quality	Year
904-Slab Porch (SF) with Roof	136	100	1.00	1980
104-Frame, Plywood or Hardboard				
208-Composition Shingle	924	100		
801-Total Basement Area (SF)	2,288			
622-Raised Subfloor (% or SF)	440	100		
802-Minimal Finish Area (SF)	7			
351-Warmed & Cooled Air	1			
601-Plumbing Fixtures (#)	276	3.00		1980
602-Plumbing Rough-ins (#)				
402-Automatic Floor Cover Allowance				
901-Open Slab Porch (SF)				

OTHER BUILDING IMPROVEMENT COMPONENTS

No.	Code	Units	Pct	Size	Other	Rank	Year
1	8083-Garage, Finish Detached	600					

PROPERTY RECORD CARD - TRACT 14

Parcel ID: 028-344-20-0-00-00-001.03-1 FICAMA Property Record Card Tax Year: 2013 Run Date: 12/14/2012 12:12:44 PM

Quick Ref: R14758

IMPROVEMENT COST SUMMARY

Other Improvement RCN: 701,300
 Eco Adj:
 Other Improvement Value: 194,410

COMMENTS

OthComp: WAS 104 TON

AG LAND SUMMARY

Dry Land Acres: 0.00
 Irrigated Acres: 0.00
 Native Grass Acres: 0.00
 Tame Grass Acres: 0.00
 Total Ag Acres: 0.00
 Total Ag Use Value: 0
 Total Ag Mkt Value: 0

OTHER BUILDING IMPROVEMENTS

No.	Occupancy	MSCIs	Rank	Qty	Yr Bt	Eff Yr	LBCS	Area	Perim	Hgt	Dimensions	Stories	Phys	Func	Econ	OVR%	Rsn	Cls	RCN	%Gd	Value
1	477-Farm Utility Building	S	2.00	1	1965			960	128	14	040 X 24	1	4	4			A		12,873	40.0	5,150
2	557-Farm Utility Arch-rib, Quon.	S	2.33	1	1969			5,100	302	16	100 X 51	1	3	3			A		78,234	13.0	10,170
3	163-Site Improvements	D	2.00	1	1992			10	132	8	33 X 33	1	3	4			A		66,377	19.0	12,610
4	163-Site Improvements	D	2.00	1	1993			10	132	8	33 X 33	1	3	4			A		66,377	20.0	13,280
5	477-Farm Utility Building	P	3.00	1	1982			8,064	360	14	96 X 84	1	3	4			A		120,072	37.0	44,430
6	477-Farm Utility Building	P	2.00	1	1986			9,504	420	14	144 X 66	1	3	3			A		82,209	38.0	31,240
7	163-Site Improvements	D	2.00	1	1994			10	212	8	58 X 48	1	4	4			A		102,252	33.0	33,740
8	479-Farm Utility Storage Shed	P	0.50	1	1994			7,200	360	8	120 X 60	1	1	1			A		27,576	12.0	3,310
9	477-Farm Utility Building	P	3.00	1	2000			1,152	144	14	48 X 24	1	4	4			A		21,209	61.0	12,940
10	163-Site Improvements	A	3.00	1	2000			10	42	8	13 X 8	1	4	4			A		58,382	29.0	16,930
11	163-Site Improvements	A	3.00	1	1994			10		100	X	1	3	4			A		62,005	15.0	9,300
12	456-Tool Shed	D	2.00	1	2007			238		8	17 X 14	1	4				A		3,734	35.0	1,310

OTHER BUILDING IMPROVEMENT COMPONENTS

No.	Code	Units	Pct	Size	Other	Rank	Year
1	916-Single-Metal on Steel Frame	100					
1	649-No HVAC						
3	1701-Steel Bin, without Drying, 30' - 5	2			33		
3	1710-Steel Bin, Concrete Slab Floor	2			33		
4	1701-Steel Bin, without Drying, 30' - 5	2			33		
4	1710-Steel Bin, Concrete Slab Floor	2			33		
5	918-Single-Metal on Wood Frame	100					
5	649-No HVAC						
6	918-Single-Metal on Wood Frame	100					
6	649-No HVAC						
7	1701-Steel Bin, without Drying, 30' - 5	1			48		

PROPERTY RECORD CARD - TRACT 14

FICAMA Property Record Card

Run Date: 12/14/2012 12:12:44 PM

Tax Year: 2013

Quick Ref: R14758

Parcel ID: 028-344-20-0-00-00-001.03-1

OTHER BUILDING IMPROVEMENT COMPONENTS


No.	Code	Units	Pct	Size	Other	Rank	Year
7	1710-Steel Bin, Concrete Slab Floor	1			48		
8	918-Single -Metal on Wood Frame	100	100				
8	649-No HVAC						
9	918-Single -Metal on Wood Frame	100	100				
9	649-No HVAC						
10	1922-Scale, Truck, Concrete Platform	1			70		
11	1610-Dischame Transition	4			10		
11	1612-Receiving Pit	5,000					
11	1604-Bucket Elevator (1000 - 8000 Bt	1			5000		
12	918-Single -Metal on Wood Frame	100	100				

PROPERTY RECORD CARD - TRACT 14

Card 01 of 01
 Scale 2:1

Identification No.: 028 344 70 0 00 00 001

Notes:



WELL & WATER INFORMATION

PIVOT SUMMARY

CENTER PIVOTS					
TRACT #	MAKE	MODEL	SERIAL #	YEAR	# OF TOWERS
1	Valley	4971	40802	1983	9
2	Valley	6000	60274	1991	8
5	Valley	8000	76538	1995	8
6	Valley	4971	40814	1983	9
7	Valley	4971	40708	1982	9
8	Valley	4971	37388	1981	9
18	Valley	4971	40916	1983	9
18	Valley	4971	N/A	1983	9
18	Valley	4971	N/A	1983	9
18	Valley	4971	40989	1984	9

GEAR HEADS					
TRACT #	MAKE	MODEL	HORSE POWER	GEAR RATIO	SERIAL #
1	Randolph	F-100	100	4 to 3	95626
2	Randolph	F-100	100	4 to 3	92604
5	Randolph	G-125	125	4 to 3	914790
6	Randolph	G-125	125	4 to 3	924924
7	Randolph	G-125	125	4 to 3	924460
8	De'Ran	G-125 A	125	4 to 3	D 202140
18	Randolph	F-150	200	1 to 1	151564
18	Randolph	F-150	200	1 to 1	151564
18	Randolph	F-150	200	1 to 1	151564
18	Randolph	F-150	200	1 to 1	151564

POWER UNITS					
TRACT #	MAKE	MODEL	HORSE POWER	CYLINDERS	SERIAL #
1	Chevrolet	454	125	8	N/A
2	Chevrolet	454	125	8	N/A
5	Chevrolet	454	125	8	N/A
6	Chevrolet	454	125	8	N/A
7	Chevrolet	454	125	8	40008681
8	Chevrolet	496	150	8	42622
18	Cummins	855 - T-NG	250	6	N/A
18	Cummins	855 - T-NG	250	6	N/A
18	Cummins	855 - T-NG	250	6	N/A
18	Cummins	855 - T-NG	250	6	N/A

* Information Provided by Stone Family Farm

WATER RIGHT INFO. - TRACT 1

Report Date Friday, December 28 2012

2008	1320N	1035W	14	3	23-FEB-09	700	258.0	A	125	N/A	N/A	55	209		
2007	1320N	1035W	14	3	03-MAR-08	X	N/A		N/A	N/A	49	2898			
2006	1320N	1035W	14	3	05-MAR-07	700	249.0	A	125	N/A	N/A	44	908		
2005	1320N	1035W	14	3	06-MAR-06	700	186.0	A	125	N/A	N/A	38	1651		
2004	1320N	1035W	14	3	04-MAR-05	700	243.0	A	125	N/A	N/A	32	1542		
2003	1320N	1035W	14	3	03-MAR-04	700	250.0	A	125	N/A	N/A	26	853		
2002	1320N	1035W	14	3	24-FEB-03	700	85.0	A	125	N/A	N/A	19	199		
2001	1320N	1035W	14	3	04-MAR-02	700	230.0	A	125	N/A	N/A	14	1697		
2000	1320N	1035W	14	3	26-FEB-01	700	257.0	A	125	N/A	N/A	7	287		
1999	1320N	1035W	14	3	02-MAR-00	183.0	A	125		N/A	N/A	4	758		
1998	1320N	1035W	14	3	01-MAR-99	77.0	A	125		N/A	N/A	94	2355		
1997	1320N	1035W	14	3	23-FEB-98	167.0	A	125		N/A	N/A	88	314		
1996	1320N	1320W	14	1	03-MAR-97	227.0	A	125		N/A	N/A	83	152		
1995	1320N	1320W	14	1	29-FEB-96	0	0	160.0	7	125	N/A	N/A	76	2689	
1994	1320N	1320W	14	1	28-FEB-95	0	800	282.0	7	125	N/A	N/A	71	2374	
1993	1320N	1320W	14	1	28-FEB-94	0	800	148.0	7	125	01-FEB-94	N/A	N/A	65	2204
1992	1320N	1320W	14	1	01-MAR-93	909	700	117.2	G	125		N/A	N/A	59	1919
1991	1320N	1320W	14	1	28-FEB-92	900	700	116.0	G	122	01-DEC-91	140	200	54	129
1990	1320N	1320W	14	1	28-FEB-91	2072	700	267.1	G	122	01-DEC-90	140	200	47	292
1989	1320N	1320W	14	1	14-MAR-90	1301	800	191.6	G	126		N/A	N/A	43	158
1988	1320N	1320W	14	1		1690	800	248.9	G	130		N/A	N/A	34	3754
1987	1320N	1320W	14	1		1400	800	206.2	G	130		N/A	N/A	32	3056
1986	1320N	1320W	14	1		0	0	.0	0			N/A	N/A	0	0
1985	1320N	1320W	14	1		1431	900	237.1	G	130		N/A	N/A	21	3404
1984	1320N	1320W	14	1		0	0	66.1	8	130		N/A	N/A	18	2640
1983	1320N	1320W	14	1		0	0	.0	0			N/A	N/A	0	0
1982	1320N	1320W	14	1		103	950	18.0	G	130		N/A	N/A	8	312
1982	1320N	1320W	14	1		0	0	.0	S			N/A	N/A	7	872
1981	1320N	1320W	14	1		0	0	.0	0			N/A	N/A	0	0
1976	1320N	1320W	14	1		2160	950	377.8	F	135		85	200	99	9999
1975	1320N	1320W	14	1		1550	600	171.2	F	135		70	200	99	9999

WATER RIGHT INFO. - TRACT 1

Report Date Friday, December 28 2012

WATER RIGHT INFORMATION REPORT FOR : 22233 00

RIGHT TYPE: Appropriation

SOURCE: Groundwater USE: IRR

CURRENT STATUS: Certificate Issued

PRIORITY DATE: 09-APR-74

CURRENT COMPLETE BY DATE: 31-DEC-76

COMPLETION ACKNOWLEDGED DATE: 09-APR-75

CURRENT PERFECT BY DATE: 31-DEC-80

YEAR PERFECTED:

CERTIFICATE ISSUED DATE: 19-DEC-86

::::::::::::::::::

APPLICANT(S):

> WILLIAM FAYE STONE ESTATE SO STAR RT GARDEN CITY KS 67846

> PERSON ID (Old Address Code): 17350

> CORRESPONDENT SEQUENCE NUMBER: 1

>-----

::::::::::::::::::

WATER USE CORRESPONDENT(S):

> GREGORY D & ANGELA L STONE 3510 W PLYMELL RD GARDEN CITY KS 67846

> PERSON ID (Old Address Code): 34194

> CORRESPONDENT SEQUENCE NUMBER: 1

>-----

::::::::::::::::::

ACTION TRAIL:

09-APR-74 Pending Initial Review

25-MAR-75 Approved Pending Completion N+P BY 31-DEC-76 PERF BY 31-DEC-80

09-APR-75 Completed Pending Inspection

14-APR-83 Corres & Wur From Larry L Lockwood To Jay Warren

07-OCT-83 Land Owner Chg - F Arthur Stone

07-OCT-83 Corres & Wur From Jay Warren To F Arthur Stone

05-JUN-86 Inspected Pending Perfection

05-JUN-86 Proposed Certificate

19-DEC-86 Certificate Issued

19-DEC-86 Ownership Chg - F Arthur & Elnora A Stone

01-OCT-97 Change Application For Point Of Diversion

02-OCT-97 Change Approved

02-OCT-97 N&P By12/31/98 Chg Approval

22-JUN-07 Landowner Chg - Wheatland Electric Cooperative Inc

22-JUN-07 Wur From F Arthur & Elnora Stone To Wheatland Electric Cooperative Inc

08-OCT-08 Landowner Chg - Gregory D & Angela L Stone

08-OCT-08 Wur From Wheatland Electric Cooperative Inc To Gregory & Angela Stone

06-AUG-10 Water Right Violation-Notice Of Non-Compliance Issued

::::::::::::::::::

CONSERVATION CONTRACT ACTION TRAIL:

::::::::::::::::::

CONSERVATION PLAN ACTION TRAIL:

::::::::::::::::::

SPECIAL CONDITIONS:

::::::::::::::::::

QUANTITIES:

>AUTHORIZED 270.000 AF ADDITIONAL 270.000 AF

::::::::::::::::::

WATER RIGHT INFO. - TRACT 1

Report Date Friday, December 28 2012

RATES:

>AUTHORIZED 805.000 gpm ADDITIONAL 805.000 gpm

.....

LIMITATIONS: None

.....

STORAGE QUANTITIES: No active storage quantities associated with IRR use under this water right

STORAGE RATES: No active storage rates associated with IRR use under this water right

.....

AUTHORIZED POINTS(S) OF DIVERSION

Section 14, T 26, R 34W, ID 3 (Internal PDIV_ID = 61420)

QUALIFIERS: SW NE SE

DIST. FROM SE CORNER: 1320 ft North 1035 ft West

NUMBER OF WELLS:

COMMENT: 285' E OF PREVIOUS WELL

OLD LONGITUDE: OLD LATITUDE:

NEW LONGITUDE: 101.001857 NEW LATITUDE: 37.783944

GPS LONGITUDE: GPS LATITUDE:

GPS FEET NORTH: GPS FEET WEST:

COUNTY: FINNEY

FIELD OFFICE: GARDEN CITY FIELD OFFICE

GMD : 3

BASIN: ARKANSAS RIVER

STREAM:

SPECIAL_USE_AREA(S):

AQUIFER(S):

> OGALLALA FORMATION

TEST INFORMATION:

METER ACTION TRAIL:

> 02-OCT-97 Meter Required BY Change Point of Diversion Install by: 31-DEC-98

OVERLAPS:

.....

AUTHORIZED PLACE(S) OF USE

Section 14, T 26, R 34W, ID 1 (Internal PUSE_ID = 704)

OWNER: GREGORY D & ANGELA L STONE

Address:

** 3510 W PLYMELL RD

** GARDEN CITY KS 67846

Total acres authorized = 136.00 Acres

NE				NW				SW				SE			
NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE
.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00

COMMENT:

OVERLAPS:

.....

WATER USE INFORMATION:

Year	Qualifiers	SC	ID	Date Rcvd	Hours	GPM	Acre-feet	Code	Ac_Irr	Date Msrd	Wtr_Dp	Well_Dp	Reel	Blip
2012	1320N	1035W	14	3		N/A			N/A	N/A				
2011	1320N	1035W	14	3	22-FEB-12	162.0	A	120		N/A	N/A	72	2608	
2010	1320N	1035W	14	3	28-FEB-11	200.0	A	120		N/A	N/A	67	2199	
2009	1320N	1035W	14	3	04-MAR-10	700	252.0	A	125		N/A	N/A	62	1580

WATER RIGHT INFO. - TRACT 2

Report Date Friday, December 28 2012

WATER RIGHT INFORMATION REPORT FOR : 24813 00

RIGHT TYPE: Appropriation

SOURCE: Groundwater USE: IRR

CURRENT STATUS: Certificate Issued

PRIORITY DATE: 05-NOV-75

CURRENT COMPLETE BY DATE: 31-DEC-77

COMPLETION ACKNOWLEDGED DATE: 17-JAN-77

CURRENT PERFECT BY DATE: 31-DEC-84

YEAR PERFECTED:

CERTIFICATE ISSUED DATE: 19-DEC-86

::::::::::::::::::

APPLICANT(S):

> LARRY L LOCKWOOD 3637 POLK RIVERSIDE CA 91205

> PERSON ID (Old Address Code): 10635

> CORRESPONDENT SEQUENCE NUMBER: 1

>-----

::::::::::::::::::

WATER USE CORRESPONDENT(S):

> ELNORA A STONE 12500 S STONE RD GARDEN CITY KS 67846

> PERSON ID (Old Address Code): 17341

> CORRESPONDENT SEQUENCE NUMBER: 1

>-----

::::::::::::::::::

ACTION TRAIL:

05-NOV-75 Pending Initial Review

03-SEP-76 Approved Pending Completion N+P BY 31-DEC-77 PERF BY 31-DEC-81

17-JAN-77 Completed Pending Inspection

07-OCT-83 Land Owner Chg - F Arthur Stone

07-OCT-83 Corres & Wur From Larry L Lockwood To F Arthur Stone

05-JUN-86 Inspected Pending Perfection

05-JUN-86 Proposed Certificate

19-DEC-86 Proposed Certificate - Extended Time To Perfect PERF BY 31-DEC-84

19-DEC-86 Certificate Issued

19-DEC-86 Record Yr 1984 856 Gpm Norm

19-DEC-86 Ownership Chg - F Arthur & Elnora A Stone

::::::::::::::::::

CONSERVATION CONTRACT ACTION TRAIL:

::::::::::::::::::

CONSERVATION PLAN ACTION TRAIL:

::::::::::::::::::

SPECIAL CONDITIONS:

::::::::::::::::::

QUANTITIES:

>AUTHORIZED 260.000 AF ADDITIONAL 260.000 AF

::::::::::::::::::

RATES:

>AUTHORIZED 860.000 gpm ADDITIONAL 860.000 gpm

::::::::::::::::::

LIMITATIONS: None

::::::::::::::::::

STORAGE QUANTITIES: No active storage quantities associated with IRR use under this water right

STORAGE RATES: No active storage rates associated with IRR use under this water right

WATER RIGHT INFO. - TRACT 2

Report Date Friday, December 28 2012

.....

AUTHORIZED POINTS(S) OF DIVERSION

Section 14, T 26, R 34W, ID 2 (Internal PDIV_ID = 666)

QUALIFIERS: NC SW

DIST. FROM SE CORNER: 1320 ft North 3960 ft West

NUMBER OF WELLS: 1

COMMENT:

OLD LONGITUDE: 101.010879 OLD LATITUDE: 37.789995

NEW LONGITUDE: 101.011937 NEW LATITUDE: 37.783938

GPS LONGITUDE: GPS LATITUDE:

GPS FEET NORTH: GPS FEET WEST:

COUNTY: FINNEY

FIELD OFFICE: GARDEN CITY FIELD OFFICE

GMD : 3

BASIN: ARKANSAS RIVER

STREAM:

SPECIAL_USE_AREA(S):

AQUIFER(S):

TEST INFORMATION:

> 27-MAY-86 856 gpm Field Inspection Test

METER ACTION TRAIL:

> 11-NOV-92 Meter Required GWMD Order Install by: 01-JUL-96

METER INFORMATION:

Date Installed : Currently Installed? Y

> Manufacturer: MCCROMETER Model: MO 300

> Type: Not Available Serial No.: 92-8-757

> Meter Unit: N/A Meter Size: 10 Inch Multiplier: 00

> Portable Pump Installation? N Multiple PDS? N Straightening Vanes? N

> Measuring Chamber? Meter Comment:

OVERLAPS:

.....

AUTHORIZED PLACE(S) OF USE

Section 14, T 26, R 34W, ID 2 (Internal PUSE_ID = 16193)

OWNER: ELNORA A STONE

Address:

** 12500 S STONE RD

** GARDEN CITY KS 67846

Total acres authorized = 136.00 Acres

NE				NW				SW				SE			
NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE
.00	.00	.00	.00	.00	.00	.00	.00	34.00	34.00	34.00	34.00	.00	.00	.00	.00

COMMENT:

OVERLAPS:

.....

WATER USE INFORMATION:

Year	Qualifiers	SC	ID	Date Rcvd	Hours	GPM	Acres-feet	Code	Ac_Irr	Date Msrd	Wtr_Dp	Well_Dp	Reel	Blip
2012	1320N	3960W	14	2			N/A		N/A	N/A				
2011	1320N	3960W	14	2	22-FEB-12	271.0	A	125		N/A	N/A	72	2480	
2010	1320N	3960W	14	2	28-FEB-11	244.0	A	125		N/A	N/A	67	1796	
2009	1320N	3960W	14	2	04-MAR-10	600	237.0	A	125		N/A	N/A	62	1525

WATER RIGHT INFO. - TRACT 2

Report Date Friday, December 28 2012

2008	1320N	3960W	14	2	23-FEB-09	600	263.0	A	125	N/A	N/A	55	75		
2007	1320N	3960W	14	2	29-FEB-08	500	194.0	A	125	N/A	N/A	49	1853		
2006	1320N	3960W	14	2	05-MAR-07	700	209.0	A	125	N/A	N/A	44	908		
2005	1320N	3960W	14	2	06-MAR-06	700	206.0	A	125	N/A	N/A	38	1651		
2004	1320N	3960W	14	2	04-MAR-05	700	234.0	A	125	N/A	N/A	32	1542		
2003	1320N	3960W	14	2	03-MAR-04	700	255.0	A	125	N/A	N/A	26	853		
2002	1320N	3960W	14	2	24-FEB-03	700	271.0	A	125	N/A	N/A	19	199		
2001	1320N	3960W	14	2	04-MAR-02	700	295.0	A	125	N/A	N/A	14	1697		
2000	1320N	3960W	14	2	26-FEB-01	700	242.0	A	125	N/A	N/A	7	287		
1999	1320N	3960W	14	2	02-MAR-00	700	215.0	A	125	N/A	N/A	4	758		
1998	1320N	3960W	14	2	01-MAR-99	258.0	A	125	N/A	N/A	94	2355			
1997	1320N	3960W	14	2	23-FEB-98	67.0	A	125	N/A	N/A	88	314			
1996	1320N	3960W	14	2	03-MAR-97	13.0	A	125	N/A	N/A	83	152			
1995	1320N	3960W	14	2	29-FEB-96	0	0	278.0	7	125	N/A	N/A	76	2689	
1994	1320N	3960W	14	2	28-FEB-95	0	800	303.0	7	125	N/A	N/A	71	2374	
1993	1320N	3960W	14	2	28-FEB-94	0	800	200.0	7	125	01-FEB-94	N/A	N/A	65	2204
1992	1320N	3960W	14	2	01-MAR-93	1190	750	164.3	G	125	N/A	N/A	59	1919	
1991	1320N	3960W	14	2	28-FEB-92	1020	700	131.5	G	120	N/A	N/A	54	129	
1990	1320N	3960W	14	2	28-FEB-91	1706	600	188.5	G	120	N/A	N/A	47	292	
1990	1320N	3960W	14	2	28-FEB-91	Comment: WHEAT & CORN									
1989	1320N	3960W	14	2	14-MAR-90	1105	800	162.8	G	126	N/A	N/A	43	158	
1988	1320N	3960W	14	2		1450	800	213.6	G	130	N/A	N/A	34	3754	
1987	1320N	3960W	14	2		1290	800	190.0	G	130	N/A	N/A	32	3056	
1986	1320N	3960W	14	2		0	0	.0	0		N/A	N/A	0	0	
1985	1320N	3960W	14	2		1264	900	209.5	G	130	N/A	N/A	21	3404	
1984	1320N	3960W	14	2		2097	0	.0	G	130	N/A	N/A	18	2640	
1983	1320N	3960W	14	2		0	0	.0	0		N/A	N/A	0	0	
1982	1320N	3960W	14	2		145	1025	27.4	G	65	N/A	N/A	8	312	
1981	1320N	3960W	14	2		0	0	.0	0		N/A	N/A	0	0	

WATER RIGHT INFO. - TRACTS 5-8 & 12

Report Date Tuesday, December 11 2012

WATER RIGHT INFORMATION REPORT FOR : 5871 00

RIGHT TYPE: Appropriation

SOURCE: Groundwater USE: IRR

CURRENT STATUS: Certificate Issued

PRIORITY DATE: 09-AUG-56

CURRENT COMPLETE BY DATE: 31-DEC-58

COMPLETION ACKNOWLEDGED DATE: 01-MAY-59

CURRENT PERFECT BY DATE: 31-DEC-84

YEAR PERFECTED:

CERTIFICATE ISSUED DATE: 23-NOV-88

::::::::::::::::::

APPLICANT(S):

> ELNORA A STONE 12500 S STONE RD GARDEN CITY KS 67846

> PERSON ID (Old Address Code): 17341

> CORRESPONDENT SEQUENCE NUMBER: 1

>-----

::::::::::::::::::

WATER USE CORRESPONDENT(S):

> ELNORA A STONE 12500 S STONE RD GARDEN CITY KS 67846

> PERSON ID (Old Address Code): 17341

> CORRESPONDENT SEQUENCE NUMBER: 1

>-----

::::::::::::::::::

ACTION TRAIL:

09-AUG-56 Pending Initial Review

26-OCT-56 Approved Pending Completion N+P BY 31-DEC-58 PERF BY 31-DEC-58

01-MAY-59 Completed Pending Inspection

11-MAY-59 Completed - Extended Time To Perfect PERF BY 31-DEC-60

17-JUL-80 Change Application For Place Of Use

10-OCT-80 Change Dismissed Prior To Approval

03-DEC-80 Change Application For Place Of Use

23-APR-81 Change Approved

23-APR-81 Chg Reduce Qnty

21-SEP-81 F & O 10 Ac Tr

31-MAR-86 Inspected Pending Perfection

29-JAN-88 Proposed Certificate

23-NOV-88 Proposed Certificate - Extended Time To Perfect PERF BY 31-DEC-84

23-NOV-88 Certificate Issued

23-NOV-88 Record Yr.1984:739gpm Norm & Max

24-JUN-91 Change Application For Point Of Diversion

19-JUL-91 Change Approved

19-JUL-91 N&P By12/31/92 Chg Approval

30-OCT-92 N&P 10/92 (Chg)

10-NOV-93 Compliance Check/In Comp

28-OCT-98 Sc - Overpump 1997 - Wur

05-AUG-10 Water Right Violation-Notice Of Non-Compliance Issued

::::::::::::::::::

CONSERVATION CONTRACT ACTION TRAIL:

::::::::::::::::::

CONSERVATION PLAN ACTION TRAIL:

::::::::::::::::::

SPECIAL CONDITIONS:

WATER RIGHT INFO. - TRACTS 5-8 & 12

Report Date Tuesday, December 11 2012

.....

QUANTITIES:

>AUTHORIZED 260.000 AF ADDITIONAL 260.000 AF

.....

RATES:

>AUTHORIZED 740.000 gpm ADDITIONAL 740.000 gpm

.....

LIMITATIONS: None

.....

STORAGE QUANTITIES: No active storage quantities associated with IRR use under this water right

STORAGE RATES: No active storage rates associated with IRR use under this water right

.....

AUTHORIZED POINTS(S) OF DIVERSION

Section 19, T 26, R 33W, ID 5 (Internal PDIV_ID = 38251)

QUALIFIERS: SE NW SE

DIST. FROM SE CORNER: 1441 ft North 1335 ft West

NUMBER OF WELLS: 1

COMMENT:

OLD LONGITUDE: 100.965143 OLD LATITUDE: 37.776004

NEW LONGITUDE: 100.966464 NEW LATITUDE: 37.769809

GPS LONGITUDE: GPS LATITUDE:

GPS FEET NORTH: GPS FEET WEST:

COUNTY: FINNEY

FIELD OFFICE: GARDEN CITY FIELD OFFICE

GMD : 3

BASIN: ARKANSAS RIVER

STREAM:

SPECIAL_USE_AREA(S):

AQUIFER(S):

> OGALLALA FORMATION

TEST INFORMATION:

METER ACTION TRAIL:

> 19-JUL-91 Meter Required BY Change Point of Diversion Install by: 31-DEC-92

> 30-OCT-92 Meter Reported Installed Completed on: 28-OCT-91

> 10-NOV-93 In Compliance - Meter

METER INFORMATION:

Date Installed : Currently Installed? Y

> Manufacturer: WATER SPECIALTIES Model: LP-31

> Type: Propellor Serial No.: 911442

> Meter Unit: N/A Meter Size: 3 Inch Multiplier: 00

> Portable Pump Installation? N Multiple PDs? N Straightening Vanes? N

> Measuring Chamber? Meter Comment:

OVERLAPS:

.....

AUTHORIZED PLACE(S) OF USE

Section 19, T 26, R 33W, ID 1 (Internal PUSE_ID = 23016)

OWNER: ELNORA A STONE

Address:

** 12500 S STONE RD

** GARDEN CITY KS 67846

Total acres authorized = 160.00 Acres

WATER RIGHT INFO. - TRACTS 5-8 & 12

Report Date Tuesday, December 11 2012

NE				NW				SW				SE			
NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE
.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00

COMMENT:

OVERLAPS:

 ::::::::::::::

WATER USE INFORMATION:

Year	Qualifiers	SC	ID	Date Rcvd	Hours	GPM	Acre-feet	Code	Ac_Irr	Date Msrd	Wtr_Dp	Well_Dp	Reel	Blip
2011	1441N	1335W	19	5 22-FEB-12		212.0	A	125		N/A	N/A	72	2480	
2010	1441N	1335W	19	5 28-FEB-11		220.0	A	175		N/A	N/A	67	1796	
2009	1441N	1335W	19	5 04-MAR-10		600	244.0	A	125		N/A	N/A	62	1525
2008	1441N	1335W	19	5 23-FEB-09		600	259.0	A	125		N/A	N/A	55	75
2007	1441N	1335W	19	5 29-FEB-08		500	210.0	A	125		N/A	N/A	49	1853
2006	1441N	1335W	19	5 05-MAR-07		700	164.0	A	125		N/A	N/A	44	908
2005	1441N	1335W	19	5 06-MAR-06		700	208.0	A	125		N/A	N/A	38	1651
2004	1441N	1335W	19	5 04-MAR-05		700	178.0	A	125		N/A	N/A	32	1542
2003	1441N	1335W	19	5 03-MAR-04		700	359.5	M	125		N/A	N/A	26	853
2002	1441N	1335W	19	5 24-FEB-03		700	269.8	M	125		N/A	N/A	19	199
2001	1441N	1335W	19	5 04-MAR-02		700	227.6	M	125		N/A	N/A	14	1697
2000	1441N	1335W	19	5 26-FEB-01		700	247.7	M	125		N/A	N/A	7	287
1999	1441N	1335W	19	5 02-MAR-00		700	219.0	M	125		N/A	N/A	4	758
1998	1441N	1335W	19	5 01-MAR-99		306.0	M	114		N/A	N/A	94	2355	
1997	1441N	1335W	19	5 23-FEB-98		295.7	M	114		N/A	N/A	88	314	
1996	1441N	1335W	19	5 03-MAR-97		5	N/A		N/A	N/A	83	152		
1995	1441N	1335W	19	5 29-FEB-96	1900	800	279.9	G	125		N/A	N/A	76	2689
1994	1441N	1335W	19	5 28-FEB-95	0	800	238.4	8	125		N/A	N/A	71	2374
1993	1441N	1335W	19	5 28-FEB-94	0	800	209.0	8	125	01-FEB-94	N/A	N/A	65	2204
1992	1441N	1335W	19	5 01-MAR-93	0	700	186.8	8	115		N/A	N/A	59	1919
1991	1441N	1335W	19	5 28-FEB-92	889	600	98.2	G	115	01-DEC-91		147	200	54 129
1990	1716N	860W	19	1 28-FEB-91	992	800	146.1	G	115	01-DEC-90		145	200	47 292
1989	1716N	860W	19	1 14-MAR-90	691	800	101.8	G	120		N/A	N/A	43	158
1988	1716N	860W	19	1	895	750	123.6	G	120		N/A	N/A	34	3754
1987	1716N	860W	19	1	1375	800	202.5	G	125		N/A	N/A	32	3056
1986	1716N	860W	19	1	0	0	.0	0			N/A	N/A	0	0
1985	1716N	860W	19	1	1573	800	231.7	G			N/A	N/A	21	3404
1984	1716N	860W	19	1	2050	0	.0	G	130		N/A	N/A	18	2640
1983	1716N	860W	19	1	0	0	.0	0			N/A	N/A	0	0
1982	1716N	860W	19	1	0	0	.0	0			N/A	N/A	0	0
1981	1716N	860W	19	1	1432	800	210.9	G	130		N/A	N/A	2	2009
1978	1716N	860W	19	1	1500	800	221.0	G	160		N/A	N/A	0	0
1961	1716N	860W	19	1	550	1000	101.3	0		01-JAN-56		100	N/A	0 0
1960	1716N	860W	19	1	1000	1000	184.1	0		01-JAN-59		100	N/A	0 0
1959	1716N	860W	19	1	1600	1100	324.1	0	480	01-MAY-56		104	N/A	0 0

WATER RIGHT INFO. - TRACTS 5-8 & 12

Report Date Tuesday, December 11 2012

WATER RIGHT INFORMATION REPORT FOR : 28621 00

RIGHT TYPE: Appropriation

SOURCE: Groundwater USE: IRR

CURRENT STATUS: Certificate Issued

PRIORITY DATE: 26-JAN-77

CURRENT COMPLETE BY DATE: 31-DEC-78

COMPLETION ACKNOWLEDGED DATE: 20-DEC-78

CURRENT PERFECT BY DATE: 31-DEC-82

YEAR PERFECTED:

CERTIFICATE ISSUED DATE: 15-JAN-87

::::::::::::::::::

APPLICANT(S):

> ELNORA A STONE 12500 S STONE RD GARDEN CITY KS 67846

> PERSON ID (Old Address Code): 17341

> CORRESPONDENT SEQUENCE NUMBER: 1

>-----

::::::::::::::::::

WATER USE CORRESPONDENT(S):

> ELNORA A STONE 12500 S STONE RD GARDEN CITY KS 67846

> PERSON ID (Old Address Code): 17341

> CORRESPONDENT SEQUENCE NUMBER: 1

>-----

::::::::::::::::::

ACTION TRAIL:

26-JAN-77 Pending Initial Review

17-NOV-77 Approved Pending Completion N+P BY 31-DEC-78 PERF BY 31-DEC-82

20-DEC-78 Completed Pending Inspection

05-JUN-86 Inspected Pending Perfection

05-JUN-86 Proposed Certificate

15-JAN-87 Certificate Issued

15-JAN-87 Ownership Chg-F Arthur Stone

15-JAN-87 Record Yr 1978 1009 Gpm Norm

15-JAN-87 Corres & Wur From F Arthur & Elnora A Stone To F Arthur Stone

02-MAR-93 Corres & Wur From F Arthur Stone To F Arthur & Elnora A Stone

06-AUG-10 Water Right Violation-Notice Of Non-Compliance Issued

::::::::::::::::::

CONSERVATION CONTRACT ACTION TRAIL:

::::::::::::::::::

CONSERVATION PLAN ACTION TRAIL:

::::::::::::::::::

SPECIAL CONDITIONS:

::::::::::::::::::

QUANTITIES BY POINT OF DIVERSION:

> Section 19, T 26, R 33W ID 2 IRR AUTHORIZED 260.000 AF ADDITIONAL 260.000 AF

> Section 19, T 26, R 33W ID 3 IRR AUTHORIZED 260.000 AF ADDITIONAL 260.000 AF

> Section 19, T 26, R 33W ID 4 IRR AUTHORIZED 270.000 AF ADDITIONAL 270.000 AF

::::::::::::::::::

RATES BY POINT OF DIVERSION:

> Section 19, T 26, R 33W ID 2 IRR AUTHORIZED 1010.000 gpm ADDITIONAL 1010.000 gpm

> Section 19, T 26, R 33W ID 3 IRR AUTHORIZED 935.000 gpm ADDITIONAL 935.000 gpm

> Section 19, T 26, R 33W ID 4 IRR AUTHORIZED 950.000 gpm ADDITIONAL 950.000 gpm

::::::::::::::::::

WATER RIGHT INFO. - TRACTS 5-8 & 12

Report Date Tuesday, December 11 2012

LIMITATIONS: None

::::::::::::::::::

STORAGE QUANTITIES: No active storage quantities associated with IRR use under this water right

STORAGE RATES: No active storage rates associated with IRR use under this water right

::::::::::::::::::

AUTHORIZED POINTS(S) OF DIVERSION

Section 19, T 26, R 33W, ID 2 (Internal PDIV_ID = 11652)

QUALIFIERS: NC NE

DIST. FROM SE CORNER: 3960 ft North 1320 ft West

NUMBER OF WELLS: 1

COMMENT:

OLD LONGITUDE: 100.965091 OLD LATITUDE: 37.783037

NEW LONGITUDE: 100.966396 NEW LATITUDE: 37.776723

GPS LONGITUDE: GPS LATITUDE:

GPS FEET NORTH: GPS FEET WEST:

COUNTY: FINNEY

FIELD OFFICE: GARDEN CITY FIELD OFFICE

GMD : 3

BASIN: ARKANSAS RIVER

STREAM:

SPECIAL_USE_AREA(S):

AQUIFER(S):

TEST INFORMATION:

> 27-MAY-86 1009 gpm Field Inspection Test

METER ACTION TRAIL:

> 11-NOV-92 Meter Required GWMD Order Install by: 01-JUL-94

METER INFORMATION:

Date Installed : Currently Installed? Y

> Manufacturer: MCCROMETER Model: MO300

> Type: Not Available Serial No.: 92-8-3773N

> Meter Unit: N/A Meter Size: 10 Inch Multiplier: 00

> Portable Pump Installation? N Multiple PDs? N Straightening Vanes? N

> Measuring Chamber? Meter Comment:

OVERLAPS:

Section 19, T 26, R 33W, ID 3 (Internal PDIV_ID = 25931)

QUALIFIERS: NC NW

DIST. FROM SE CORNER: 3960 ft North 3960 ft West

NUMBER OF WELLS: 1

COMMENT:

OLD LONGITUDE: 100.974190 OLD LATITUDE: 37.783037

NEW LONGITUDE: 100.975511 NEW LATITUDE: 37.776735

GPS LONGITUDE: GPS LATITUDE:

GPS FEET NORTH: GPS FEET WEST:

COUNTY: FINNEY

FIELD OFFICE: GARDEN CITY FIELD OFFICE

GMD : 3

BASIN: ARKANSAS RIVER

STREAM:

SPECIAL_USE_AREA(S):

AQUIFER(S):

TEST INFORMATION:

WATER RIGHT INFO. - TRACTS 5-8 & 12

Report Date Tuesday, December 11 2012

COMMENT: L-1 (NW NW) L-2 (SW NW) L-3 (NW SW) L-4 (SW SW)

OVERLAPS:

 :::::::::::::::

WATER USE INFORMATION:

Year	Qualifiers	SC	ID	Date Rcvd	Hours	GPM	Acre-feet	Code	Ac_Irr	Date Msrd	Wtr_Dp	Well_Dp	Reel	Blip
2011	3960N	1320W	19	2 22-FEB-12		241.0	A	125		N/A	N/A	72	2480	
2011	3960N	3960W	19	3 22-FEB-12		250.0	A	125		N/A	N/A	72	2480	
2011	1320N	3960W	19	4 22-FEB-12		209.0	A	125		N/A	N/A	72	2480	
2010	3960N	1320W	19	2 28-FEB-11		210.0	A	125		N/A	N/A	67	1796	
2010	3960N	3960W	19	3 28-FEB-11		253.0	A	125		N/A	N/A	67	1796	
2010	1320N	3960W	19	4 28-FEB-11		208.0	A	125		N/A	N/A	67	1796	
2009	3960N	1320W	19	2 04-MAR-10		600	177.0	A	125		N/A	N/A	62	1525
2009	3960N	3960W	19	3 04-MAR-10		600	233.0	A	125		N/A	N/A	62	1525
2009	1320N	3960W	19	4 04-MAR-10		600	216.0	A	125		N/A	N/A	62	1525
2008	3960N	1320W	19	2 23-FEB-09		600	109.0	A	125		N/A	N/A	55	75
2008	3960N	3960W	19	3 23-FEB-09		600	262.0	A	125		N/A	N/A	55	75
2008	1320N	3960W	19	4 23-FEB-09		600	249.0	A	125		N/A	N/A	55	75
2007	3960N	1320W	19	2 29-FEB-08		500	169.0	A	125		N/A	N/A	49	1853
2007	3960N	3960W	19	3 29-FEB-08		500	251.0	A	125		N/A	N/A	49	1853
2007	1320N	3960W	19	4 29-FEB-08		500	214.0	A	125		N/A	N/A	49	1853
2006	3960N	1320W	19	2 05-MAR-07		700	269.0	A	125		N/A	N/A	44	908
2006	3960N	3960W	19	3 05-MAR-07		700	243.0	A	125		N/A	N/A	44	908
2006	1320N	3960W	19	4 05-MAR-07		700	204.0	A	125		N/A	N/A	44	908
2005	3960N	1320W	19	2 06-MAR-06		700	208.0	A	125		N/A	N/A	38	1651
2005	3960N	3960W	19	3 06-MAR-06		700	258.0	A	125		N/A	N/A	38	1651
2005	1320N	3960W	19	4 06-MAR-06		700	187.0	A	125		N/A	N/A	38	1651
2004	3960N	1320W	19	2 04-MAR-05		700	176.0	A	125		N/A	N/A	32	1542
2004	3960N	3960W	19	3 04-MAR-05		700	222.0	A	125		N/A	N/A	32	1542
2004	1320N	3960W	19	4 04-MAR-05		700	56.0	A	125		N/A	N/A	32	1542
2003	3960N	1320W	19	2 03-MAR-04		700	206.0	A	125		N/A	N/A	26	853
2003	3960N	3960W	19	3 03-MAR-04		700	243.0	A	125		N/A	N/A	26	853
2003	1320N	3960W	19	4 03-MAR-04		700	255.0	A	125		N/A	N/A	26	853
2002	3960N	1320W	19	2 24-FEB-03		700	253.0	A	125		N/A	N/A	19	199
2002	3960N	3960W	19	3 24-FEB-03		700	272.0	A	125		N/A	N/A	19	199
2002	1320N	3960W	19	4 24-FEB-03		700	304.0	A	125		N/A	N/A	19	199
2001	3960N	1320W	19	2 04-MAR-02		700	5	125		N/A	N/A	14	1697	
2001	3960N	3960W	19	3 04-MAR-02		700	141.0	A	125		N/A	N/A	14	1697
2001	1320N	3960W	19	4 04-MAR-02		700	278.0	A	125		N/A	N/A	14	1697
2000	3960N	1320W	19	2 26-FEB-01	1464	700	188.7	G	125		N/A	N/A	7	287
2000	3960N	3960W	19	3 26-FEB-01		700	258.0	A	125		N/A	N/A	7	287
2000	1320N	3960W	19	4 26-FEB-01		700	287.0	A	125		N/A	N/A	7	287
1999	3960N	1320W	19	2 02-MAR-00		700	35.0	A	125		N/A	N/A	4	758
1999	3960N	3960W	19	3 02-MAR-00		700	197.0	A	125		N/A	N/A	4	758
1999	1320N	3960W	19	4 02-MAR-00		700	173.0	A	125		N/A	N/A	4	758
1998	3960N	1320W	19	2 01-MAR-99		185.0	A	125		N/A	N/A	94	2355	
1998	3960N	3960W	19	3 01-MAR-99		203.0	A	125		N/A	N/A	94	2355	
1998	1320N	3960W	19	4 01-MAR-99		224.0	A	125		N/A	N/A	94	2355	
1997	3960N	1320W	19	2 23-FEB-98		194.0	A	125		N/A	N/A	88	314	
1997	3960N	3960W	19	3 23-FEB-98		224.0	A	125		N/A	N/A	88	315	
1997	1320N	3960W	19	4 23-FEB-98		248.0	A	125		N/A	N/A	88	315	
1996	3960N	1320W	19	2 03-MAR-97		227.0	A	125		N/A	N/A	83	152	

WATER RIGHT INFO. - TRACTS 5-8 & 12

Report Date Tuesday, December 11 2012

1996	3960N	3960W	19	3	03-MAR-97	265.0	A	125		N/A	N/A	83	152		
1996	1320N	3960W	19	4	03-MAR-97	277.0	A	125		N/A	N/A	83	152		
1995	3960N	1320W	19	2	29-FEB-96	0	0	206.0	7	125	N/A	N/A	76	2689	
1995	3960N	3960W	19	3	29-FEB-96	0	0	208.0	7	125	N/A	N/A	76	2689	
1995	1320N	3960W	19	4	29-FEB-96	0	0	209.0	7	125	N/A	N/A	76	2689	
1994	3960N	1320W	19	2	28-FEB-95	0	800	101.0	7	125	N/A	N/A	71	2374	
1994	3960N	3960W	19	3	28-FEB-95	0	800	272.0	7	125	N/A	N/A	71	2374	
1994	1320N	3960W	19	4	28-FEB-95	0	800	205.0	7	125	N/A	N/A	71	2374	
1993	3960N	1320W	19	2	28-FEB-94	0	800	64.0	7	125	01-FEB-94	N/A	N/A	65	2204
1993	3960N	3960W	19	3	28-FEB-94	0	800	94.0	7	125	01-FEB-94	N/A	N/A	65	2204
1993	1320N	3960W	19	4	28-FEB-94	0	800	186.0	7	125	01-FEB-94	N/A	N/A	65	2204
1992	3960N	1320W	19	2	01-MAR-93	706	750	97.5	G	125		N/A	N/A	59	2893
1992	3960N	3960W	19	3	01-MAR-93	709	750	97.9	G	125		N/A	N/A	59	2893
1992	1320N	3960W	19	4	01-MAR-93	1050	750	145.0	G	125		N/A	N/A	59	2893
1991	3960N	1320W	19	2	28-FEB-92	2100	800	309.3	G	118		N/A	N/A	53	1920
1991	3960N	3960W	19	3	28-FEB-92	2140	800	315.2	G	120		N/A	N/A	53	1920
1991	1320N	3960W	19	4	28-FEB-92	720	800	106.1	G	120		N/A	N/A	53	1920
1990	3960N	1320W	19	2	28-FEB-91	1499	800	220.8	G	118		N/A	N/A	47	53
1990	3960N	3960W	19	3	28-FEB-91	1971	800	290.3	G	120		N/A	N/A	47	53
1990	1320N	3960W	19	4	28-FEB-91	1198	800	176.5	G	120		N/A	N/A	47	53
1989	3960N	1320W	19	2	14-MAR-90	911	800	134.2	G	120		N/A	N/A	43	435
1989	3960N	3960W	19	3	14-MAR-90	1389	800	204.6	G	120		N/A	N/A	43	435
1989	1320N	3960W	19	4	14-MAR-90	336	800	49.5	G	120		N/A	N/A	43	435
1988	3960N	1320W	19	2		1800	800	265.2	G	130		N/A	N/A	34	3741
1988	3960N	3960W	19	3		1800	800	265.2	G	130		N/A	N/A	34	3741
1988	1320N	3960W	19	4		1800	800	265.2	G	130		N/A	N/A	34	3741
1987	3960N	1320W	19	2		1450	900	240.3	G	128		N/A	N/A	32	3059
1987	3960N	3960W	19	3		1505	800	221.7	G	130		N/A	N/A	32	3059
1987	1320N	3960W	19	4		1490	800	219.5	G	130		N/A	N/A	32	3059
1986	3960N	1320W	19	2		0	0	.0	0			N/A	N/A	0	0
1986	3960N	3960W	19	3		0	0	.0	0			N/A	N/A	0	0
1986	1320N	3960W	19	4		0	0	.0	0			N/A	N/A	0	0
1985	3960N	1320W	19	2		1253	900	207.6	G	126		N/A	N/A	21	3404
1985	3960N	3960W	19	3		1110	900	183.9	G	128		N/A	N/A	21	3404
1985	1320N	3960W	19	4		1628	900	269.8	G	128		N/A	N/A	21	3404
1984	3960N	1320W	19	2		2050	0	.0	G	130		N/A	N/A	18	2640
1984	3960N	3960W	19	3		1040	800	153.2	G	130		N/A	N/A	18	2640
1984	1320N	3960W	19	4		2124	800	312.9	G	130		N/A	N/A	18	2640
1983	3960N	1320W	19	2		0	0	.0	0			N/A	N/A	0	0
1983	3960N	3960W	19	3		0	0	.0	0			N/A	N/A	0	0
1983	1320N	3960W	19	4		0	0	.0	0			N/A	N/A	0	0
1982	3960N	1320W	19	2		0	0	.0	0			N/A	N/A	0	0
1982	3960N	3960W	19	3		0	0	.0	0			N/A	N/A	0	0
1982	1320N	3960W	19	4		0	0	.0	0			N/A	N/A	0	0
1981	3960N	1320W	19	2		1102	800	162.3	G	130		N/A	N/A	2	2009
1981	3960N	3960W	19	3		1602	900	265.5	G	130		N/A	N/A	2	2009
1981	1320N	3960W	19	4		1550	900	256.9	G	130		N/A	N/A	2	2009
1980	3960N	1320W	19	2		900	800	132.6	G	130		N/A	N/A	99	9999
1980	3960N	3960W	19	3		1750	900	290.0	G	130		N/A	N/A	99	9999
1980	1320N	3960W	19	4		1750	900	290.0	G	130		N/A	N/A	99	9999
1978	3960N	1320W	19	2		1500	900	248.6	G	130		N/A	N/A	0	0
1978	3960N	3960W	19	3		1700	1000	313.0	G	130		N/A	N/A	0	0

Report Date Tuesday, December 11 2012

1978	1320N	3960W	19	4		1700	1000	313.0	G	130		N/A	N/A	0	0
------	-------	-------	----	---	--	------	------	-------	---	-----	--	-----	-----	---	---

WATER RIGHT INFO. - TRACT 18

Report Date Tuesday, December 11 2012

WATER RIGHT INFORMATION REPORT FOR : 34371 00

RIGHT TYPE: Appropriation

SOURCE: Groundwater USE: IRR

CURRENT STATUS: Certificate Issued

PRIORITY DATE: 17-JUL-80

CURRENT COMPLETE BY DATE: 31-DEC-82

COMPLETION ACKNOWLEDGED DATE: 06-MAY-81

CURRENT PERFECT BY DATE: 31-DEC-86

YEAR PERFECTED:

CERTIFICATE ISSUED DATE: 21-APR-97

::::::::::::::::::

APPLICANT(S):

> SCS FARMS INC SOUTH STAR ROUTE GARDEN CITY KS 67846

> PERSON ID (Old Address Code): 20486

> CORRESPONDENT SEQUENCE NUMBER: 1

>-----

::::::::::::::::::

WATER USE CORRESPONDENT(S):

> BILLY D & PHYLLIS J STONE 12500 S STONE RD GARDEN CITY KS 67846

> PERSON ID (Old Address Code): 24719

> CORRESPONDENT SEQUENCE NUMBER: 1

>-----

::::::::::::::::::

ACTION TRAIL:

17-JUL-80 Pending Initial Review

27-APR-81 Approved Pending Completion N+P BY 31-DEC-82 PERF BY 31-DEC-86

06-MAY-81 Completed Pending Inspection

14-MAY-84 Change Application For Point Of Diversion

26-JUN-84 Change Approved

26-JUN-84 N&P By12-31-84 Chg Approval

10-JUL-84 N&P 7/84 (Chg)

05-JUN-86 Inspected Pending Perfection

04-MAR-87 Land Owner Chg - Loren L & Sherry L Cronin

04-MAR-87 & F Arthur & Elnora A Stone

02-APR-90 Land Owner Chg-Part Of Land-Scs Farms Inc

21-APR-97 Certificate Issued

21-APR-97 Record Yr1985:1682gpm Norm

21-APR-97 Landowner Chg-Stone Acres Inc & Billey D & Phyllis J Stone

::::::::::::::::::

CONSERVATION CONTRACT ACTION TRAIL:

::::::::::::::::::

CONSERVATION PLAN ACTION TRAIL:

::::::::::::::::::

SPECIAL CONDITIONS:

::::::::::::::::::

QUANTITIES:

>AUTHORIZED 990.000 AF ADDITIONAL 990.000 AF

::::::::::::::::::

RATES:

>AUTHORIZED 1600.000 gpm ADDITIONAL 1600.000 gpm

::::::::::::::::::

LIMITATIONS: None

WATER RIGHT INFO. - TRACT 18

Report Date Tuesday, December 11 2012

::::::::::::

STORAGE QUANTITIES: No active storage quantities associated with IRR use under this water right

STORAGE RATES: No active storage rates associated with IRR use under this water right

::::::::::::

AUTHORIZED POINTS(S) OF DIVERSION

Section 20, T 26, R 33W, ID 2 (Internal PDIV_ID = 20747)

QUALIFIERS: SW SW NE

DIST. FROM SE CORNER: 2750 ft North 2250 ft West

NUMBER OF WELLS: 1

COMMENT: (APPROX 75'W OF ORIGINAL WELL)

OLD LONGITUDE: 100.950106 OLD LATITUDE: 37.779678

NEW LONGITUDE: 100.951466 NEW LATITUDE: 37.773408

GPS LONGITUDE: GPS LATITUDE:

GPS FEET NORTH: GPS FEET WEST:

COUNTY: FINNEY

FIELD OFFICE: GARDEN CITY FIELD OFFICE

GMD : 3

BASIN: ARKANSAS RIVER

STREAM:

SPECIAL_USE_AREA(S):

AQUIFER(S):

TEST INFORMATION:

> 27-MAY-86 1682 gpm Field Inspection Test

METER ACTION TRAIL:

> 11-NOV-92 Meter Required GWMD Order Install by: 01-JUL-94

METER INFORMATION:

Date Installed : Currently Installed? Y

> Manufacturer: Not available Model:

> Type: Not Available Serial No.:

> Meter Unit: N/A Meter Size: 3 Inch Multiplier: N/A

> Portable Pump Installation? N Multiple PDs? N Straightening Vanes? N

> Measuring Chamber? Meter Comment:

OVERLAPS:

::::::::::::

AUTHORIZED PLACE(S) OF USE

Section 20, T 26, R 33W, ID 2 (Internal PUSE_ID = 8881)

OWNER: BILLY D & PHYLLIS J STONE

Address:

** 12500 S STONE RD

** GARDEN CITY KS 67846

Total acres authorized = 97.50 Acres

NE				NW				SW				SE			
NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE
.00	.00	.00	.00	.00	.00	.00	32.50	.00	.00	.00	.00	.00	.00	.00	32.50

COMMENT:

OVERLAPS:

Section 20, T 26, R 33W, ID 1 (Internal PUSE_ID = 13054)

OWNER: STONE ACRES INC

Address:

** 12500 S STONE RD

WATER RIGHT INFO. - TRACT 18

Report Date Tuesday, December 11 2012

** GARDEN CITY KS 67846

Total acres authorized = 422.50 Acres

NE				NW				SW				SE			
NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE
32.50	32.50	32.50	32.50	32.50	32.50	32.50	.00	32.50	32.50	32.50	32.50	32.50	32.50	.00	.00

COMMENT:

OVERLAPS:

 ::::::::::::::::::::

WATER USE INFORMATION:

Year	Qualifiers	SC	ID	Date Rcvd	Hours	GPM	Acre-feet	Code	Ac_Irr	Date Msrd	Wtr_Dp	Well_Dp	Reel	Blip
2011	2750N	2250W	20	2 22-FEB-12		517.0	A	500		N/A	N/A	72	2532	
2010	2750N	2250W	20	2 28-FEB-11		887.0	A	500		N/A	N/A	67	1945	
2009	2750N	2250W	20	2 04-MAR-10		700	405.0	A	500		N/A	N/A	62	1556
2008	2750N	2250W	20	2 23-FEB-09		700	462.0	A	500		N/A	N/A	55	125
2007	2750N	2250W	20	2 29-FEB-08		700	465.0	A	500		N/A	N/A	49	1975
2006	2750N	2250W	20	2 05-MAR-07		700	622.0	A	500		N/A	N/A	44	964
2005	2750N	2250W	20	2 06-MAR-06		700	472.0	A	500		N/A	N/A	38	1674
2004	2750N	2250W	20	2 04-MAR-05		700	563.0	A	500		N/A	N/A	32	1551
2003	2750N	2250W	20	2 03-MAR-04		700	525.0	A	480		N/A	N/A	26	886
2002	2750N	2250W	20	2 24-FEB-03		700	788.0	A	480		N/A	N/A	19	304
2001	2750N	2250W	20	2 04-MAR-02		700	366.0	A	480		N/A	N/A	14	1839
2000	2750N	2250W	20	2 26-FEB-01		700	766.0	A	480		N/A	N/A	7	455
1999	2750N	2250W	20	2 02-MAR-00		700	371.0	A	480		N/A	N/A	4	864
1998	2750N	2250W	20	2 01-MAR-99		700.0	A	480		N/A	N/A	94	2606	
1997	2750N	2250W	20	2 23-FEB-98		653.0	A	480		N/A	N/A	88	413	
1996	2750N	2250W	20	2 03-MAR-97		5	480		N/A	N/A	83	425		
1995	2750N	2250W	20	2 29-FEB-96	2508	1400	646.5	G	480		N/A	N/A	76	2828
1994	2750N	2250W	20	2 28-FEB-95	0	1400	647.0	7	480		N/A	N/A	71	2395
1993	2750N	2250W	20	2 28-FEB-94	0	700	119.3	8	480	01-FEB-94	N/A	N/A	65	2314
1992	2750N	2250W	20	2 01-MAR-93	0	0	1079.0	7	500		N/A	N/A	59	2852
1991	2750N	2250W	20	2 28-FEB-92	3031	1500	837.2	G	480		N/A	475	54	128
1990	2750N	2250W	20	2 28-FEB-91	4814	1500	1329.6	G	485		N/A	N/A	47	32
1990	2750N	2250W	20	2 28-FEB-91	Comment: CORN & WHEAT									
1989	2750N	2250W	20	2 14-MAR-90	3739	1600	1101.6	G	480		N/A	N/A	43	490
1988	2750N	2250W	20	2	4825	1400	1243.8	G	450		N/A	N/A	34	3743
1987	2750N	2250W	20	2	2550	1400	657.4	G	520		N/A	N/A	32	3068
1986	2750N	2250W	20	2	0	0	.0	0			N/A	N/A	0	0
1985	2750N	2250W	20	2	3363	1400	866.9	G	520		N/A	N/A	21	3421
1984	2750N	2250W	20	2	3203	1400	825.7	G	520		N/A	N/A	18	2638
1983	2750N	2250W	20	2	0	0	.0	0			N/A	N/A	0	0
1982	2750N	2250W	20	2	0	0	.0	0			N/A	N/A	0	0
1981	2750N	2250W	20	2	4738	1400	1221.4	G	520		N/A	N/A	2	3665



IRRIGATION WELL INFORMATION



WELL TESTING INFORMATION

WELL	GPM	RPM	PSI	COMMENTS
CT 20-26-33	1016	1760	24	12/22/2012
SE 19-26-33	520	1760	18	12/22/2012
NE 19-26-33	600	1650	15	12/22/2012
NW 19-26-33	440	1650	17	12/22/2012
SW 19-26-33	526	1750	17	12/22/2012
SE 14-26-34	610	1760	35	12/22/2012
SW 14-26-34	526	1760	15	12/22/2012

BAKER IRRIGATION
PO BOX 247
HUGOTON, KS 67951
620-544-9137

WELL INFORMATION - TRACT 1

Jan 07 2013 4:48PM Minter Wilson Drilling Co 6202768260

page 14

Stone Acres

SE¼ 14-26-34 - Finney County

Well drilled in October 1997 to a depth of 470'



250' - 8" X 2½" X 1½" Column, Tube & Shaft
with RH Woodline Tube

- 12LB 5 Stage Peerless Bowl Unit

230' - 16" Plain Casing

- 8 X 16½ Peerless Discharge Head

- F100 Randolph Gear Drive 4:3 Ratio
S/N 95620

**11-30-07 - Inv. #013275 - Repaired F100 Randolph
Gear Drive 4:3 Ratio - S/N 95620.**

6-13-12 - Inv. #016475 - Lowered 80'-now 330'.

60' - 16" Agri Screen

40' - 16" Perf. Casing

20' - 16" Agri Screen

45' - 16" Perf. Casing

20' - 16" Agri Screen

30' - 16" Perf. Casing

20' - 16" Agri Screen
5' - 16" Perf. Casing

WELL INFORMATION - TRACT 1

KGS--Water Wells Query Answer--Scan of WWC5 Form



Scan of WWC5 Form

WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL: County: <u>Finney</u>		Fraction <u>SW</u> $\frac{1}{4}$ <u>NE</u> $\frac{1}{4}$ <u>SE</u> $\frac{1}{4}$	Section Number <u>14</u>	Township Number <u>T 26 S</u>	Range Number <u>R 34 EW</u>
Distance and direction from nearest town or city street address of well if located within city? <u>From Garden City - 12 miles south to TV Road, 7 miles west, 1,320 ft. north & 1,035 ft. west</u>					
2 WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP Code :		F. Arthur and Elnora Stone <u>12575 S. Stone Road</u> <u>Garden City, Kansas 67846</u>			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>470</u> ft. ELEVATION: _____			
		Depth(s) Groundwater Encountered 1. _____ ft. 2. _____ ft. 3. _____ ft. WELL'S STATIC WATER LEVEL: <u>166</u> ft. below land surface measured on <u>mo/day/yr</u> <u>10-16-97</u> Pump test data: Well water was _____ ft. after _____ hours pumping _____ gpm Est. Yield _____ gpm: Well water was _____ ft. after _____ hours pumping _____ gpm Bore Hole Diameter: <u>30</u> in. to <u>470</u> ft. and _____ in. to _____ ft.			
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes _____ No <u>X</u> If yes, mo/day/yr sample was submitted _____ Water Well Disinfected? Yes _____ No <u>X</u>			
5 TYPE OF BLANK CASING USED:		5 Wrought iron 8 Concrete tile CASING JOINTS: Glued _____ Clamped _____ 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded <u>X</u> 2 PVC 4 ABS 7 Fiberglass Threaded _____			
Blank casing diameter: <u>16</u> in. to <u>230</u> ft. Dia. _____ in. to _____ ft. Dia. _____ in. to _____ ft.		Casing height above land surface: <u>12</u> in., weight <u>42.05</u> lbs./ft. Wall thickness or gauge No. <u>250</u>			
TYPE OF SCREEN OR PERFORATION MATERIAL:		1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) _____ 12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:		1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 7 Torch cut 9 Drilled holes 10 Other (specify) _____			
SCREEN-PERFORATED INTERVALS:		From <u>230</u> ft. to <u>470</u> ft. From _____ ft. to _____ ft. From _____ ft. to _____ ft. From _____ ft. to _____ ft.			
GRAVEL PACK INTERVALS:		From <u>20</u> ft. to <u>470</u> ft. From _____ ft. to _____ ft. From _____ ft. to _____ ft. From _____ ft. to _____ ft.			
6 GROUT MATERIAL:		1 Neat cement 2 Cement grout 3 Bentonite 4 Other _____ Grout Intervals: From <u>0</u> ft. to <u>20</u> ft. From _____ ft. to _____ ft. From _____ ft. to _____ ft.			
What is the nearest source of possible contamination:		1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) _____ 13 Insecticide storage			
Direction from well? <u>West</u>		How many feet? <u>285</u>			
FROM	TO	LITHOLOGIC LOG		FROM	TO
		See attached log			
		UNABLE TO PROCURE			
		ATTACHMENT			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>(1)</u> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>10-16-97</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>208</u> This Water Well Record was completed on (mo/day/yr) <u>10-21-97</u> under the business name of <u>Minter-Wilson Drilling Co., Inc.</u> by (signature) <u>Sara Keller</u>					

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.

WELL INFORMATION - TRACT 1

Jan 07 2013 4:49PM Minter Wilson Drilling Co 6202768260

page 16

*The
Professionals*

MINTER-WILSON DRILLING CO.

INCORPORATED

Irrigation
and Domestic
Water Systems
Complete Installation
and Repairing

Phone 276-8269 • P.O. Box A • GARDEN CITY, KANSAS 67846

Billy Stone
Finney County
8/26/97

Location: SE $\frac{1}{4}$ 14-26-34 - South of Garden City to Plymell Road, 4 miles west,
2 miles south, 3 $\frac{1}{2}$ miles west & $\frac{1}{4}$ mile north.
From Greg Stone's trailer on Ivanhoe Road - 1 $\frac{1}{4}$ miles
west & $\frac{1}{4}$ mile north
(295 ft. east of old well)

Static Water Level -

Test #4

0' to 1' - Top soil
1' to 4' - Fine sand
4' to 16' - Gray clay
16' to 22' - Brown sandy clay
22' to 52' - Fine to medium sand and gravel
52' to 101' - Medium coarse gravel
101' to 123' - Brown sandy clay
123' to 140' - Fine to medium sand and gravel
140' to 159' - Fine to medium sand
159' to 180' - Fine to medium sand - loose
180' to 188' - Brown sandy clay
188' to 204' - Brown sandy clay - small sand strip
204' to 228' - Brown sandy clay
228' to 250' - Fine to medium sand and gravel
250' to 257' - Brown sandy clay
257' to 267' - Fine to medium sand and gravel
267' to 282' - Brown sandy clay
282' to 287' - Fine to medium sand and gravel
287' to 305' - Brown sandy clay
305' to 339' - Brown sandy clay - small strip of sand stone - mixed
339' to 346' - Fine to medium sand - 10% clay - loose
346' to 398' - Brown clay
398' to 412' - Fine to medium sand brown rock mixed
412' to 457' - Brown clay
457' to 462' - Brown rock
462' to 473' - Yellow gray clay
473' to 485' - Shale

WELL INFORMATION - TRACT 2

Jan 07 2013 4:49PM Minter Wilson Drilling Co 6202768260

page 17

Stone Acres, Inc.

SW $\frac{1}{4}$ 14-26-34 - Finney County

26" Hole drilled in Fall 1976 by Henkle Drilling to a depth of 370 ft.



190 Ft. - 16" Plain Casing

20 Ft. - 16" Johnson Screen

40 Ft. - 16" Plain Casing

10 Ft. - 16" Brown - .080 Slot

10 Ft. - 16" Johnson Screen

65 Ft. - 16" Brown - .080 Slot

10 Ft. - 16" Johnson Screen

5 Ft. - 16" Plain Casing

225' - 8" X 2 $\frac{1}{2}$ " X 1 $\frac{1}{2}$ " Column, Tube & Shaft
with Brass Bearings

- 8 X 16 $\frac{1}{2}$ Johnston Discharge Head

- 4 Stage 14AC Johnston Bowl Unit

- F100 Randolph Gear Drive 4:3 Ratio

7-17-03 - Inv. #0009532 - Lowered pump 60'
Now set at 285'.

WELL INFORMATION - TRACT 2

KGS
Hydrology

Water Well Database Query

Scan of WWC5 Form

USE TYPEWRITER OR BALL POINT PEN. PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment
Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Finney	Fraction Center of 1/4 1/4 SW 1/4	Section number 14	Township number T 26 S R 34	Range number 34
2. Distance and direction from nearest town or city: Street address of well location if in city: 11 3/4 S. & 7 3/4 W. of Garden City.				3. Owner of well: R.R. or street: Larry Lockwood R.R. 1 Kinsley, KS City, state, zip code:		
4. Locate with "X" in section below: N W E S 1 Mile				6. Bore hole dia. 26 in. Completion date 9-12-76 Well depth 370 ft.		
				7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary		
5. Type and color of material				8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
See attachment				9. Casing: Material Steel Height (Above) or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight <input type="checkbox"/> lbs./ft. Dia. 16 in. to 370 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 188		
				10. Screen: Manufacturer's name Brown Type Louvered Dia. 16" Slot/pounce 080 Length 95' Set between 365-345 ft. and 335-270 ft. 260-250 ft. and <input type="checkbox"/> ft. Gravel pack? <input checked="" type="checkbox"/> Yes. Size range of material 1/2 x 1/8		
				11. Static water level: <input type="checkbox"/> mo./day/yr. 115 ft. below land surface Date 9-16-76		
				12. Pumping level below land surfaces: 137 ft. after <input type="checkbox"/> hrs. pumping 1451 g.p.m. <input type="checkbox"/> ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield <input type="checkbox"/> g.p.m.		
				13. Water sample submitted: <input type="checkbox"/> mo./day/yr. Yes <input checked="" type="checkbox"/> No Date <input type="checkbox"/>		
				14. Well head completion: <input type="checkbox"/> inches above grade <input type="checkbox"/> Fitness adapter 12 inches above grade		
				15. Well grouted? <input checked="" type="checkbox"/> Yes With: <input type="checkbox"/> Neat cement <input checked="" type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.		
				16. Nearest source of possible contamination: <input type="checkbox"/> ft. <input type="checkbox"/> Direction <input type="checkbox"/> Type <input type="checkbox"/> Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
				17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name <input type="checkbox"/> Model number <input type="checkbox"/> HP <input type="checkbox"/> Volts <input type="checkbox"/> Length of drop pipe <input type="checkbox"/> ft. capacity <input type="checkbox"/> g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
(Use a second sheet if needed)						
18. Elevation: Topography: <input checked="" type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley		19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Henkle Drlg. & Supply 145 Business name License No. <input type="checkbox"/> Address Box 639, Garden City, KS Signed E.L. Bitauer Date 10-4-76 Authorized representative		

26
34
R
E
L
H
1/4
SW

WELL INFORMATION - TRACT 2

KGS--Water Wells Query Answer--Scan of WWC5 Form

DRILLERS TEST LOG

CUSTOMERS NAME Larry Lockwood DATE 9-3-76
 STREET ADDRESS R.R. 1 TEST # 1
 CITY & STATE Kinsley, KS DRILLER Geist
 COUNTY Finney QUARTER SW SECTION 14 TOWNSHIP 26 RANGE 34

LOCATION Center of 1/4, approx. 10 ft. W. of pivot

%	DRILLED FOOTAGE		WELL LOCATION	
	From	Pay To	Description of Stratd	Static Water Level Proposed Well Depth
	0	24	Fine sugar sand (soft on top)	
	24	38	Sandy clay, few sand st.	
	38	50	Brown sandy clay and coarse sand st.	
	50	80	Sand med. to coarse, small gravel, few cobblestone (loose) used water	
	80	105	Sand fine to med., large gravel and small gravel, drilled rough, used water	
50	105	25	130	Sand fine to med. coarse, few small gravel and few clay st., used water (loose)
	130	151	Brown sandy clay and fine sand st., big cobblestone	
65	151	10	161	Sand fine to med. coarse, few small gravel, few clay st. (loose) used water
50	161	39	200	Sand fine to med., few coarse clay mixed in, loose in places, used water
65	200	10	210	Sand fine to med. coarse, small gravel, drilled loose in places, few clay st.
	210	252	Brown sandy clay, few fine sand st. and gyp rock, fine sticky clay st., few coarse sand st., drilled loose in places	
80	252	28	280	Sand fine to med. coarse, small gravel, few clay st., drilled ragged, few cobblestone
	280	290	Brown sandy clay, gyp rock and few sand st.	
55	290	6	296	Sand fine to med. coarse, few clay st., drilled ragged
	296	308	Brown sandy clay and few large gravel, few gyp rock few sand st. (loose and ragged)	
	308	8	316	Sand fine to med., few clay st.
	316	318	Hard, used pull down, lime rock or cemented sand	
	318	328	Brown sandy clay and sand st., few sticky clay st.	
	328	335	Fine sand and clay	
70	335	13	348	Sand fine to med. coarse, loose, drilled ragged
	348	363	Brown sandy clay and sand st., drilled loose in places	
30	363	5	368	Fine sugar sand
	368	420	Brown sandy clay and gyp rock, sand st., loose in places	
		144	TOTAL DEPTH OF WELL 370 FT.	
			Set up S.E.; dig pit on West	

GARDEN CITY, KANSAS HENKLE DRILLING & SUPPLY CO., INC. SUBLETTE, KANSAS
 PHONE 276-3278 IRRIGATION HEADQUARTERS PHONE 675-4311

TEST HOLES*****STOCK WELLS*****IRRIGATION AND INDUSTRIAL WELLS*****

WELL INFORMATION - TRACT 5

Jan 07 2013 4:39PM Minter Wilson Drilling Co 6202768260

page 2

ART STONE

NW $\frac{1}{4}$ 19-26-33 Finney County.

Total Depth 305'



180' - 1 $\frac{1}{2}$ " x 2 $\frac{1}{2}$ " x 8" Column, Tube
with LH Woodline

1 - 8" x 8" x 16 $\frac{1}{2}$ " Discharge Head

140' Plain

1 - 5 Stage 12" Bowl

1 - 100 HP Gear Drive

110' Perf

WL 48 Drive, Flange & Guard

20' Screen

8" Cooler, Base & Plumbing

35' Perf

12/23/99 - Invoice #0006750 - Pulled 180' Goulds pump, T.V. d well, sonar jet cleaned 75', bailed well, put in new 5 stage SP12M bowl unit, repaired column, tube & shaft, repaired G125 Randolph Gear Drive 4:3 Ratio - S/N 914790; lowered 60' - set back in 240'.

1-22-03 - Inv. #0009138 - Repaired G125 Randolph Gear Drive 4:3 Ratio-S/N 914970.

7-17-08 - Inv. #013761 - Lowered 50' - now set at 290'.

WELL INFORMATION - TRACT 5

KGS
Hydrology

Water Well Database Query

Scan of WWC5 Form

USE TYPEWRITER OR BALL POINT PEN-~~PREPARE~~ FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County FINNEY	Fraction 1/4 1/4 NE 1/4	Section number 19	Township number T 26 S R	Range number 33 <i>W</i>
2. Distance and direction from nearest town or city: 13 south of Garden City on Hwy 83 6 west 1/4 south 1/4 east				3. Owner of well: Art Stone R.R. or street: S Star Rd. City, state, zip code: Garden City, Ks. 67846		
4. Locate with "X" in section below: Sketch map: 				6. Bore hole dia. 2 1/2 in. Completion date 3-20-76 Well depth 305 ft.		
5. Type and color of material				7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary		
				8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
				9. Casing: Material galv Height: 270 ft. Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 6.87 lbs./ft. Dia. 3 1/2 in. to 306 ft. depth / Wall thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth / gage No. 219 MHC		
				10. Screen: Manufacturer's name Johnson Division Type Galv Dia. 16 in. Slot/gauze 100 Length 20 ft. Set between 250 ft. and 270 ft. Perf. 110-250 ft. and 270-305 ft. Gravel pack? <input type="checkbox"/> Size range of material 1/2 in. to 3/4 in.		
				11. Static water level: 91 ft. below land surface Date 3-17-76 no./day/yr.		
				12. Pumping level below land surface: 101 ft. after 5 hrs. pumping 1500 g.p.m. 101 ft. after 5 hrs. pumping 1500 g.p.m. Estimated maximum yield 1500 g.p.m.		
				13. Water sample submitted: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date		
				14. Well head completion: 12 inches above grade Pitless adapter		
				15. Well grouted? Yes With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.		
				16. Nearest source of possible contamination: N/A ft. <input type="checkbox"/> Direction <input type="checkbox"/> Type <input type="checkbox"/> Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
				17. Pump: Not installed Manufacturer's name Gould US Pumps Model number 12 JMC HP 100 Volts Length of drop pipe 180 ft. capacity 1000 g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
(Use a second sheet if needed)						
18. Elevation: Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley		19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Hunter Wilson Drilling 208 Business Box A Garden City, Ks Address Signed Hunter Wilson Date 9-1-76 Authorized representative		

26 33W 19

WELL INFORMATION - TRACT 5

WINTER-WILSON DRILLING CO. irrigation
and Domestic
Water Systems
Complete Installation
and Repairing
INCORPORATED

Phone-276-8269 • P.O. Box 493 • GARDEN CITY, KANSAS 67846

ARY STONE & SONS
FINNEY COUNTY
2-7-76

LOCATION NW 19-26-33
South Of Garden City To Channel 11 TV Tower
6 Miles West, $\frac{1}{2}$ Mile South, $\frac{1}{2}$ Mile East

STATIC WATER LEVEL 110?

Test

0	2	Top Soil
2	12	Fine Sand
12	21	Brown Sandy Clay
21	48	Fine To Med. Sand & Gravel (Loose)
48	50	Brown Clay
50	80	Med. To Coarse Gravel (Loose)
80	95	Fine To Med. Sand & Coarse Gravel, Streaks Of Clay (20%)
95	126	Fine To Med. Sand & Gravel (Loose)
126	152	Fine To Med. Sand & Gravel, Streaks Of Clay(10%)
152	275	Fine To Med. Sand & Gravel (Loose)
275	291	Fine To Med. Sand & Gravel, Streaks Of Clay(10%)
291	305	Fine To Med. Sand & Gravel, Streaks Of Clay 10% (Tight)
305	320	Brown Sandy Clay, White Rock & Streaks Of Fine To Med. Sand & Gravel (25%) Tight No Good
320	332	Brown Sandy Clay, Small Streaks Of Fine To Med. Sand & Gravel (20%)
332	350	Brown & White Sandy Clay, Small Streaks Of Coarse Gravel (10%)
350	395	Fine Sand & Clay Mixture (40%) Clay No Good

TD 305
Screen 20
140' Plain
110' Perf.
20' Screen
35' Perf.

Kansas Geological Survey

Comments to webadmin@kgs.ku.edu

URL=<http://www.kgs.ku.edu/Magellan/WaterWell/index.html>

Display Programs Updated July 29, 2004

Data added continuously.

WELL INFORMATION - TRACT 6

Jan 10 2013 10:10AM Minter Wilson Drilling Co 6202768260

page 2

Stone Acres, Inc.

NE $\frac{1}{4}$ 19-26-33 - Finney County

Well drilled 7-10-74 by Henkle Drilling to a depth of 337 ft.



177' - 16" Plain Casing

160' - 16" Doerr & Mill Slot Perf.

7-31-98 - Inv. #0005805 - Pulled 170' pump (8"X2 $\frac{1}{2}$ "X1 $\frac{1}{2}$ " with Brass Bearings), put in a new 5 Stage SP12M Simmons bowl unit, changed oil in 2BL90 Amarillo Gear Drive 6:5 Ratio S/N 52628, lowered 80' - set 250' pump.

7-23-02 - Inv. #0008761 - Major repair on 2BL90 Amarillo Gear Drive 6:5 Ratio-S/N 52628.

7-12-07 - Inv. #012953 - Lowered 60'-now 310'.

6-26-12 - Inv. #016527- Lowered 15' - now 325'

WELL INFORMATION - TRACT 7

Jan 07 2013 4:41PM Minter Wilson Drilling Co 6202768260

page 5

ART STONE

SW $\frac{1}{4}$ 19-26-33 Finney County

Total Depth 340'



140' Plain

160' Perf

20' Screen

20' Perf

180' - 1 $\frac{1}{2}$ " x 2 $\frac{1}{2}$ " x 8" Column, Tube & Shaft

1 - 8" x 8" x 16 $\frac{1}{2}$ " Discharge Head

1 - 5 Stage 12" Bowl

1 - 100 HP Gear Drive

WL 48 Drive, Flange & Guard

8" Cooler, Bases & Plumbing

8-23-94 - Inv. #0002575 - Lowered 60'-now 240'.

7-26-96 - Inv. #0005172 - Lowered 60'-now 300'.

11-18-99 - Inv. #0006687 - Pulled 300' pump, T.V.'d well, sonar jet cleaned 75', bailed well, repaired 5 stage 12JHC bowl unit & added one stage (Now 5 Stage 12JHC), repaired column, tube & shaft, changed oil in G125 Randolph Gear Drive 4:3 Ratio - S/N 924460, lowered 20'-set 320'.

8-11-05 - Inv. #011607 - Took off gear drive & put on a loaner, repaired G125 Randolph Gear Drive 4:3 Ratio - S/N 924460, took off loaner & put on repaired gear drive.

WELL INFORMATION - TRACT 7

KGS
Hydrology

Water Well Database Query

Scan of WWC5 Form

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County ROCKY	Fraction SW 1/4 NE 1/4 SW 1/4	Section number 19	Township number T 26 S	Range number R 33 W
2. Distance and direction from nearest town or city: on Hwy 83 13 miles 6 west 1 3/4 south 1/2 east		Owner of well: Art Stone		R.R. or street: S Star Pt.		
3. Street address of well (if in city):		City, state, zip code: Garden City, Ks. 67846				
4. Locate with "X" in section below: Sketch map: N NW NE W X E S 1 Mile		6. Bore hole dia. 26 in. Completion date 3-21-76 Well depth 340 .				
		7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input checked="" type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary				
		8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other				
		9. Coating: Material steel Height: Above & below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 26.07 lbs./ft. Dia. 26 in. to 34 ft. depth Wall thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth Gage No. 219 MMS				
5. Type and color of material		From	To	10. Screens: Manufacturer's name Johnson Division Type Galv. Dia. 16" Slot/gauge 100 Length 20 Set between 200 ft. and 320 ft. Perf. 110-300 ft. and 320-340 ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material 1/2" Down		
				11. Static water level: <input type="checkbox"/> mo./day/yr. 114 ft. below land surface Date 3-17-76		
				12. Pumping level below land surfaces: 126 ft. after 3 hrs. pumping 1500 g.p.m. ft. after 1 hr pumping 1500 g.p.m. Estimated maximum yield 1500 g.p.m.		
				13. Water sample submitted: <input type="checkbox"/> mo./day/yr. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date		
				14. Well head completion: <input type="checkbox"/> #1/2" adapter 12 inches above grade		
				15. Well grouted? <input checked="" type="checkbox"/> Yes With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: from 0 ft. to 10 ft.		
				16. Nearest source of possible contamination: N/A ft. _____ Direction _____ Type _____ Well disinfected upon completion? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>		
				17. Pump: Goulds US Pumps Manufacturer's name Goulds Model number 1201C HP 100 Volts _____ Length of drop pipe 180 ft. capacity 1000 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
18. Elevation:		19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Minter Wilson Drilling 208 Business name P.O. Box A Garden City Address _____ Signed [Signature] Date 3-17-76 Authorized representative		
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley						

26
33
19
SW NE SW
1/4 SW 1/4

WELL INFORMATION - TRACT 7

KGS--Water Wells Query Answer--Scan of WWC5 Form

WATER-WILSON DRILLING CO. and Domestic
Water Systems
Complete Installation
and Repairing
INCORPORATED

Phone 276-8269 • P.O. Box 493 • GARDEN CITY, KANSAS 67846

ART STONE & SONS
FINNEY COUNTY
2-9-76

LOCATION SW 19-26-33
From Channell 11 TV, 6 Miles West, 3/4 Mile
South, 1/2 Mile East To Pivot Point

STATIC WATER LEVEL 1107

Test #2

0	1	Top Soil
1	19	Fine Sand
19	35	Brown Sandy Clay
35	65	Fine To Med. Sand & Gravel (Loose)
65	99	Med. To Coarse Gravel (Loose)
99	126	Fine To Med. Sand & Gravel, Some Coarse Gravel (Loose)
126	140	Fine To Med. Sand & Gravel, Streaks Of Clay(10%)
140	200	Fine To Med. Sand & Gravel(Loose)
200	212	Fine To Med.Sand & Gravel, Streaks Of Clay (20 %) Tight
212	230	Fine Sand , Streaks Of Clay (20%) Tight No Good
230	246	Gray Clay & Brown Sandy Clay Mixture No Good
246	260	Fine Sand & Clay Mixture (50%) No Good
260	269	Fine To Med. Sand & Gravel (Loose)
269	275	Brown Sandy Clay, Streaks Of Fine To Med. Sand & Gravel (25%)
275	290	Fine To Med. Sand & Gravel, Streaks Of Clay (10%)
290	340	Fine To Med. Sand & Gravel (Loose)
340	380	Fine Sand & Clay Mixture (No Good)

ID 340
20' Screen 20' Screen
140' Plain 20' Perf.
100' Perf.

Kansas Geological Survey

Comments to webadmin@kgs.ku.edu

URL=<http://www.kgs.ku.edu/Magellan/WaterWell/index.html>

Display Programs Updated July 29, 2004

Data added continuously.

WELL INFORMATION - TRACT 8

Billy Stone	
SE 1/4 19-26-33 - Finney County	
Total Well Depth - 355' - Drilled Oct. 1991	
	8X8X16 1/2 Discharge Head (Goulds)
	220' - 8" X 2 1/2" X 1 1/2" Column, LH Woodline Tube & Shaft Assembly
	12JHC Goulds 5 Stage Bowl Unit G125 Randolph Gear Drive 6:5 Ratio S/N 96457
120' Agri Screen	<p>4-29-97 - Inv. #0004749 - Lowered pump 60' Now set at 280'.</p> <p>7-31-03 -- Inv. #0009613 -- Pulled 280' pump, repaired 5 stage 12JMC bowl unit, repaired column, tube & shaft, repaired G125 Randolph Gear Drive 6:5 Ratio - S/N 96457, lowered 40' - set back in 320' pump.</p> <p>6-29-07 - Inv. #012930 - lowered pump 20' & put on a loaner - pump now set at 340'.</p>
5' Perf. Casing	<p>7-24-07 - Inv. #013168 - Repaired G125 Randolph Gear Drive 4:3 Ratio-changed to 1:1 Ratio - S/N 924924, took off loaner & put on repaired gear drive.</p>
<p>4-18-12 - Inv. #016321 - Took off G125 Randolph Gear Drive 1:1 Ratio - put on customer's spare F125 De'Ran Gear Drive 4:3 Ratio - S/N 96457.</p>	
<p>6-28-12 - Inv. #016591 - Took off F125 Randolph Gear Drive 4:3 Ratio - S/N 96457 & put on a new G125A De'Ran Gear Drive 4:3 Ratio - S/N D202140.</p>	


WELL INFORMATION - TRACT 8

KGS

Water Well Database Query

Scan of WWC5 Form

WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL: County: Finney		Fraction Near Center <small>1/4 SE 1/4</small>	Section Number 19	Township Number T 26 S	Range Number R 33 E/W
Distance and direction from nearest town or city street address of well if located within city? From Garden City - 12 Miles South to TV Road, 5 Miles West, 1 Mile South, 1345 Ft. North &					
2 WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP Code		Elnora A. Stone South Star Route Garden City, Kansas 67846		1310 Ft. West Board of Agriculture, Division of Water Resources Application Number: 5871	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 		4 DEPTH OF COMPLETED WELL: 355 ft. ELEVATION: _____ Depth(s) Groundwater Encountered 1. _____ ft. 2. _____ ft. 3. _____ ft. WELL'S STATIC WATER LEVEL 137 ft. below land surface measured on mo/day/yr 10-24-91 Pump test data: Well water was _____ ft. after _____ hours pumping _____ gpm Est. Yield _____ gpm: Well water was _____ ft. after _____ hours pumping _____ gpm Bore Hole Diameter 30 in. to 355 ft. and _____ in. to _____ ft. WELL WATER TO BE USED AS: <input type="checkbox"/> 1 Domestic <input type="checkbox"/> 3 Feedlot <input type="checkbox"/> 6 Oil field water supply <input type="checkbox"/> 9 Dewatering <input type="checkbox"/> 12 Other (Specify below) <input checked="" type="checkbox"/> 2 Irrigation <input type="checkbox"/> 4 Industrial <input type="checkbox"/> 7 Lawn and garden only <input type="checkbox"/> 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes _____ No <input checked="" type="checkbox"/> X: If yes, mo/day/yr sample was submitted _____ Water Well Disinfected? Yes _____ No <input checked="" type="checkbox"/> X			
5 TYPE OF BLANK CASING USED: <input checked="" type="radio"/> 1 Steel <input type="radio"/> 3 RMP (SR) <input type="radio"/> 6 Asbestos-Cement <input type="radio"/> 9 Other (specify below) <input type="radio"/> 2 PVC <input type="radio"/> 4 ABS <input type="radio"/> 7 Fiberglass Blank casing diameter 16 in. to 230 in. Dia. _____ in. to _____ ft. Dia. _____ in. to _____ ft. Casing height above land surface 12 in., weight 42.05 lbs./ft. Wall thickness or gauge No. .250 TYPE OF SCREEN OR PERFORATION MATERIAL: <input checked="" type="radio"/> 1 Steel <input type="radio"/> 3 Stainless steel <input type="radio"/> 5 Fiberglass <input type="radio"/> 8 RMP (SR) <input type="radio"/> 11 Other (specify) <input type="radio"/> 2 Brass <input type="radio"/> 4 Galvanized steel <input type="radio"/> 6 Concrete tile <input type="radio"/> 9 ABS <input type="radio"/> 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: <input type="radio"/> 1 Continuous slot <input checked="" type="radio"/> 3 Mill slot <input checked="" type="radio"/> 6 Wire wrapped <input type="radio"/> 8 Saw cut <input type="radio"/> 11 None (open hole) <input type="radio"/> 2 Louvered shutter <input type="radio"/> 4 Key punched <input type="radio"/> 7 Torch cut <input type="radio"/> 9 Drilled holes <input type="radio"/> 10 Other (specify) _____ SCREEN-PERFORATED INTERVALS: From 230 ft. to 355 ft. From _____ ft. to _____ ft. GRAVEL PACK INTERVALS: From _____ ft. to _____ ft. From _____ ft. to _____ ft.					
6 GROUT MATERIAL: <input type="radio"/> 1 Neat cement <input checked="" type="radio"/> 2 Cement grout <input type="radio"/> 3 Bentonite <input type="radio"/> 4 Other _____ Grout Intervals: From 0 ft. to 20 ft. From _____ ft. to _____ ft. From _____ ft. to _____ ft. What is the nearest source of possible contamination: <input type="checkbox"/> 1 Septic tank <input type="checkbox"/> 4 Lateral lines <input type="checkbox"/> 7 Pit privy <input type="checkbox"/> 10 Livestock pens <input checked="" type="checkbox"/> 14 Abandoned water well <input type="checkbox"/> 2 Sewer lines <input type="checkbox"/> 5 Cess pool <input type="checkbox"/> 8 Sewage lagoon <input type="checkbox"/> 11 Fuel storage <input type="checkbox"/> 15 Oil well/Gas well <input type="checkbox"/> 3 Watertight sewer lines <input type="checkbox"/> 6 Seepage pit <input type="checkbox"/> 9 Feedyard <input type="checkbox"/> 12 Fertilizer storage <input type="checkbox"/> 16 Other (specify below) <input type="checkbox"/> 13 Insecticide storage Direction from well? northeast How many feet? 371 north and 450 east					
FROM		TO		LITHOLOGIC LOG	
FROM		TO		PLUGGING INTERVALS	
See attached log					
UNABLE TO PROCURE					
ATTACHMENT					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <input checked="" type="radio"/> (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 11-5-91 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 208 . This Water Well Record was completed on (mo/day/yr) 11-12-91 under the business name of _____ by (signature) <i>Nora Keller</i>					

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-7320. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.

WELL INFORMATION - TRACT 8

Jan 07 2013 4:45PM Minter Wilson Drilling Co 6202768260

page 10

Professionals

MINTER-WILSON DRILLING CO.
INCORPORATED

Irrigation
and Domestic
Water Systems
Complete Installation
and Repairing

Phone 276-8269 • P.O. Box A • GARDEN CITY, KANSAS 67846

Billy Stone
Finney County
12-4-90

Location: SE $\frac{1}{4}$ 19-26-33
From shop - west through yard.
Circle south of house - 30' NE of pivot

Static Water Level - 130'

Test #1

0	3	Top soil
3	47	Brown sandy clay
47	116	Fine to medium sand & gravel with coarse gravel
116	127	Brown clay
127	164	Fine to medium sand & gravel
164	171	Brown clay
171	197	Fine to medium sand & gravel - 10% clay
197	206	Brown clay
206	307	Fine to medium sand & gravel
307	321	Brown clay
321	326	Fine to medium sand & gravel
326	333	Brown clay
333	351	Fine to medium sand & gravel - 10% clay
351	359	Brown clay
359	381	Brown clay with white rock mixed - tight
381	455	Brown clay
455	479	Brown clay with brown rock
479	490	Brown clay
490	497	Yellow & gray clay
497	500	Shale

WELL INFORMATION - TRACT 18

SCS Farms
 NE 1/4 20-26-33 Finney County
 Total depth 475' drilled 5-17-1984



210' Plain
 20' Perf
 20' Screen
 80' Perf
 20' Screen
 80' Plain
 40' Screen
 5' Perf

200' - 10" x 2 1/2" x 1 11/16" Column, Tube & Shaft
 RH Woodline
 1- 10" x 10" x 20" Discharge Head
 1- 4 Stage 14MC Peerless Bowl
 1- 200 HP Gear Drive 10:11
 7-24-97 - Inv. #0004985 - Lowered 60' - now 260'
 3-21-00 - Inv. #0006865 - Pulled 260' pump, T.V.'d well, sonar jet cleaned 150', bailed well, put in a new 6 Stage SJ12H bowl unit, repaired column, tube & shaft, changed oil & sprag on F150 Randolph Gear drive 2:3 Ratio S/N 151464, lowered 60' - set back in 320'
 11-13-02 - Inv. #0009057 - Repaired F150 Randolph Gear Drive 2:3 Ratio - S/N 151564.
 12-13-02 - Inv. #0009092 - Lowered 60' - now 380'
 5-30-04 - Inv. #0102033 - Repaired F150 Randolph Gear drive 2:3 Ratio - changed to 1:1 S/N 151564
 12-13-07 - Inv. #013292 - Lowered 40' - now 420'

10-29-10 - Inv. #015385 -- Pulled 420' pump, T.V.'d well, sonar jet cleaned 50', bailed well repaired 6 Stage SJ12H Simmons bowl unit, lowered 40' - set 460' pump.

WELL INFORMATION - TRACT 18

KGS
Hydrology

Water Well Database Query

Scan of WWC5 Form


WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Finney		SW $\frac{1}{4}$ SW $\frac{1}{4}$ NE $\frac{1}{4}$	20	T 26 S	R 33 E W
Distance and direction from nearest town or city street address of well if located within city? From Garden City, 11 miles So. 4 miles West $\frac{1}{2}$ mile So. $\frac{1}{2}$ mile West					
2 WATER WELL OWNER: S.C.S. Farms		Board of Agriculture, Division of Water Resources			
RR#, St. Address, Box #: So. Star Rt.		Application Number:			
City, State, ZIP Code: Garden City, Ks. 67846					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 475 ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL 141 ft. below land surface measured on mo/day/yr 4-26-84			
		Pump test data: Well water was 147 ft. after hours pumping 800 gpm			
		Est. Yield 2150 gpm: Well water was 159 ft. after hours pumping 2150 gpm			
		Bore Hole Diameter 26 in. to 475 ft. and in. to ft.			
		WELL WATER TO BE USED AS:			
		<input type="checkbox"/> 1 Domestic <input type="checkbox"/> 3 Feedlot <input type="checkbox"/> 6 Oil field water supply <input type="checkbox"/> 9 Dewatering <input type="checkbox"/> 11 Injection well <input checked="" type="checkbox"/> 2 Irrigation <input type="checkbox"/> 4 Industrial <input type="checkbox"/> 7 Lawn and garden only <input type="checkbox"/> 10 Observation well			
		Was a chemical/bacteriological sample submitted to Department? Yes.....No..... X; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes No X			
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued Clamped			
<input checked="" type="radio"/> 1 Steel <input type="radio"/> 3 RMP (SR) <input type="radio"/> 2 PVC <input type="radio"/> 4 ABS		<input type="radio"/> 5 Wrought iron <input type="radio"/> 8 Concrete tile <input type="radio"/> 9 Other (specify below) <input checked="" type="radio"/> Welded X <input type="radio"/> 6 Asbestos-Cement <input type="radio"/> 7 Fiberglass <input type="radio"/> 10 Asbestos-cement <input type="radio"/> 11 Other (specify) <input type="radio"/> 7 Fiberglass <input type="radio"/> 8 RMP (SR) <input type="radio"/> 12 None used (open hole)			
Blank casing diameter 16 in. to 210 ft. Dia. 16 in. to 350-430 ft. Dia. in. to ft.					
Casing height above land surface 12 in. weight 42.05 lbs./ft. Wall thickness or gauge No. .250					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
<input checked="" type="radio"/> 1 Steel <input type="radio"/> 3 Stainless steel <input type="radio"/> 5 Fiberglass <input type="radio"/> 8 RMP (SR) <input type="radio"/> 11 Other (specify) <input type="radio"/> 2 Brass <input checked="" type="radio"/> 4 Galvanized steel <input type="radio"/> 6 Concrete tile <input type="radio"/> 9 ABS <input type="radio"/> 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
<input type="radio"/> 1 Continuous slot <input checked="" type="radio"/> 5 Mill slot <input type="radio"/> 8 Saw cut <input type="radio"/> 11 None (open hole) <input type="radio"/> 2 Louvered shutter <input type="radio"/> 4 Key punched <input checked="" type="radio"/> 6 Wire wrapped <input type="radio"/> 9 Drilled holes <input type="radio"/> 3 Torch cut <input type="radio"/> 10 Other (specify)					
SCREEN-PERFORATED INTERVALS:					
From 210 ft. to 230 Mill slot ft. From 230 ft. to 230 Mill slot ft.					
From 230 ft. to 250 Screen ft. From 330 ft. to 350 Screen ft.					
GRAVEL PACK INTERVALS:					
From 10 ft. to 475 ft. From 430 ft. to 470 Screen ft.					
From ft. to ft. From 470 ft. to 475 Mill slot ft.					
6 GROUT MATERIAL:					
<input type="radio"/> 1 Neat cement <input checked="" type="radio"/> 2 Cement grout <input type="radio"/> 3 Bentonite <input type="radio"/> 4 Other Grout Intervals: From 0 ft. to 10 ft. From ft. to ft. From ft. to ft.					
What is the nearest source of possible contamination:					
<input type="radio"/> 1 Septic tank <input type="radio"/> 4 Lateral lines <input type="radio"/> 7 Pit privy <input type="radio"/> 10 Livestock pens <input checked="" type="radio"/> 11 Abandoned water well <input type="radio"/> 2 Sewer lines <input type="radio"/> 5 Cess pool <input type="radio"/> 8 Sewage lagoon <input type="radio"/> 11 Fuel storage <input type="radio"/> 15 Oil well/Gas well <input type="radio"/> 3 Watertight sewer lines <input type="radio"/> 6 Seepage pit <input type="radio"/> 9 Feedyard <input type="radio"/> 12 Fertilizer storage <input type="radio"/> 16 Other (specify below) <input type="radio"/> 13 Insecticide storage					
Direction from well? East		How many feet? 75'			
FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
		Test log attached			
		UNABLE TO PROCURE			
		ATTACHMENT			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>(1) constructed</u> , <u>(2) reconstructed</u> , or (3) plugged under my jurisdiction and was completed on (mo/day/year) 6-26-84 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 208 . This Water Well Record was completed on (mo/day/yr) 8-15-84 under the business name of Hinter Wilson Drilling Co. by (signature) T. H. Lassman					
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.					

WELL INFORMATION - TRACT 18

Jan 07 2013 4:47PM Minter Wilson Drilling Co 6202768260

page 13



professionals

MINTER-WILSON DRILLING CO.
INCORPORATED

Irrigation
and Domestic
Water Systems
Complete Installation
and Repairing

Phone 278-8269 • P.O. Box A • GARDEN CITY, KANSAS 67846
SCS Farms (Billy Stone)
Finney Co.
4/26/84

Location: NE 20-26-33
From Lorens house $\frac{1}{2}$ East or 75'
West of old well

Static water level 141'

Test #1

- 0 2 Top soil
- 2 51 Brown sandy clay
- 51 111 Fine to medium sand & gravel & coarse gravel
- 111 125 Brown clay
- 125 176 Fine to medium sand & gravel (Loose)
- 176 179 Brown clay
- 179 185 Fine to medium sand & gravel (loose)
- 185 200 Fine to medium sand & gravel, streak of clay
(10% loose)
- 200 212 Fine to medium sand & gravel (Loose)
- 212 248 Fine to medium sand & gravel & coarse Gravel
(Loose)
- 248 261 Blue clay
- 261 306 Fine to medium sand & gravel (Loose)
- 306 316 Brown sandy clay
- 316 350 Fine to medium sand & gravel (loose)
- 350 410 Brown sandy clay
- 410 424 Fine sand & clay mixture
- 424 450 Fine to medium sand & gravel (Loose)
- 450 470 Fine to medium sand & gravel (Loose)
- 470 472 Brown rock
- 472 480 Brown & Yellow clay
- 480 485 Shale

PRELIMINARY TITLE

PRELIMINARY TITLE WORK¹

The preliminary title work consists of five separate preliminary title insurance commitments, as described below. The preliminary **Schedules A, B-I and B-II** for each of the preliminary title insurance commitments are included in this Information Booklet in the pages that follow. Complete copies of the preliminary title insurance commitments will be posted at the auction and are available prior to the auction upon request.²

Title Company:

First American Title Company, Inc.
417 North 8th Street
Garden City, KS 67846
Tel: 620-275-7441

No.:	Date:	Owner:	Auction Tract(s): ³
1290384	12/03/2012	Billy D. Stone	5, 6, 7, 9 & 14; parts of 10, 11, 12, 15, 17 & 18
1290384A	12/03/2012	Elnora A. Stone	8; 13; parts of 10, 11 & 12
1290384B	12/03/2012	Stone Aces, Inc.	16; parts of 15, 17 & 18
1290384C	12/03/2012	Gregory D. Stone	4
1290384D	12/28/2012	Elnora A. Stone	1, 2, 3

¹ The preliminary title work is provided for informational purposes and does not constitute a binding commitment to issue the title insurance. After the auction and completion of any required survey work, a Final Title Commitment will be prepared for each Buyer in the amount of the purchase price.

² Title insurance will be provided with respect to **surface rights only** (Tracts 1 - 18). Information regarding the Mineral Rights Tracts is provided elsewhere in this Information Booklet.

³ These are the Auction Tracts presumed to be affected by each title commitment based on the respective commitment schedules and the Auction Tract Map. Please note that the boundaries shown in the Auction Tract Map are approximations only. Thus, for any particular Auction Tract you should also review the preliminary commitment schedules shown for all adjacent Tracts.

SCHEDULE A

Commitment No.: 1290384

1. Commitment Date: December 03, 2012 at 7:30 a.m.

2. Policy or Policies to be issued:

	Liability Amount	Total Charges
a. ALTA Std Owner Policy 1402.06 (2006)	\$0.00	\$
Proposed Insured: To Be Determined		
b. ALTA Loan Policy (06-17-06)	\$0.00	\$
Proposed Insured: , its successors and assigns as their interests may appear		

3. Fee simple interest in the Land described in this Commitment is owned, at the Commitment Date, by Billy D. Stone .

4. The Land referred to in this Commitment is described as follows:

The Northeast Quarter (NE/4) of Section Nineteen (19), Township Twenty-six (26) South, Range Thirty-three (33) West of the 6th P.M., Finney County, Kansas.

The Northwest Quarter (NW/4) of Section Nineteen (19), Township Twenty-six (26) South, Range Thirty-three (33) West of the 6th P.M., Finney County, Kansas.

The Southwest Quarter (SW/4) of Section Nineteen (19), Nineteen (19), Township Twenty-six (26) South, Range Thirty-three (33) West of the 6th P.M., Finney County, Kansas.

The South Half of the Southeast Quarter (S/2 SE/4) of Section Twenty (20), Township Twenty-six (26) South, Range Thirty-three (33) West of the 6th P.M., Finney County, Kansas.

The Southeast Quarter of the Northwest Quarter (SE/4 NW/4) and the West Half of the Northwest Quarter (W/2 NW/4) of Section Twenty (20), Township Twenty-six (26) South, Range Thirty-three (33) West of the 6th P.M., Finney County, Kansas less a 6 acre tract more particularly described as follows:

Beginning at the Northwest corner of the Northwest Quarter (NW/4) of Section 20, Township 26 South, Range 33 West of the 6th P.M. for a point of beginning, thence East along the North line of said quarter section, a distance of 874.5 feet, thence southwesterly along an arc made by 5 steel posts to a point on the West line of said quarter section 841.5 feet South of the Northwest corner, thence North along the West line of said quarter section to the point of beginning.

SCHEDULE B - SECTION I

REQUIREMENTS

Commitment No.: 1290384

The following requirements must be met:

- a. Pay the agreed amounts for the interest in the Land and/or the Mortgage to be insured.
 - b. Pay us the premiums, fees and charges for the policy.
 - c. Documents satisfactory to us creating the interest in the Land and/or the Mortgage to be insured must be signed, delivered and recorded.
 - d. You must tell us in writing the name of anyone not referred to in this commitment who will get an interest in the Land or who will make a loan on the Land. We may then make additional requirements or exceptions.
- (E) Obtain and submit to the Company for recording a Warranty Deed from Billy D. Stone, a single person, to Buyer.
 - (F) Obtain for recording a full release/satisfaction of the following: Mortgage dated October 6, 2011, recorded October 12, 2011 in record Book 301, Page 165. Said mortgage executed by Gregory D. Stone as President of Stone Acres, Inc., Gregory D. Stone and Angela L. Stone, husband and wife, Billy D. Stone, a single person, and Billy D. Stone, P.O.A. for Elnora A. Stone, given to The Western State Bank in the face amount of \$3,376,760.00.
 - (G) Pay 2012 Real Estate Taxes
 - (H) State of Kansas, County of Finney recording information:

Recording Fees:

Deed	\$8.00 first page, \$4.00 each additional page thereafter
Mortgage	\$8.00 first page, \$4.00 each additional page thereafter
Mortgage Tax	\$0.26 per each \$100.00 of Loan Amount
UCC: Register of Deeds	\$15.00 Original Statement (up to 10 pages) \$15.00 Amended Statement (up to 10 pages) \$15.00 Continuation Statement (up to 10 pages) \$15.00 Statement of Release of all or part of any collateral described in a filed Financing Statement (up to 10 pages) \$1.00 each additional page after 10 pages
UCC: Secretary of State	\$20.00 Paper and \$10.00 Electronic; Financing Statements (up to 10 pages) \$20.00 Paper and \$10.00 Electronic; Amendments (up to 10 pages) \$20.00 Paper and \$5.00 Electronic; Terminations (up to 10 pages) Additional pages over 10 pages \$1.00 per page for paper and free electronic

Mortgage release fees start at \$7.00 and are subject to additional charges as required by the Register of Deeds.

The State of Kansas requires that deeds transferring real estate must be accompanied by the Real Estate Validation Questionnaire. This form must be executed by either the Grantor (Seller) or the Grantee (Buyer). Certain exemptions do apply. The official form can be obtained from the Register of Deeds, or from this Company. Photocopies of the official form will not be accepted.

SCHEDULE B - SECTION II**EXCEPTIONS**

Commitment No.: 1290384

Any policy we issue will have the following exceptions unless they are taken care of to our satisfaction.

1. Right or claims of parties in possession not shown by the Public Records.
2. Easements, or claims of easements, not shown by the Public Records.
3. Any encroachment, encumbrance, violation, variation or adverse circumstances affecting Title that would be disclosed by an accurate and complete survey of the Land or that could be ascertained by an inspection of the Land.
4. Any lien, or right to lien, for services, labor or material heretofore or hereafter furnished, imposed by law and not shown by Public Records.
5. Taxes, or special assessments, if any, not shown as existing liens by the Public Records.
6. Taxes for the fiscal year 2012.

First Installment:	\$980.03, PAYABLE
Penalty:	\$0.00
Second Installment:	\$980.03, PAYABLE
Penalty:	\$0.00
Property I.D. No.:	028-344-19-0-0-00-001.00-0-00
7. Any interest outstanding of record in and to all the oil, gas and other minerals in and under and that may be produced from said premises, together with all rights incident to or growing out of said outstanding minerals, including but not limited to outstanding oil and gas leases and easements.
8. An easement for Northern Natural Gas in the document recorded August 28, 1950 as Book OG 21, Page 344 (as to the N/2 20-26-33) of Official Records.
9. An easement for Mobil Oil Corporation in the document recorded December 4, 1989 as Book 82, Page 890 (as all of 20-26-33) of Official Records.
10. An easement for Stone Acres, Inc. in the document recorded November 1, 2004 as Book 264, Page 384 (as to the N/2 NW/4 20-26-33) of Official Records.
11. An easement for Northern Natural Gas in the document recorded August 29, 1950 as Book OG 21, Page 549 (as to the N/2 19-26-33) of Official Records.
12. An easement for Mobil Oil Corporation in the document recorded October 29, 1987 as Book 72, Page 943 (as to the SW/4 19-26-33) of Official Records.

13. An easement for KN Gas Gatherings, Inc. in the document recorded July 7, 1998 as Book 219, Page 988 (as to the N/2 NW/4 19-26-33) of Official Records.
14. An easement for Billy D. Stone in the document recorded November 1, 2004 as Book 264, Page 386 (as to the NE/4 19-26-33) of Official Records.

SCHEDULE A

Commitment No.: 1290384A

1. Commitment Date: December 3, 2012 at 7:30 a.m.

2. Policy or Policies to be issued:	Liability Amount	Total Charges
-------------------------------------	------------------	---------------

a. ALTA Owners Policy (06-17-06)	\$0.00	\$
----------------------------------	--------	----

Proposed Insured:
To Be Determined

b. ALTA Loan Policy (06-17-06)	\$0.00	\$
--------------------------------	--------	----

Proposed Insured:
, its successors and assigns as their interests may appear

3. Fee simple interest in the Land described in this Commitment is owned, at the Commitment Date, by Elnora A. Stone .

4. The Land referred to in this Commitment is described as follows:

The Southeast Quarter (SE/4) of Section Nineteen (19), Township Twenty-six (26) South, Range Thirty-three (33) West of the 6th P.M., Finney County, Kansas.

SCHEDULE B - SECTION I

REQUIREMENTS

Commitment No.: 1290384A

The following requirements must be met:

- a. Pay the agreed amounts for the interest in the Land and/or the Mortgage to be insured.
 - b. Pay us the premiums, fees and charges for the policy.
 - c. Documents satisfactory to us creating the interest in the Land and/or the Mortgage to be insured must be signed, delivered and recorded.
 - d. You must tell us in writing the name of anyone not referred to in this commitment who will get an interest in the Land or who will make a loan on the Land. We may then make additional requirements or exceptions.
- (E) Obtain and submit to the Company for recording a Warranty Deed from Elnora A. Stone, a single person, to Buyer.
- (F) Obtain for recording a full release/satisfaction of the following: Mortgage dated October 6, 2011, recorded October 12, 2011 in record Book 301, Page 165. Said mortgage executed by Gregory D. Stone as President of Stone Acres, Inc., Gregory D. Stone and Angela L. Stone, husband and wife, Billy D. Stone, a single person, and Billy D. Stone, P.O.A. for Elnora A. Stone, given to The Western State Bank in the face amount of \$3,376,760.00.
- (G) Pay 2012 Real Estate Taxes
- (H) State of Kansas, County of Finney recording information:

Recording Fees:

Deed	\$8.00 first page, \$4.00 each additional page thereafter
Mortgage	\$8.00 first page, \$4.00 each additional page thereafter
Mortgage Tax	\$0.26 per each \$100.00 of Loan Amount
UCC: Register of Deeds	\$15.00 Original Statement (up to 10 pages) \$15.00 Amended Statement (up to 10 pages) \$15.00 Continuation Statement (up to 10 pages) \$15.00 Statement of Release of all or part of any collateral described in a filed Financing Statement (up to 10 pages) \$1.00 each additional page after 10 pages
UCC: Secretary of State	\$20.00 Paper and \$10.00 Electronic; Financing Statements (up to 10 pages) \$20.00 Paper and \$10.00 Electronic; Amendments (up to 10 pages) \$20.00 Paper and \$5.00 Electronic; Terminations (up to 10 pages) Additional pages over 10 pages \$1.00 per page for paper and free electronic

Mortgage release fees start at \$7.00 and are subject to additional charges as required by the Register of Deeds.

The State of Kansas requires that deeds transferring real estate must be accompanied by the Real Estate Validation Questionnaire. This form must be executed by either the Grantor (Seller) or the Grantee (Buyer). Certain exemptions do apply. The official form can be obtained from the Register of Deeds, or from this Company. Photocopies of the official form will not be accepted.

SCHEDULE B - SECTION II**EXCEPTIONS**

Commitment No.: 1290384A

Any policy we issue will have the following exceptions unless they are taken care of to our satisfaction.

1. Right or claims of parties in possession not shown by the Public Records.
2. Easements, or claims of easements, not shown by the Public Records.
3. Any encroachment, encumbrance, violation, variation or adverse circumstances affecting Title that would be disclosed by an accurate and complete survey of the Land or that could be ascertained by an inspection of the Land.
4. Any lien, or right to lien, for services, labor or material heretofore or hereafter furnished, imposed by law and not shown by Public Records.
5. Taxes, or special assessments, if any, not shown as existing liens by the Public Records.
6. Taxes for the fiscal year 2012.

First Installment:	\$1,158.99, PAYABLE
Penalty:	\$0.00
Second Installment:	\$1,158.98, PAYABLE
Penalty:	\$0.00
Property I.D. No.:	028-344-19-0-00-00-004.00-0-00
7. Any interest outstanding of record in and to all the oil, gas and other minerals in and under and that may be produced from said premises, together with all rights incident to or growing out of said outstanding minerals, including but not limited to outstanding oil and gas leases and easements.
8. An easement for Mobil Oil Corporation in the document recorded October 29, 1987 as Book 72, Page 943 (as to the SE/4 19-26-33) of Official Records.
9. An easement for Mobil Oil Corporation in the document recorded December 4, 1989 as Book 82, Page 892 (as to the SE/4 SE/4 19-26-33) of Official Records.
10. An easement for Stone Acres, Inc. in the document recorded November 1, 2004 as Book 264, Page 385 (as to the SE/4 19-26-33) of Official Records.
11. An easement for Stone Acres, Inc. in the document recorded November 1, 2004 as Book 264, Page 385 (as to the SE/4 19-26-33) of Official Records.
12. An easement for Billy D. Stone in the document recorded November 1, 2004 as Book 264, Page 386 (as to the SE/4 19-26-33) of Official Records.

13. An easement for Oneok Field Service Company, LLC in the document recorded August 27, 2010 as Book 295, Page 835, 836 and 837 (as to the SE/4 19-26-33) of Official Records.

SCHEDULE A

Commitment No.: 1290384B

1. Commitment Date: December 03, 2012 at 7:30 a.m.

	Liability Amount	Total Charges
--	------------------	---------------

a. ALTA Owners Policy (06-17-06)	\$0.00	\$
----------------------------------	--------	----

Proposed Insured:
To Be Determined

b. ALTA Loan Policy (06-17-06)	\$0.00	\$
--------------------------------	--------	----

Proposed Insured:
, its successors and assigns as their interests may appear

3. Fee simple interest in the Land described in this Commitment is owned, at the Commitment Date, by Stone Acres, Inc. .

4. The Land referred to in this Commitment is described as follows:

The Northeast Quarter (NE/4) of Section Twenty (20), Township Twenty-six (26) South, Range Thirty-three (33) West of the 6th P.M., Finney County, Kansas.

The North Half of the Southeast Quarter (N/2 SE/4) of Section Twenty (20), Township Twenty-six (26) South, Range Thirty-three (33) West of the 6th P.M., Finney County, Kansas.

The Northeast Quarter of the Northwest Quarter (NE/4 NW/4) of Section Twenty (20), Township Twenty-six (26) South, Range Thirty-three (33) West of the 6th P.M., Finney County, Kansas.

A tract in the West Half of the Northwest Quarter (W/2 NW/4) of Section Twenty (20), Township Twenty-six (26) South, Range Thirty-three (33) West of the 6th P.M., Finney County, more particularly described as follows:

Beginning at the Northwest corner of the Northwest Quarter (NW/4) of Section 20, Township 26 South, Range 33 West of the 6th P.M. for a point of beginning, thence East along the North line of said quarter section, a distance of 874.5 feet, thence southwesterly along an arc made by 5 steel posts to a point on the West line of said quarter section 841.5 feet South of the Northwest corner, thence North along the West line of said quarter section to the point of beginning.

The Southwest Quarter (SW/4) of Section Twenty (20), Township Twenty-six (26) South, Range Thirty-three (33) West of the 6th P.M., Finney County, Kansas.

SCHEDULE B - SECTION I

REQUIREMENTS

Commitment No.: 1290384B

The following requirements must be met:

- a. Pay the agreed amounts for the interest in the Land and/or the Mortgage to be insured.
 - b. Pay us the premiums, fees and charges for the policy.
 - c. Documents satisfactory to us creating the interest in the Land and/or the Mortgage to be insured must be signed, delivered and recorded.
 - d. You must tell us in writing the name of anyone not referred to in this commitment who will get an interest in the Land or who will make a loan on the Land. We may then make additional requirements or exceptions.
- (E) Obtain and submit to the Company for recording a Warranty Deed from Stone Acres, Inc. to Buyer.
- (F) Obtain for recording a full release/satisfaction of the following: Mortgage dated October 6, 2011, recorded October 12, 2011 in record Book 301, Page 165. Said mortgage executed by Gregory D. Stone as President of Stone Acres, Inc., Gregory D. Stone and Angela L. Stone, husband and wife, Billy D. Stone, a single person, and Billy D. Stone, P.O.A. for Elnora A. Stone, given to The Western State Bank in the face amount of \$3,376,760.00.
- (G) The Company requires that it be furnished with a Corporate Resolution from Stone Acres, Inc. authorizing the sale of the subject property, and a Certificate of Good Standing from the Secretary of State on Stone Acres, Inc., and reserves the right to make additional requirements after a review of the same.
- (H) State of Kansas, County of Finney recording information:

Recording Fees:

Deed	\$8.00 first page, \$4.00 each additional page thereafter
Mortgage	\$8.00 first page, \$4.00 each additional page thereafter
Mortgage Tax	\$0.26 per each \$100.00 of Loan Amount
UCC: Register of Deeds	\$15.00 Original Statement (up to 10 pages)
	\$15.00 Amended Statement (up to 10 pages)
	\$15.00 Continuation Statement (up to 10 pages)
	\$15.00 Statement of Release of all or part of any collateral described in a filed Financing Statement (up to 10 pages) \$1.00 each additional page after 10 pages
UCC: Secretary of State	\$20.00 Paper and \$10.00 Electronic; Financing Statements (up to 10 pages)
	\$20.00 Paper and \$10.00 Electronic; Amendments (up to 10 pages)
	\$20.00 Paper and \$5.00 Electronic; Terminations (up to 10 pages)
	Additional pages over 10 pages \$1.00 per page for paper and free electronic

SCHEDULE B - SECTION II**EXCEPTIONS**

Commitment No.: 1290384B

Any policy we issue will have the following exceptions unless they are taken care of to our satisfaction.

1. Right or claims of parties in possession not shown by the Public Records.
2. Easements, or claims of easements, not shown by the Public Records.
3. Any encroachment, encumbrance, violation, variation or adverse circumstances affecting Title that would be disclosed by an accurate and complete survey of the Land or that could be ascertained by an inspection of the Land.
4. Any lien, or right to lien, for services, labor or material heretofore or hereafter furnished, imposed by law and not shown by Public Records.
5. Taxes, or special assessments, if any, not shown as existing liens by the Public Records.
6. Taxes for the fiscal year 2012.

First Installment:	\$0.00, PAID
Penalty:	\$0.00
Second Installment:	\$0.00, PAID
Penalty:	\$0.00
Property I.D. No.:	028-344-20-0-00-00-001.00-0-0
7. Any interest outstanding of record in and to all the oil, gas and other minerals in and under and that may be produced from said premises, together with all rights incident to or growing out of said outstanding minerals, including but not limited to outstanding oil and gas leases and easements.
8. An easement for Northern Natural Gas in the document recorded August 28, 1950 as Book OG 21, Page 344 (as to the N/2 20-26-33) of Official Records.
9. An easement for Northern Natural Gas in the document recorded August 29, 1950 as Book OG 33, Page 230 (as to the NE/4 20-26-33) of Official Records.
10. An easement for Mobil Oil Corporation in the document recorded December 4, 1989 as Book 82, Page 890 (as all of 20-26-33) of Official Records.
11. An easement for KN Gas Gatherings, Inc. in the document recorded June 3, 1998 as Book 219, Page 225 (as to the NE/4 & NE/4 NW/4 20-26-33) of Official Records.
12. An easement for Stone Acres, Inc. in the document recorded November 1, 2004 as Book 264, Page 384 & 385 (as to the N/2 NW/4 & SW/4 20-26-33) of Official Records.

SCHEDULE A

Commitment No.: 1290384C

1. Commitment Date: December 03, 2012 at 7:30 a.m.

2.	Policy or Policies to be issued:	Liability Amount	Total Charges
----	----------------------------------	------------------	---------------

a.	ALTA Owners Policy (06-17-06)	\$0.00	\$
----	-------------------------------	--------	----

Proposed Insured:
To Be Determined

b.	ALTA Loan Policy (06-17-06)	\$0.00	\$
----	-----------------------------	--------	----

Proposed Insured:
, its successors and assigns as their interests may appear

3. Fee simple interest in the Land described in this Commitment is owned, at the Commitment Date, by Gregory D. Stone .

4. The Land referred to in this Commitment is described as follows:

The Southwest Quarter (SW/4) of Section Eleven (11), Township Twenty-six (26) South, Range Thirty-four (34) West of the 6th P.M., Finney County, Kansas.

SCHEDULE B - SECTION I

REQUIREMENTS

Commitment No.: 1290384C

The following requirements must be met:

- a. Pay the agreed amounts for the interest in the Land and/or the Mortgage to be insured.
 - b. Pay us the premiums, fees and charges for the policy.
 - c. Documents satisfactory to us creating the interest in the Land and/or the Mortgage to be insured must be signed, delivered and recorded.
 - d. You must tell us in writing the name of anyone not referred to in this commitment who will get an interest in the Land or who will make a loan on the Land. We may then make additional requirements or exceptions.
- (E) Obtain and submit to the Company for recording a Warranty Deed from Gregory D. Stone and Anglea L. Stone, husband and wife, to Buyer.
 - (F) Obtain for recording a full release/satisfaction of the following: Mortgage dated December 29, 1987, recorded December 6, 1990 in record Book 88, Page 296. Said mortgage executed by Gregory D. Stone, an unmarried person, given to SCS Farms, Inc. in the face amount of \$6,800.00.
 - (G) Pay 2012 Real Estate Taxes
 - (H) State of Kansas, County of Finney recording information:

Recording Fees:

Deed	\$8.00 first page, \$4.00 each additional page thereafter
Mortgage	\$8.00 first page, \$4.00 each additional page thereafter
Mortgage Tax	\$0.26 per each \$100.00 of Loan Amount
UCC: Register of Deeds	\$15.00 Original Statement (up to 10 pages) \$15.00 Amended Statement (up to 10 pages) \$15.00 Continuation Statement (up to 10 pages) \$15.00 Statement of Release of all or part of any collateral described in a filed Financing Statement (up to 10 pages) \$1.00 each additional page after 10 pages
UCC: Secretary of State	\$20.00 Paper and \$10.00 Electronic; Financing Statements (up to 10 pages) \$20.00 Paper and \$10.00 Electronic; Amendments (up to 10 pages) \$20.00 Paper and \$5.00 Electronic; Terminations (up to 10 pages) Additional pages over 10 pages \$1.00 per page for paper and free electronic

Mortgage release fees start at \$7.00 and are subject to additional charges as required by the Register of Deeds.

The State of Kansas requires that deeds transferring real estate must be accompanied by the Real Estate Validation Questionnaire. This form must be executed by either the Grantor (Seller) or the Grantee (Buyer). Certain exemptions do apply. The official form can be obtained from the Register of Deeds, or from this Company. Photocopies of the official form will not be accepted.

SCHEDULE B - SECTION II

EXCEPTIONS

Commitment No.: 1290384C

Any policy we issue will have the following exceptions unless they are taken care of to our satisfaction.

1. Right or claims of parties in possession not shown by the Public Records.
2. Easements, or claims of easements, not shown by the Public Records.
3. Any encroachment, encumbrance, violation, variation or adverse circumstances affecting Title that would be disclosed by an accurate and complete survey of the Land or that could be ascertained by an inspection of the Land.
4. Any lien, or right to lien, for services, labor or material heretofore or hereafter furnished, imposed by law and not shown by Public Records.
5. Taxes, or special assessments, if any, not shown as existing liens by the Public Records.
6. Taxes for the fiscal year 2012.

First Installment:	\$0.00, PAYABLE
Penalty:	\$0.00
Second Installment:	\$0.00, PAYABLE
Penalty:	\$0.00
Property I.D. No.:	028-331-11-2-00-00-002.00-0-00
7. Any interest outstanding of record in and to all the oil, gas and other minerals in and under and that may be produced from said premises, together with all rights incident to or growing out of said outstanding minerals, including but not limited to outstanding oil and gas leases and easements.
8. An easement for Northern Natural Gas in the document recorded December 10, 1979 as Book 31, Page 957 of Official Records.
9. An easement for Northern Natural Gas in the document recorded February 17, 1988 as Book 74, Page 191 of Official Records.
10. An easement for Midwest Energy, Inc. in the document recorded May 3, 2000 as Book 232, Page 452 of Official Records.

SCHEDULE A

Commitment No.: 1290384D

1. Commitment Date: December 28, 2012 at 7:30 a.m.
2. Policy or Policies to be issued:

	Liability Amount	Total Charges
a. ALTA Owners Policy (06-17-06)	\$0.00	\$
Proposed Insured: To Be Determined		
b. ALTA Loan Policy (06-17-06)	\$0.00	\$
Proposed Insured: , its successors and assigns as their interests may appear		
3. Fee simple interest in the Land described in this Commitment is owned, at the Commitment Date, by Elnora A. Stone .
4. The Land referred to in this Commitment is described as follows:

The South Half (S/2) of Section Fourteen (14), Township Twenty-six (26) South, Range Thirty-four (34) West of the 6th P.M., Finney County, Kansas except a tract more particularly described as follows:

Commencing at the West Quarter corner of said Section 14, being a set 1/2" R-bar, Parks cap typical; thence South 88°25'13" East (State Plane Grid North as basis of bearing) on the North line of said South Half of Section 14 a distance of 2549.93 feet to the point of beginning being a set 1/2" R-bar; thence continuing South 88°25'13" East on said North line a distance of 1341.99 feet to a set 1/2" R-bar; thence on a non-tangent curve to the left with a delta angle of 79°29'51". a radius of 1314.99 feet, an arc length of 1824.54 feet, a chord bearing of South 51°05'11" West and a chord length of 1681.67 feet to a set 1/2" R-bar; thence South 00°56'31" East a distance of 1553.09 feet to a set 1/2" R-bar on the South line of said South Half of Section 14; thence North 88°25'58" West on said South line a distance of 30.03 feet to a set 1/2" R-bar; thence North 00°56'31" West a distance of 1287.09 feet to a set 1/2" R-bar; thence North 00°17'19" West a distance of 1358.48 feet to the point of beginning.

SCHEDULE B - SECTION I REQUIREMENTS

Commitment No.: 1290384D

The following requirements must be met:

- a. Pay the agreed amounts for the interest in the Land and/or the Mortgage to be insured.
 - b. Pay us the premiums, fees and charges for the policy.
 - c. Documents satisfactory to us creating the interest in the Land and/or the Mortgage to be insured must be signed, delivered and recorded.
 - d. You must tell us in writing the name of anyone not referred to in this commitment who will get an interest in the Land or who will make a loan on the Land. We may then make additional requirements or exceptions.
- (E) Obtain and submit to the Company for recording a Warranty Deed from Elnora A. Stone, a single person, to Buyer.
 - (F) Obtain for recording a full release/satisfaction of the following: Mortgage dated October 6, 2011, recorded October 12, 2011 in record Book 301, Page 165. Said mortgage executed by Gregory D. Stone as President of Stone Acres, Inc., Gregory D. Stone and Angela L. Stone, husband and wife, Billy D. Stone, a single person, and Billy D. Stone, P.O.A. for Elnora A. Stone, given to The Western State Bank in the face amount of \$3,376,760.00 (as to the SE/4 14-26-34).
 - (G) Pay the last half of the 2012 Real Estate Taxes
 - (H) State of Kansas, County of Finney recording information:

Recording Fees:

Deed	\$8.00 first page, \$4.00 each additional page thereafter
Mortgage	\$8.00 first page, \$4.00 each additional page thereafter
Mortgage Tax	\$0.26 per each \$100.00 of Loan Amount
UCC: Register of Deeds	\$15.00 Original Statement (up to 10 pages) \$15.00 Amended Statement (up to 10 pages) \$15.00 Continuation Statement (up to 10 pages) \$15.00 Statement of Release of all or part of any collateral described in a filed Financing Statement (up to 10 pages) \$1.00 each additional page after 10 pages
UCC: Secretary of State	\$20.00 Paper and \$10.00 Electronic; Financing Statements (up to 10 pages) \$20.00 Paper and \$10.00 Electronic; Amendments (up to 10 pages) \$20.00 Paper and \$5.00 Electronic; Terminations (up to 10 pages) Additional pages over 10 pages \$1.00 per page for paper and free electronic

Mortgage release fees start at \$7.00 and are subject to additional charges as required by the Register of Deeds.

The State of Kansas requires that deeds transferring real estate must be accompanied by the Real Estate Validation Questionnaire. This form must be executed by either the Grantor (Seller) or the Grantee (Buyer). Certain exemptions do apply. The official form can be obtained from the Register of Deeds, or from this Company. Photocopies of the official form will not be accepted.

SCHEDULE B - SECTION II**EXCEPTIONS**

Commitment No.: 1290384D

Any policy we issue will have the following exceptions unless they are taken care of to our satisfaction.

1. Right or claims of parties in possession not shown by the Public Records.
2. Easements, or claims of easements, not shown by the Public Records.
3. Any encroachment, encumbrance, violation, variation or adverse circumstances affecting Title that would be disclosed by an accurate and complete survey of the Land or that could be ascertained by an inspection of the Land.
4. Any lien, or right to lien, for services, labor or material heretofore or hereafter furnished, imposed by law and not shown by Public Records.
5. Taxes, or special assessments, if any, not shown as existing liens by the Public Records.
6. Taxes for the fiscal year 2012.

First Installment:	\$447.03, PAID
Penalty:	\$0.00
Second Installment:	\$447.03, PAYABLE
Penalty:	\$0.00
Property I.D. No.:	028-336-14-0-00-00-002.00-0-00
7. A Road Notice from Carol Brown to the Public in the document recorded August 26, 1976 as Book 15, Page 326 of Official Records.
8. A Report of View from Larry Lockwood, etal to the Public in the document recorded August 26, 1976 as Book 15, Page 327 of Official Records.
9. Any interest outstanding of record in and to all the oil, gas and other minerals in and under and that may be produced from said premises, together with all rights incident to or growing out of said outstanding minerals, including but not limited to outstanding oil and gas leases and easements.
10. An easement for ETSI Pipeline Project in the document recorded August 3, 1984 as Book 55, Page 817 of Official Records.
11. An easement for Koch Gathering Systems, Inc. in the document recorded January 20, 1993 as Book 120, Page 306 of Official Records.



950 North Liberty Drive, Columbia City, IN 46725
800.451.2709 / 260.244.7606
www.schraderauction.com



450 Regency Parkway, Ste. 220, Omaha, NE 68114
402.548.4006 / 402.981.8831
www.lundco.com